

# PHILIPS SERVICE

# 336 A


15-35 m  
35-50 m  
50-560 m  
760-3000 m  
420 kc/s

4283 Z - 9 Ω

100-253 V  
47 W



760-3000 m	760-2000 m	200-560 m
<p>max.</p> <p>420 kc/s-32000 pF-γ1B1</p> <p>R15</p> <p>C15, C16, C21 760 m</p> <p>C41, C40, C39, C38 max.</p> <p>R15</p>	<p>R15</p> <p>S26-10000 Ω</p> <p>C5 pF-aB1</p> <p>333 kc/s - γ</p> <p>C15, C16, C23 900 m</p> <p>C17, C18 max.</p> <p>R15</p> <p>max.</p> <p>C28 max.</p> <p>R15</p> <p>25 pF-aB1</p> <p>150 kc/s - γ</p> <p>C15, C16, C24 2000 m</p> <p>R15</p> <p>C25 max.</p> <p>S26</p>	<p>R15</p> <p>S26-10000 Ω</p> <p>25 pF-aB1</p> <p>1395 kc/s - γ</p> <p>C15, C16, C24 215 m</p> <p>C19 max.</p> <p>R15</p> <p>max.</p> <p>C29 max.</p> <p>R15</p> <p>25 pF-aB1</p> <p>600 kc/s - γ</p> <p>C15, C16, C24 500 m</p> <p>R15</p> <p>C32 max.</p> <p>S26</p>
	<p>35-95 m</p> <p>25 pF-aB1</p> <p>R15</p> <p>S26-10000 Ω</p> <p>6,66 Mc/s - γ</p> <p>C15, C16, C24 45 m</p> <p>C15 max.</p> <p>R15</p> <p>max.</p> <p>C30 max.</p> <p>S26</p>	<p>15-35 m</p> <p>25 pF-aB1</p> <p>R15</p> <p>S26-10000 Ω</p> <p>17,6 Mc/s - γ</p> <p>C15, C16, C24 17 m</p> <p>C14 max.</p> <p>R15</p> <p>max.</p> <p>C31 max.</p> <p>S26</p>



R11223

	B1	B2	B3	B4	B5	B6
	E 446	E 409N	AF 2	E 444N	E 443H	1823
V <sub>m</sub>	254	97	255	103	231	V
V <sub>g2</sub>	101	-	102	33	232	V
-V <sub>g</sub>	3,34	-	1,73	1,8	18,7	V
I <sub>m</sub>	1,5	11,1	3,1	0,69	33,2	mA
I <sub>g2</sub>	0,65	-	1,33	0,56	6,53	mA

R1	320 Ω	48 426 10/220E	C1	32 pF	23 182 40.0
R2	830 Ω	48 426 10/33E	C2	32 pF	23 182 40.0
R3	4700 Ω	48 426 10/4K7	C3	47000 pF	48 731 10/47K
R4	10000 Ω	48 426 10/10K	C4	0,25 pF	
R5	39000 Ω	48 426 10/39K	C5	1 pF	
R6	47000 Ω	48 426 10/47K	C6	0,5 pF	
R7	27000 Ω	48 426 10/27K	C7	1 pF	
R8	68000 Ω	48 426 10/68K	C8	0,1 pF	23 160 63.0*
R9	0,39 MΩ	48 426 10/390K	C9	0,25 pF	
R10	3900 Ω	48 426 10/39K	C10	0,25 pF	
R11	0,22 MΩ	48 426 10/220K	C11	1 pF	
R12	0,47 MΩ	48 426 10/470K	C12	0,1 pF	48 731 10/100K
R13	10000 Ω	48 426 10/10K	C13	30 pF	23 212 36,4
R14	1800 Ω	48 426 10/18K	C14	30 pF	23 212 36,4
R15	22000 Ω	48 426 10/22K	C15		
R16	10000 Ω	48 426 10/10K	C16	8-430 pF	23 210 32.0*
R18	1,5 MΩ	48 426 10/15M	C24	30 pF	23 212 36,4
R19	330 Ω	48 426 10/330E	C17	30 pF	23 212 36,4
R20	0,5 MΩ	23 811 65.0	C18	30 pF	23 212 36,4
R21	150 Ω	48 426 10/150E	C19	30 pF	23 212 36,4
R22	1 MΩ	48 426 10/1M	C20	15000 pF	48 730 10/15K
R23	0,1 MΩ	48 426 10/100K	C21	47000 pF	48 730 10/47K
R24	0,47 MΩ	48 426 10/470K	C23	22000 pF	48 731 10/22K
R25	0,1 MΩ	48 426 10/100K	C25	125 pF	23 212 07,2
R26	47000 Ω	48 426 10/47K	C26	100 pF	48 429 10/100E
			C27	472 pF	48 429 01/472E
			C28	30 pF	23 212 36,4
			C29	30 pF	23 212 36,4
			C30	30 pF	23 212 36,4
			C31	30 pF	23 212 36,4
			C32		
			C34	180 pF	23 196 01.0*
			C35	180 pF	23 196 01.0*
			C36	180 pF	23 196 01.0*
			C37	180 pF	23 196 01.0*
			C38	125 pF	23 212 07,2
			C39	125 pF	23 212 07,2
			C40	125 pF	23 212 07,2
			C41	125 pF	23 212 07,2
			C42	47000 pF	48 731 10/47K
			C43	0,1 pF	48 731 10/100K
			C44	47000 pF	48 731 10/47K
			C46	47000 pF	48 731 10/47K
			C47	100 pF	48 406 10/100E
			C48	18000 pF	48 731 10/18K
			C49	220 pF	48 406 10/220E
			C50	270 pF	48 406 10/270E
			C51	10000 pF	48 731 10/10K
			C52	100 pF	48 406 20/100E
			C53	22000 pF	48 731 10/22K
			C54	8200 pF	48 732 10/8K2
			C56	3x4700 pF	48 429 02/4K7
			C57	3x5000 pF	48 429 02/5K
			C59	15 pF	48 429 20/15E
			C60	15 pF	48 429 20/15E

