






CAUTION: For continued safety, replace safety critical components only with manufacturer's recommended parts (refer to parts list). Δ indicates safety critical components. To reduce the risk of electric shock, leakage-current or resistance measurements shall be carried out (exposed parts are acceptably insulated from the supply circuit) before the appliance is returned to the customer.

• DC voltages are as measured with a high impedance voltmeter. Values may vary slightly due to variations between individual instruments and used units.

- | | | | | | | | | | | | | | | | | | | | | | | |
|---|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---------|----------|----------|--|---------|---------|---------|--|---------------------------|--------------------|---|----|
|  | 2SB1565 | DTA114EK | DTA123JK | DTA124EK | DTB123YK | DTC114EK | DTC114TK | DTC114YK | DTC124EK | DTC144EK | 2SA1362 | 28C2412K | 28D2114K |  | 2SB1188 | 2SB1277 | 2SD1760 |  | NJM4966M-TE2
NJM4966MD | DAN202K
DAN202U |  | A1 |
|---|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---------|----------|----------|--|---------|---------|---------|--|---------------------------|--------------------|---|----|

K20-4700-K1 (28M-136)



KDC-7080R/RV/RVY

KENWOOD

CAUTION: For continued safety, replace safety critical components only with manufacturer's recommended parts (refer to parts list).
 ⚠ Indicates safety critical components. To reduce the risk of electric shock, leakage current or resistance measurements shall be carried out (reposed parts are acceptably insulated from the supply circuit) before the appliance is returned to the customer.

• DC voltages are as measured with a high impedance voltmeter. Values may vary slightly due to variations between individual instruments, or/and units.