



SERVICE MANUAL

SERVICE MANUAL

MODEL : T534AH

SERVICE MANUAL

T534AH

DVD VIDEO PLAYER

DVD VIDEO PLAYER

T534AH

DVD VIDEO PLAYER
T534AH

© NAD 2004

NAD ELECTRONICS INTERNATIONAL
TORONTO

CONTENTS

SECTION 1SUMMARY

SECTION 2CABINET & MAIN CHASSIS

SECTION 3ELECTRICAL

SECTION 4MECHANISM

SECTION 5REPLACEMENT PARTS LIST

SECTION 1

SUMMARY

CONTENTS

PRODUCT SAFETY SERVICING GUIDELINES FOR VIDEO PRODUCTS	1-3
SERVICING PRECAUTIONS	1-4
• General Servicing Precautions	
• Insulation Checking Prodedure	
• Electrostatically Sensitive Devices	
SPECIFICATIONS	1-5

PRODUCT SAFETY SERVICING GUIDELINES FOR VIDEO PRODUCTS

CAUTION : DO NOT ATTEMPT TO MODIFY THIS PRODUCT IN ANY WAY, NEVER PERFORM CUSTOMIZED INSTALLATIONS WITHOUT MANUFACTURER'S APPROVAL. UNAUTHORIZED MODIFICATIONS WILL NOT ONLY VOID THE WARRANTY, BUT MAY LEAD TO YOUR BEING LIABLE FOR ANY RESULTING PROPERTY DAMAGE OR USER INJURY.

SERVICE WORK SHOULD BE PERFORMED ONLY AFTER YOU ARE THOROUGHLY FAMILIAR WITH ALL OF THE FOLLOWING SAFETY CHECKS AND SERVICING GUIDELINES. TO DO OTHERWISE, INCREASES THE RISK OF POTENTIAL HAZARDS AND INJURY TO THE USER.


WHILE SERVICING, USE AN ISOLATION TRANSFORMER FOR PROTECTION FROM A.C. LINE SHOCK.

SAFETY CHECKS

AFTER THE ORIGINAL SERVICE PROBLEM HAS BEEN CORRECTED, A CHECK SHOULD BE MADE OF THE FOLLOWING.

SUBJECT : FIRE & SHOCK HAZARD

1. BE SURE THAT ALL COMPONENTS ARE POSITIONED IN SUCH A WAY AS TO AVOID POSSIBILITY OF ADJACENT COMPONENT SHORTS. THIS IS ESPECIALLY IMPORTANT ON THOSE MODULES WHICH ARE TRANSPORTED TO AND FROM THE REPAIR SHOP.
2. NEVER RELEASE A REPAIR UNLESS ALL PROTECTIVE DEVICES SUCH AS INSULATORS, BARRIERS, COVERS, SHIELDS, STRAIN RELIEFS, POWER SUPPLY CORDS, AND OTHER HARDWARE HAVE BEEN REINSTALLED PER ORIGINAL DESIGN. BE SURE THAT THE SAFETY PURPOSE OF THE POLARIZED LINE PLUG HAS NOT BEEN DEFEATED.
3. SOLDERING MUST BE INSPECTED TO DISCOVER POSSIBLE COLD SOLDER JOINTS, SOLDER SPLASHES OR SHARP SOLDER POINTS. BE CERTAIN TO REMOVE ALL LOOSE FOREIGN PARTICLES.
4. CHECK FOR PHYSICAL EVIDENCE OF DAMAGE OR DETERIORATION TO PARTS AND COMPONENTS. FOR FRAYED LEADS, DAMAGED INSULATION (INCLUDING A.C. CORD), AND REPLACE IF NECESSARY FOLLOW ORIGINAL LAYOUT, LEAD LENGTH AND DRESS.
5. NO LEAD OR COMPONENT SHOULD TOUCH A RECEIVING TUBE OR A RESISTOR RATED AT 1 WATT OR MORE. LEAD TENSION AROUND PROTRUDING METAL SURFACES MUST BE AVOIDED.
6. ALL CRITICAL COMPONENTS SUCH AS FUSES, FLAMEPROOF RESISTORS, CAPACITORS, ETC. MUST BE REPLACED WITH EXACT FACTORY TYPES, DO NOT USE REPLACEMENT COMPONENTS OTHER THAN THOSE SPECIFIED OR MAKE UNRECOMMENDED CIRCUIT MODIFICATIONS.
7. AFTER RE-ASSEMBLY OF THE SET ALWAYS PERFORM AN A.C. LEAKAGE TEST ON ALL EXPOSED METALLIC PARTS OF THE CABINET, (THE CHANNEL SELECTOR KNOB, ANTENNA TERMINALS, HANDLE AND SCREWS) TO BE SURE THE SET IS SAFE TO OPERATE WITHOUT DANGER OF ELECTRICAL SHOCK. DO NOT USE A LINE ISOLATION TRANSFORMER DURING THIS TEST USE AN A.C. VOLT-METER, HAVING 5000 OHMS PER VOLT OR MORE SENSITIVITY, IN THE FOLLOWING MANNER; CONNECT A 1500 OHM 10 WATT RESISTOR, PARALLELED BY A .15 MFD. 150.V A.C TYPE CAPACITOR BETWEEN A KNOWN GOOD EARTH GROUND (WATER PIPE, CONDUIT, ETC.) AND THE EXPOSED METALLIC PARTS, ONE AT A TIME. MEASURE THE A.C. VOLTAGE ACROSS THE COMBINATION OF 1500 OHM RESISTOR AND .15 MFD CAPACITOR. REVERSE THE A.C. PLUG AND REPEAT A.C. VOLTAGE MEASUREMENTS FOR EACH EXPOSED METALLIC PART. VOLTAGE MEASURED MUST NOT EXCEED 75 VOLTS R.M.S. THIS CORRESPONDS TO 0.5 MILLIAMPS A.C ANY VALUE EXCEEDING THIS LIMIT CONSTITUTES A POTENTIAL SHOCK HAZARD AND MUST BE CORRECTED IMMEDIATELY.



SUBJECT: GRAPHIC SYMBOLS



THE LIGHTNING FLASH WITH ARROWHEAD SYMBOL, WITHIN AN EQUILATERAL TRIANGLE, IS INTENDED TO ALERT THE SERVICE PERSONNEL TO THE PRESENCE OF UNINSULATED "DANGEROUS VOLTAGE" THAT MAY BE OF SUFFICIENT MAGNITUDE TO CONSTITUTE A RISK OF ELECTRIC SHOCK.



THE EXCLAMATION POINT WITHIN AN EQUILATERAL TRIANGLE IS INTENDED TO ALERT THE SERVICE PERSONNEL TO THE PRESENCE OF IMPORTANT SAFETY INFORMATION IN SERVICE LITERATURE.

SUBJECT : X-RADIATION

1. BE SURE PROCEDURES AND INSTRUCTIONS TO ALL SERVICE PERSONNEL COVER THE SUBJECT OF X-RADIATION. THE ONLY POTENTIAL SOURCE OF X-RAYS IN CURRENT T.V. RECEIVERS IS THE PICTURE TUBE. HOWEVER, THIS TUBE DOES NOT EMIT X-RAYS WHEN THE HIGH VOLTAGE IS AT THE FACTORY SPECIFIED LEVEL. THE PROPER VALUE IS GIVEN IN THE APPLICABLE SCHEMATIC. OPERATION AT HIGHER VOLTAGES MAY CAUSE A FAILURE OF THE PICTURE TUBE OR HIGH VOLTAGE SUPPLY AND, UNDER CERTAIN CIRCUMSTANCES, MAY PRODUCE RADIATION IN EXCESS OF DESIRABLE LEVELS.
2. ONLY FACTORY SPECIFIED C.R.T. ANODE CONNECTORS MUST BE USED. DEGAUSSING SHIELDS ALSO SERVE AS X-RAY SHIELD IN COLOR SETS, ALWAYS RE-INSTALL THEM.
3. IT IS ESSENTIAL THAT SERVICE PERSONNEL HAVE AVAILABLE AN ACCURATE AND RELIABLE HIGH VOLTAGE METER. THE CALIBRATION OF THE METER SHOULD BE CHECKED PERIODICALLY AGAINST A REFERENCE STANDARD, SUCH AS THE ONE AVAILABLE AT YOUR DISTRIBUTOR.
4. WHEN THE HIGH VOLTAGE CIRCUITRY IS OPERATING PROPERLY THERE IS NO POSSIBILITY OF AN X-RADIATION PROBLEM. EVERY TIME A COLOR CHASSIS IS SERVICED, THE BRIGHTNESS SHOULD BE RUN UP AND DOWN WHILE MONITORING THE HIGH VOLTAGE WITH A METER TO BE CERTAIN THAT THE HIGH VOLTAGE DOES NOT EXCEED THE SPECIFIED VALUE AND THAT IT IS REGULATING CORRECTLY. WE SUGGEST THAT YOU AND YOUR SERVICE ORGANIZATION REVIEW TEST PROCEDURES SO THAT VOLTAGE REGULATION IS ALWAYS CHECKED AS A STANDARD SERVICING PROCEDURE. AND THAT THE HIGH VOLTAGE READING BE RECORDED ON EACH CUSTOMER'S INVOICE.
5. WHEN TROUBLESHOOTING AND MAKING TEST MEASUREMENTS IN A PRODUCT WITH A PROBLEM OF EXCESSIVE HIGH VOLTAGE, AVOID BEING UNNECESSARILY CLOSE TO THE PICTURE TUBE AND THE HIGH VOLTAGE SUPPLY. DO NOT OPERATE THE PRODUCT LONGER THAN IS NECESSARY TO LOCATE THE CAUSE OF EXCESSIVE VOLTAGE.
6. REFER TO HV. B+ AND SHUTDOWN ADJUSTMENT PROCEDURES DESCRIBED IN THE APPROPRIATE SCHEMATIC AND DIAGRAMS (WHERE USED).

SUBJECT: IMPLOSION

1. ALL DIRECT VIEWED PICTURE TUBES ARE EQUIPPED WITH AN INTEGRAL IMPLOSION PROTECTION SYSTEM, BUT CARE SHOULD BE TAKEN TO AVOID DAMAGE DURING INSTALLATION, AVOID SCRATCHING THE TUBE. IF SCRATCHED REPLACE IT.
2. USE ONLY RECOMMENDED FACTORY REPLACEMENT TUBES.

SUBJECT : TIPS ON PROPER INSTALLATION

1. NEVER INSTALL ANY PRODUCT IN A CLOSED-IN RECESS, CUBBY-HOLE OR CLOSELY FITTING SHELF SPACE. OVER OR CLOSE TO HEAT DUCT, OR IN THE PATH OF HEATED AIR FLOW.
2. AVOID CONDITIONS OF HIGH HUMIDITY SUCH AS: OUTDOOR PATIO INSTALLATIONS WHERE DEW IS A FACTOR, NEAR STEAM RADIATORS WHERE STEAM LEAKAGE IS A FACTOR, ETC.
3. AVOID PALCEMENT WHERE DRAPERIES MAY OBSTRUCT REAR VENTING. THE CUSTOMER SHOULD ALSO AVOID THE USE OF DECORATIVE SCARVES OR OTHER COVERINGS WHICH MIGHT OBSTRUCT VENTILATION.
4. WALL AND SHELF MOUNTED INSTALLATIONS USING A COMMERCIAL MOUNTING KIT. MUST FOLLOW THE FACTORY APPROVED MOUNTING INSTRUCTIONS A PRODUCT MOUNTED TO A SHELF OR PLATFORM MUST RETAIN ITS ORIGINAL FEET (OR THE EQUIVALENT THICKNESS IN SPACERS) TO PROVIDE ADEQUATE AIR FLOW ACROSS THE BOTTOM, BOLTS OR SCREWS USED FOR FASTENERS MUST NOT TOUCH ANY PARTS OR WIRING. PERFORM LEAKAGE TEST ON CUSTOMIZED INSTALLATIONS.
5. CAUTION CUSTOMERS AGAINST THE MOUNTING OF A PRODUCT ON SLOPING SHELF OR A TILTED POSITION, UNLESS THE PRODUCT IS PROPERLY SECURED.
6. A PRODUCT ON A ROLL-ABOUT CART SHOULD BE STABLE ON ITS MOUNTING TO THE CART. CAUTION THE CUSTOMER ON THE HAZARDS OF TRYING TO ROLL A CART WITH SMALL CASTERS ACROSS THRESHOLDS OR DEEP PILE CARPETS.
7. CAUTION CUSTOMERS AGAINST THE USE OF A CART OR STAND WHICH HAS NOT BEEN LISTED BY UNDERWRITERS LABORATORIES, INC. FOR USE WITH THEIR SPECIFIC MODEL OF TELEVISION RECEIVER OR GENERALLY APPROVED FOR USE WITH T.V.'S OF THE SAME OR LARGER SCREEN SIZE.
8. CAUTION CUSTOMERS AGAINST THE USE OF EXTENSION CORDS, EXPLAIN THAT A FOREST OF EXTENSIONS SPROUTING FROM A SINGLE OUTLET CAN LEAD TO DISASTROUS CONSEQUENCES TO HOME AND FAMILY.

SERVICING PRECAUTIONS

CAUTION : Before servicing the DVD covered by this service data and its supplements and addends, read and follow the SAFETY PRECAUTIONS. **NOTE :** if unforeseen circumstances create conflict between the following servicing precautions and any of the safety precautions in this publication, always follow the safety precautions.

Remembers Safety First:

General Servicing Precautions

1. Always unplug the DVD AC power cord from the AC power source before:
 - (1) Removing or reinstalling any component, circuit board, module, or any other assembly.
 - (2) Disconnection or reconnecting any internal electrical plug or other electrical connection.
 - (3) Connecting a test substitute in parallel with an electrolytic capacitor.
Caution : A wrong part substitution or incorrect polarity installation of electrolytic capacitors may result in an explosion hazard.
2. Do not spray chemicals on or near this DVD or any of its assemblies.
3. Unless specified otherwise in this service data, clean electrical contacts by applying an appropriate contact cleaning solution to the contacts with a pipe cleaner, cotton-tipped swab, or comparable soft applicator. Unless specified otherwise in this service data, lubrication of contacts is not required.
4. Do not defeat any plug/socket B+ voltage interlocks with which instruments covered by this service manual might be equipped.
5. Do not apply AC power to this DVD and/or any of its electrical assemblies unless all solid-state device heat sinks are correctly installed.
6. Always connect test instrument ground lead to the appropriate ground before connection the test instrument positive lead. Always remove the test instrument ground lead last.

Insulation Checking Procedure

Disconnect the attachment plug from the AC outlet and turn the power on. Connect an insulation resistance meter(500V) to the blades of the attachment plug. The insulation resistance between each blade of the attachment plug and accessible conductive parts (Note 1) should be more than 1M-ohm.

Note 1 : Accessible Conductive Parts including Metal panels, Input terminals, Earphone jacks, etc.

Electrostatically Sensitive (ES) Devices

Some semiconductor (solid state) devices can be damaged easily by static electricity. Such components commonly are called Electrostatically Sensitive (ES) Devices. Examples of typical ES devices are integrated circuits and some field effect transistors and semiconductor chip components.

The following techniques should be used to help reduce the incidence of component damage caused by static electricity.

1. Immediately before handling any semiconductor component or semiconductor-equipped assembly, drain off any electrostatic charge on your body by touching a known earth ground. Alternatively, obtain and wear a commercially available discharging wrist strap device, which should be removed for potential shock reasons prior to applying power to the unit under test.
2. After removing an electrical assembly equipped with ES devices, place the assembly on a conductive surface such as aluminum foil, to prevent electrostatic charge buildup or exposure of the assembly.
3. Use only a grounded-tip soldering iron to solder or unsolder ES devices.
4. Use only an anti-static solder removal device. Some solder removal devices not classified a "anti-static" can generate electrical charges sufficient to damage ES devices.
5. Do not use freon-propelled chemicals. These can generate electrical charge sufficient to damage ES devices.
6. Do not remove a replacement ES device from its protective package until immediately before you are ready to install it. (Most replacement ES devices are packaged with leads electrically shorted together by conductive foam, aluminum foil, or comparable conductive material).
7. Immediately before removing the protective material from the leads of a replacement ES device, touch the protective material to the chassis or circuit assembly into which the device will be installed.

Caution : Be sure no power is applied to the chassis or circuit, and observe all other safety precautions.

8. Minimize bodily motions when handling unpackaged replacement ES devices. (Normally harmless motion such as the brushing together of your clothes fabric or the lifting of your foot from a carpeted floor can generate static electricity sufficient to damage an ES device.)

SPECIFICATIONS

• GENERAL

Power requirements:	AC 100-240 V , 50/60 Hz
Power consumption:	12W
Dimensions (Approx.):	430 x 39 x 242 mm (W x H x D) without foot
Weight (Approx.):	2.2 kg
Operating temperature:	5 °C to 35 °C (41 °F to 95 °F)
Operating humidity:	5 % to 90 %

• OUTPUTS

VIDEO OUT:	1 Vp-p 75 Ω, sync negative, RCA jack x 1/ SCART (TO TV)
AUDIO OUT:	2.0 Vrms (1 KHz, 0 dB), 600 Ω, RCA jack (L, R) x 1/ SCART (TO TV)
DIGITAL OUT (COAXIAL):	0.5 V (p-p), 75 Ω, RCA jack x 1

• System

Laser:	Semiconductor laser, wavelength 650 nm
Signal system:	PAL / NTSC
Frequency response:	DVD (PCM 96 kHz): 8 Hz to 44 kHz DVD (PCM 48 kHz): 8 Hz to 22 kHz CD: 8 Hz to 20 kHz
Signal-to-noise ratio:	More than 100 dB (ANALOG OUT connectors only)
Harmonic distortion:	Less than 0.008%
Dynamic range:	More than 90 dB (DVD/CD)

• Accessories

Video cable (1), Audio cable (1), Remote control (1), Batteries (2)

SECTION 2
CABINET & MAIN CHASSIS


CONTENTS

EXPLODED VIEWS2-2


- 1. Cabinet and Main Frame Section2-2**
- 2. Packing Accessory Section2-3**

EXPLODED VIEWS

1. Cabinet and Main Frame Section



2. Packing Accessory Section




SECTION 3 ELECTRICAL CONTENTS


ELECTRICAL TROUBLESHOOTING GUIDE	3-2
1. Power check flow.....	3-2
2. System operation flow	3-3
3. Test & debug flow	3-4
DETAILS AND WAVEFORMS ON SYSTEM TEST AND DEBUGGING	3-10
1. SYSTEM 27MHz CLOCK, RESET, FLASH R/W SIGNAL	3-10
2. SDRAM CLOCK.....	3-12
3. TRAY OPEN/CLOSE SIGNAL	3-12
4. SLED CONTROL RELATED SIGNAL(NO DISC CONDITION)	3-13
5. LENS CONTROL RELATED SIGNAL(NO DISC CONDITION)	3-13
6. LASER POWER CONTROL RELATED SIGNAL(NO DISC CONDITION).....	3-14
7. DISC TYPE JUDGEMENT WAVEFORM	3-14
8. FOCUS ON WAVEFORM.....	3-16
9. SPINDLE CONTROL WAVEFORM(NO DISC CONDITION.....	3-17
10. TRACKING CONTROL RELATED SIGNAL(System checking).....	3-18
11. MT1389 AUDIO OPTICAL AND COAXIAL OUTPUT (SPDIF).....	3-19
12. MT1389 VIDEO OUTPUT WAVEFORM.....	3-19
13. MT1389 AUDIO OUTPUT TO AUDIO DAC.....	3-20
14. AUDIO OUTPUT FROM AUDIO DAC	3-21
15. HDMI 480P	3-21
16. HDMI 720P	3-22
17. HDMI 1080I.....	3-22
18. COMPONENT 720P Y.....	3-23
19. COMPONENT 1080I Y	3-23
BLOCK DIAGRAMS	3-24
1. Overall Block Diagram	3-24
2. Power(SMPS) Block Diagram	3-25
3. SERVO Block Diagram	3-26
4. MPEG & MEMORY Block Diagram	3-27
5. VIDEO & AUDIO Block Diagram	3-28
6. GENESIS & DVI Block Diagram.....	3-29
CIRCUIT DIAGRAMS	3-30
1. Power(SMPS) Circuit DIAGRAM.....	3-30
2. AV/JACK Circuit DIAGRAM.....	3-32
3. SYSTEM Circuit DIAGRAM	3-34
4. DRIVER Circuit DIAGRAM.....	3-36
5. TIMER Circuit DIAGRAM	3-38
6. 5.1CH, SCART Circuit DIAGRAM	3-40
7. VIDEO & HDMI Circuit DIAGRAM	3-42
· CIRCUIT VOLTAGE CHART	3-44
PRINTED CIRCUIT DIAGRAMS	3-46
1. MAIN P.C.BOARD	3-46
2. KEY P.C.BOARD.....	3-48
3. TIMER P.C.BOARD	3-49
4. SCART & 5.1CH P.C.BOARD(OPTIONAL PART)	3-50
5. SMPS P.C.BOARD	3-51

ELECTRICAL TROUBLESHOOTING GUIDE


1. Power check flow





2. System operation flow





3. Test & debug flow














DETAILS AND WAVEFORMS ON SYSTEM TEST AND DEBUGGING

1. SYSTEM 27MHz CLOCK, RESET, FLASH R/W SIGNAL.

1) MT1389 main clock is at 27MHz(X501)




FIG 1-1

2) MT1389 reset is low active.




FIG 1-2

3) RS232 waveform during procedure(Downloading)




FIG 1-3

4) Flash R/W enable signal during download(Downloading)




FIG 1-4

2. SDRAM CLOCK




FIG 2-1

3. TRAY OPEN/CLOSE SIGNAL




FIG 3-1

4. SLED CONTROL RELATED SIGNAL (NO DISC CONDITION)




FIG 4-1

5. LENS CONTROL RELATED SIGNAL (NO DISC CONDITION)




FIG 5-1

6. LASER POWER CONTROL RELATED SIGNAL (NO DISC CONDITION)




FIG 6-1

7. DISC TYPE JUDGEMENT WAVEFORM




FIG 7-1




FIG 7-2 (DVD)




FIG 7-3 (CD)




FIG 7-4 (CD)

8. FOCUS ON WAVEFORM




FIG 8-1 (DVD)




FIG 8-2 (CD)

9. SPINDLE CONTROL WAVEFORM (NO DISC CONDITION)




FIG 9-1

10. TRACKING CONTROL RELATED SIGNAL(System checking)




FIG 10-1 (DVD)




FIG 10-2 (CD)

11. MT1389 AUDIO OPTICAL AND COAXIAL OUTPUT (SPDIF)




FIG 11-1 (DVD)

12. MT1389 VIDEO OUTPUT WAVEFORM

1) 100%




FIG 12-1

2) COMPOSITE VIDEO SIGNAL




FIG 12-2

13. MT1389 AUDIO OUTPUT TO AUDIO DAC




FIG 13-1

14. AUDIO OUTPUT FROM AUDIO DAC




FIG 14-1

15. HDMI 480P



16. HDMI 720P



FIG 14-1

17. HDMI 1080I



18. COMPONENT 720P Y





FIG 14-1

19. COMPONENT 1080I Y




BLOCK DIAGRAMS


1. Overall Block Diagram




2. Power(SMPS) Block Diagram




3. SERVO Block Diagram




4. MPEG & MEMORY Block Diagram



5. VIDEO & AUDIO Block Diagram



6. GENESIS & DVI Block Diagram



CIRCUIT DIAGRAMS

1. POWER(SMPS) CIRCUIT DIAGRAM


IMPORTANT SAFETY NOTICE

WHEN SERVICING THIS CHASSIS, UNDER NO CIRCUMSTANCES SHOULD THE ORIGINAL DESIGN BE MODIFIED OR ALTERED WITHOUT PERMISSION FROM THE NAD ELECTRONICS CORPORATION. ALL COMPONENTS SHOULD BE REPLACED ONLY WITH TYPES IDENTICAL TO THOSE IN THE ORIGINAL CIR-

CUIT. SPECIAL COMPONENTS ARE SHADED ON THE SCHEMATIC FOR EASY IDENTIFICATION. THIS CIRCUIT DIAGRAM MAY OCCASIONALLY DIFFER FROM THE ACTUAL CIRCUIT USED. THIS WAY, IMPLEMENTATION OF THE LATEST SAFETY AND PERFORMANCE IMPROVEMENT CHANGES INTO THE SET IS NOT DELAYED UNTIL THE NEW SERVICE LITERATURE IS PRINTED.

NOTE :


1. Shaded(■) parts are critical for safety. Replace only with specified part number.
2. Voltages are DC-measured with a digital voltmeter during Play mode.



D'SCHEMATIC SMPS
DV8000S MTK HDMI SMPS
3854R14703A


NOTES: ⚠ Warning Parts that are shaded are critical With respect to risk of fire or electrical shock.
 NOTES: ⚡ Symbol denotes AC ground.
 ⚦ Symbol denotes DC chassis ground.

3. SYSTEM CIRCUIT DIAGRAM




MT1389 HDMI (NAD) 2004/08/31
3854R15831A

4. DRIVER CIRCUIT DIAGRAM




5. TIMER CIRCUIT DIAGRAM



6. 5.1CH, SCART CIRCUIT DIAGRAM


12
11
10
9
8
7
6
5
4
3
2
1



DESIGN SCHMATIC 5.1CH
DV8000'S ALI 2004/01/15

A B C D E F G H I J K L M N O P Q R S T

7. VIDEO & HDMI CIRCUIT DIAGRAM




DESIGN SCHEMATIC HDMI
MT1389 HDMI 2004/04/01

• CIRCUIT VOLTAGE CHART


MODE PIN NO.	STOP	PLAY	MODE PIN NO.	STOP	PLAY	MODE PIN NO.	STOP	PLAY	MODE PIN NO.	STOP	PLAY	MODE PIN NO.	STOP	PLAY	MODE PIN NO.	STOP	PLAY	MODE PIN NO.	STOP	PLAY	MODE PIN NO.	STOP	PLAY	MODE PIN NO.	STOP	PLAY	MODE PIN NO.	STOP	PLAY	MODE PIN NO.	STOP	PLAY	MODE PIN NO.	STOP	PLAY
IC201(MT1336E)			26	2.34	0	81	1.2	1.07	136	3.3	3.3	191	1.25	1.24	246	1.39	1.39	15	3.18	3.16	70	3.26	3.26	38	1.4	1.4	Q201								
1	1.4	1.41	27	0	0	82	0	0.82	137	2.63	1.65	192	2.26	2.25	247	1.45	1.44	16	0.14	0.1	71	0.11	0.11	39	1.4	1.4	E	0	0						
2	2.17	2.03	28	2.8	2.8	83	1.17	0.77	138	3.27	3.1	193	0	0	248	1.93	1.94	17	0.09	0.12	72	0	0	40	1.5	1.4	C	0	5.09						
3	2.17	2.04	29	2	0	84	0.64	0.54	139	3	2.63	194	0.46	0.47	249	0	0	18	0.03	0.16	73	3.25	3.24	41	1.5	1.6	B	0.68	0						
4	2.16	2.02	30	1.4	0	85	0	0	140	3.2	3.1	195	3.3	3.3	250	0	0	19	2.98	2.87	74	0.02	0.02	42	3.2	3.2	Q202								
5	2.16	1.94	31	1.52	0	86	1.44	0.53	141	3.3	3.3	196	0.7	0.7	251	0	0	20	0	0.16	75	3.29	3.27	43	0	0	E	0	0						
6	2.17	1.98	32	1.38	0	87	1.65	1.77	142	2.9	2.38	197	0	0	252	1.75	1.75	21	0	0.13	76	0.02	0.02	44	1.5	1.5	C	0	0						
7	2.17	2	33	1.38	0	88	1.4	1.53	143	1.59	1.7	198	3.28	3.29	253	1.71	1.71	22	0.13	0.13	77	0.02	0.02	45	1.4	1.4	B	0	5.04						
8	0	0.01	34	2.62	0	89	0	0	144	0	0	199	3.3	3.3	254	1.37	1.37	23	0.28	0.23	78	3.28	3.27	46	1.4	1.4	Q203								
9	1.41	1.44	35	2.62	2.73	90	1.21	1.2	145	1.38	1.55	200	0.42	0.43	255	0.94	0.94	24	0.12	0.12	79	0.03	0.03	47	1.5	1.5	E	0	0						
10	4.38	4.19	36	2.25	0	91	1.02	1.03	146	0.07	0	201	0	0	256	3.3	3.3	25	0.12	0.12	80	0.02	0.02	48	0	0	C	0	0.19						
11	0.01	0.01	37	2.2	2.11	92	0	0	147	0.31	0.78	202	0.57	0.38	IC604(MM1623XFBE)			26	0.15	0.15	81	3.28	3.26	49	3.2	3.2	B	5.04	0						
12	0.01	0	38	1.37	1.36	93	2.06	1.93	148	0	0	203	0	0.42	1	5.15	5.15	27	0.11	0.11	82	0.03	0.03	50	1.4	1.4	Q204								
13	1.79	1.7	38	0	0	94	0	0	149	1.51	1.95	204	3.3	3.3	2	2.44	2.44	28	3.18	3.16	83	0.01	0.01	51	1.4	1.6	E	5.14	4.34						
14	1.82	1.73	40	1.4	0	95	3	2.74	150	1.49	1.93	205	0.25	2.62	3	5.15	5.15	29	3.18	3.16	84	3.28	3.28	52	1.4	1.4	C	0	2.42						
15	1.81	0.33	41	1.43	0	96	3.28	3.25	151	1.49	1.62	206	2.72	2.64	4	1.14	1.14	30	0.01	0.01	85	0	0	53	1.4	1.4	B	5.08	3.64						
16	1.81	2.68	42	1.4	1.41	97	1.8	1.8	152	1.8	1.75	207	2.71	2.63	5	0	0.01	31	0.04	0.04	86	0	0	54	1.5	1.5	Q205								
17	1.79	1.76	43	0	0	98	3	2.7	153	0	0	208	0	0	6	1.52	1.49	32	3.17	3.17	IC703			55	1.5	1.5	E	5.14	5.1						
18	1.8	1.65	44	0	0	99	3	2.7	154	0	0	209	0	0	7	0	0	33	0.01	0.01	1	3.23	3.23	56	1.6	1.6	C	0.5	0						
19	3.66	3.48	45	0	0	100	2.97	2.67	155	3.3	3.3	210	0	0	8	2.48	2.49	34	0.01	0.01	2	00.2	00.2	57	1.63	1.63	B	5.08	5.05						
20	1.4	1.39	46	3.3	3.3	101	0	2.68	156	1.72	1.72	211	0.1	3.3	9	0	0	35	3.18	3.18	3	00.2	00.2	58	0.18	1.5	Q501								
21	1.4	1.74	47	2.64	0	102	3.33	3.32	157	0.92	2.29	212	3.3	3.3	10	2.45	2.45	36	0.01	0.01	4	2.5	2.5	59	1.62	1.4	E	0	0						
22	1.4	1.4	48	3.32	0	103	3.33	3.32	158	0	0	213	1.31	1.66	11	5.18	5.17	37	0.01	0.01	5	2.9	2.9	60	1.67	1.5	C	0	0						
23	3.3	3.29	49	0.01	0	104	3	2.7	159	0	0	214	1.67	1.64	12	2.44	2.44	38	3.21	3.19	6	3.15	3.15	61	1.58	1.5	B	0.83	0.83						
24	5.18	5.16	50	3.3	0	105	5.18	5.18	160	0	0	215	1.58	1.57	13	5.14	5.15	39	0.03	0.03	7	1.5	1.5	62	1.39	1.4	Q600								
25	2.21	2.15	51	0	0	106	3.32	3.31	161	0	0	216	0	0	14	2.44	2.44	40	0.24	0.24	8	1.5	1.5	63	1.19	1.4	E	5.17	0						
26	2.16	1.92	52	1.76	1.8	107	2.76	2.75	162	1.56	1.4	217	0	1.24	15	0	0	41	3.15	3.18	9	0	0	64	0	0	C	0	0.13						
27	2.21	2.05	53	2.13	0	108	3.3	3.3	163	0	0	218	0	1.1	16	2.48	2.48	42	0.02	0.02	10	0	0	61	0	0	IC704 (AMC1117)								
28	2.16	2.01	54	2.14	2.12	109	0	0	164	2.36	1.54	219	0	0	17	0	0	43	3.21	3.21	11	0.5	0.5	1	0	0	Q603								
IC501(MT1389 MPEG)			55	2.13	1.74	110	5.2	5.2	165	2.32	1.61	220	0	0	18	2.5	2.51	44	3.19	3.21	12	3.2	3.2	2	1.76	1.73	E	0	0						
1	0	0	56	1.81	1.34	111	2.67	2.92	166	1.49	1.61	221	1.76	1.76	19	0	0	45	0.11	0.1	13	0	0	3	3.28	3.27	C	0	0						
2	1.73	0	57	2.12	0	112	3.14	3.18	167	3.3	3.3	222	0	1.24	20	2.52	2.52	46	3.19	3.18	14	3.2	3.2	14	3.2	3.2	B	0.75	0						
3	1.73	1.73	58	1.83	1.52	113	2.28	1.6	168	3.25	3.24	223	0	0	21	1.66	0	47	0.11	0.12	15	1.6	3.19	IC706 (P82B715)											
4	1.73	1.73	59	0	1.63	114	0	0	169	3.3	3.27	224	0	0	22	0	0	48	0.12	0.12	16	3.2	3.2	1	0.2	0	Q604								
5	1.73	1.73	60	0	2.99	115	1.06	0.85	170	0	0	225	1.66	1.65	23	1.65	1.88	49	3.21	3.19	17	0	0	2	3.41	3.39	E	0	0						
6	1.75	1.73	61	0	0	116	0	0	171	0	0	226	0	0	24	0.04	0.04	50	0.02	0.02	18	3.22	3.16	3	3.4	3.42	C	0	0						
7	2.15	1.74	62	0	0	117	1.04	1.09	172	0	0	227	1.8	1.76	25	0.04	0.04	51	0.08	0.09	4	0	0.1	18	3.22	3.16	B	0.75	0.16						
8	2.2	2.21	63	0	2.05	118	1.28	0.94	173	1.8	1.8	228	3.3	3.3	26	2.49	0	52	3.19	3.2	19	3.22	3.16	5	0.12	0.14	Q605								
9	2.18	2.18	64	0	0	119	0	0	174	3.33	3.3	229	3.3	3.3	27	0.02	0.02	53	0.15	0.14	20	0	0	6	3.4	3.34	E	0	0						
10	2.16	0	65	3.3	3.3	120	1.18	1.65	175	0	0	230	0.85	0.86	28	5.16	5.15	54	0.12	0.11	21	0.09	0.09	7	3.34	3.34	C	0	0						
11	2.14	2.14	66	3.3	3.32	121	1.36	1.7	176	2.73	2.73	231	0.81	0.82	IC702			22	0.1	0.1	8	5.2	5.2	B	0.74	0.74									
12	1.74	1	67	1.29	0	122	1.8	1.75	177	0	0	232	0	0	1	3.19	3.19	55	3.26	3.25	23	3.22	3.22												
13	1.04	1	68	2.36	0.32	123	1.26	1.51	178	3.32	3.32	233	0.83	0.89	2	0.3	0.02	56	0.12	0.13	24	0.24	0.24												
14	1.03	1	69	0	0.37	124	1.23	1.4	179	2.75	0	234	3.19	3.18	3	0.2	0	57	3.27	3.28	25	0.2	0.2												
15	0.12	1	70	0.56	0.46	125	1.28	1.16	180	0	0	235	1.74	1.72	4	0.13	0.02	58	3.26	3.28	26	0	0												
16	0.13	0	71	0	3.2	126	0	0.86	181	0	0	236	1.71	1.71	5	0.88	0.74	59	0.11	0.11	27	0.21	0.21												
17	0.12	1	72	1.27	1.42	127	3.3	3.3	182	3.3	3.3	237	1.71	1.71	6	0	0	60	0.05	0.06	28	0.18	0.18												
18	0.13	2.05	73	3.3	3.3	128	2.35	1.28	183	0	0	238	1.72	1.75	7	0.82	0.80	61	0.14	0.14	29	3.22	3.22												
19	2.05	0	74	2.23	1.93	129	1.8	1.05	184	0	0	239	3.19	3.18	8	3.18	3.17	62	0.12	0.12	30	0.24	0.24												
20	2.05	0	75	1.39	0	130	0	1.1	185	0	0	240	0	0	9	0.21	0.19	63	0																

PRINTED CIRCUIT DIAGRAMS

1. MAIN P.C.BOARD



2. KEY P.C.BOARD




LOCATION GUIDE

CON903	A2
LED901	E2
R900	D1
R901	B1
R902	D1
R903	D1
R904	C1
R905	B1
R906	B1
R907	B1
R908	A1
R909	C2
SW901	E1
SW902	A2
SW903	D2
SW904	B2
SW905	D1
SW906	C1
SW907	B1
SW908	A1
SW909	C2


3. TIMER P.C.BOARD

(TOP VIEW)




(Solder Side)

(BOTTOM VIEW)



(Solder Side)


4. SCART & 5.1CH P.C.BOARD(OPTIONAL PART)



LOCATION GUIDE

C303	C2
C304	C3
C309	D3
C310	D3
C311	D4
C312	D3
C315	C4
C318	C4
C320	C4
C321	B3
C322	C3
C323	B5
C325	C6
C326	C6
C332	C5
C333	C5
C334	C5
C338	C5
C339	C4
C341	C6
C342	C6
C343	D3
CN301	D1
F301	B2
F302	C2
F303	B4
F304	B4
F305	B4
F306	B4
JK301	B3
JK302	B5
PC00055	D2
SW301	B6

5. SMPS P.C.BOARD



LOCATION GUIDE

BC101	E3	J101	F5
BD101	D4	L101	D5
C101	D6	L102	B4
C102	D5	L103	B5
C103	E3	L105	C5
C104	B2	P101	A5
C107	F4	P102	F5
C109	B4	PW101	E5
C110	D2	Q101	B1
C112	B5	Q102	B1
C113	D2	Q107	A5
C115	E3	Q108	A2
C116	C5	R100	E5
C118	A6	R101	E4
C119	E2	R102	C1
C120	B3	R103	E2
C121	B2	R108	D1
C122	B2	R109	D2
C123	B5	R112	E3
C124	C6	R114	B2
C126	E2	R115	B2
C128	B1	R116	B2
C130	A6	R117	B5
C131	A5	R118	B5
C137	B6	R120	A2
D100	E2	R121	A4
D102	B3	R122	A4
D103	C4	R123	B6
D104	E3	R124	C1
D106	C6	R125	C1
D107	C2	R126	B1
D108	C2	R127	B1
D109	C4	R128	B1
D110	B3	R129	C1
D111	B1	R130	A3
D112	B3	R131	B1
FH101	F6	R132	B1
FH102	E6	R140	B6
IC101	F3	R142	B2
IC102	C1	R145	A6
IC103	B3	R146	B6
IC104	C1	T101	D3
IC105	B6	V101	E5
IC106	B5	ZD101	C2
IC107	B5	ZD102	E3

(Solder Side)

SECTION 4 MECHANISM (DP-8)

CONTENTS

DECK MECHANISM PARTS LOCATIONS

- Top View.....4-1
- Top View(without Tray Disc)4-1
- Bottom View4-1

DECK MECHANISM DISASSEMBLY

- 1. Main Base4-2
 - 1-1. Clamp Assembly Disc4-2
 - 1-1-1. Plate Clamp4-2
 - 1-1-2. Magnet Clamp4-2
 - 1-1-3. Clamp Upper.....4-2
- 2. Tray Disc4-2
- 3. Base Assembly Sled4-3
 - 3-1. Gear Feed.....4-3
 - 3-2. Gear Middle4-3
 - 3-3. Gear Rack.....4-3
- 4. Rubber Rear.....4-3


- 5. Frame Assembly Up/Down4-4
- 6. Belt Loading.....4-4
- 7. Gear Pulley4-4
- 8. Gear Loading4-4
- 9. Guide Up/Down.....4-4
- 10. PWB Assembly Loading4-4
- 11. Base Main.....4-4

EXPLODED VIEW


- 1. Deck Mechanism Exploded View....4-5
-

DECK MECHANISM PARTS LOCATION


• Top View (With Tray)



• Top View (Without Tray)



• Bottom View



Procedure		Parts	Fixing Type	Disassembly	Figure
Starting No.					
	1	Main Base			4-1
1	2	Clamp Assembly Disc			4-1
1, 2	3	Plate Clamp			4-1
1, 2, 3	4	Magnet Clamp			4-1
1, 2, 3, 4	5	Clamp Upper			4-1
1	6	Tray Disc			4-2
1, 6	7	Base Assembly Sled			4-3
1, 2, 6	8	Gear Feed	4 Screws, 1 Connector 1 Locking Tabs		4-3
1, 2, 6, 8	9	Gear Middle			4-3
1, 2, 6, 8, 9	10	Gear Rack	1 Screw		4-3
1, 2, 7	11	Rubber Rear			4-3
1, 2, 7	12	Frame Assembly Up/Down	1 Screw	Bottom	4-4
1, 2	13	Belt Loading	1 Locking Tab		4-4
1, 2, 13	14	Gear Pulley			4-4
1, 2, 13, 14	15	Gear Loading	1 Locking Tab		4-4
1, 2, 7, 12, 16	16	Guide Up/Down			4-4
13, 14	17	PWB Assembly Loading	1 Locking Tab 1 Hook 2Screw	Bottom	4-4
1, 2, 7, 12, 13, 14, 15, 16, 17	18	Base Main	2 Locking Tabs		4-4

Note

When reassembling, perform the procedure in reverse order.

The "Bottom" on Disassembly column of above Table indicates the part should be disassembled at the Bottom side.

DECK MECHANISM DISASSEMBLY




Fig. 4-1

1. Main Base (Fig. 4-1)

1-1. Clamp Assembly Disc

- 1) Place the Clamp Assembly Disc as Fig. (A)
- 2) Lift up the Clamp Assembly Disc in direction of arrow(A).
- 3) Separate the Clamp Assembly Disc from the Holder Clamp.

1-1-1. Plate Clamp

- 1) Turn the Plate Clamp to counterclockwise direction and then lift up the Plate Clamp.

1-1-2. Magnet Clamp

1-1-3. Clamp Upper




Fig. 4-2

2. Tray Disc (Fig. 4-2)

- 1) Insert and push a Driver in the emergency eject hole(A) at the right side, or put the Driver on the Lever(B) of the Gear Emergency and pull the Lever(B) in direction of arrow so that the Tray Disc is ejected about 15~20mm.
- 2) Pull the Tray Disc until it is separated from the Base Main completely.

DECK MECHANISM DISASSEMBLY




Fig. 4-3

3. Base Assembly Sled (Fig. 4-3)

- 1) Release 4 Screw(S2).
- 2) Disconnect the FFC Connector(C1)

- 3-1. Gear Feed
- 3-2. Gear Middle

3-3. Gear Rack

- 1) Release the Scerw(S3)

4. Rubber Rear (Fig. 4-3)

DECK MECHANISM DISASSEMBLY




Fig. 4-4

5. Frame Assembly Up/Down (Fig. 4-4)

Note

Put the Base Main face down(Bottom Side)

- 1) Release the screw(S4)
- 2) Unlock the Locking Tab(L3) in direction of arrow and then lift up the Frame Assembly Up/Down to separate it from the Base Main.

Note

- When reassembling move the Guide Up/Down in direction of arrow(C) until it is positioned as Fig.(C).
- When reassembling insert (A) portion of the Frame Assembly Up/Down in the (B) portion of the Guide Up/Down as Fig.(B)

6. Belt Loading(Fig. 4-4)

Note

Put the Base Main on original position(Top Side)

7. Gear pulley (Fig. 4-4)

- 1) Unlock the Locking Tab(L4) in direction of arrow(B) and then separate the Gear Pulley from the Base Main.

8. Gear Loading (Fig. 4-4)

9. Guide Up/Down (Fig. 4-4)

- 1) Move the Guide Up/Down in direction of arrow(A) as Fig.(A)
- 2) Push the Locking Tab(L5) down and then lift up the Guide Up/Down to separate it from the Base Main.

Note

When reassembling place the Guide Up/Down as Fig.(C) and move it in direction arrow(B) until it is locked by the Locking Tab(L5). And confirm the Guide Up/Down as Fig.(A)

10. PWB Assembly Loading (Fig. 4-4)

Note

Put the Base Main face down(Bottom Side)

- 1) Release 1 Screws(S5)
- 2) Unlock the Loading Motor (C2) from the Hook (H1) on the Base Main.
- 3) Unlock 2 Locking Tabs(L6) and separate the PWB Assembly Loading from the Base Main.


11. Base Main(Fig. 4-4)

MEMO

A series of horizontal dotted lines for writing.

EXPLODED VIEWS

1. Deck Mechanism Exploded View



NOTES) If you want to purchase
Flash memory, you must order
"IC502A"

NOTES) ⚠ Warning
Parts that are shaded are critical With
respect to risk of fire or electrical
shock.

SECTION 5 REPLACEMENT PARTS LIST

MODEL : T534AH(NAD)

NSP : Not available as service parts.

RUN DATE : 21-DECEMBER-04

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
*** INDIVIDUAL PARTS ***						
		250	3110R-D027A	CASE	DVN8000 PRESS TOP (D423G)	
		283	3580R-T166B	DOOR	DVD DFN8024NH (D423G) MOLD TRA	
	⚠	300	6410RAHX03A	POWER CORD	SP-120P/JL001 CHAUS/JIULIAN UL	
		463	353-051G	SCREW,DRAWING	+ 2 D3.0 L8.0 MSWR3/FN TB ROUN	
		465	353-046K	SCREW,DRAWING	SPECIAL (3X10 B.K)	
*** PACKING ACCESSORY ***						
		801	3835RD0037T	INSTRUCTION ASSEMBLY	DVD DFN8024NH-HA1UNN	
		802	3890R-C306L	BOX	DFN8024NH HA1UNN SW3-A	
		803	3920R-E139A	PACKING	DVD DVN8011 110 NAD	
		804	292-053A	BAG	SOFT(VCP)	NSP
		804	3880R-E002A	BAG,VINYL	430 500 0.5 DVD9000	NSP
		808	6910A90004A	BATTERY,ALKALINE	R03P SHANGHAI SHENKANG 1.5V 4A	
		808	841-0021	BATTERY,MN	ER03X HI WATT 1.5V .MA/H AAA	ALTERNATE
		900	6711R2N124B	REMOTE CONTROLLER ASSEMBLY	NAD DVN8021NCM HA1UNN NAD	
*** DECK ASSEMBLY,DVD ***						
		A00	6721RHD032B	DECK ASSEMBLY,DVD	DVD DP-8(SH) MTK 1389 NAD	NSP
		A01	4861R-0016B	CLAMP ASSEMBLY	DISC DP7 - SH	
		001	3300R-0547A	PLATE	CLAMP	NSP
		002	5016H-1016B	MAGNET	CLAMP(LDM-R608,10*5,1*1.5T)	NSP
		003	4860R-0021A	CLAMP	UPPER DP7	NSP
		A02	3041R-D007B	BASE ASSEMBLY	MAIN DP-8 39MM SH	
		013	4400R-0006B	BELT	DECK/MECHA DP2-5, DP7C,DP7A OT	
		014	4470R-0154A	GEAR	DECK/MECHA DP8 PULLEY MOLD	
		015	4681R-A009A	MOTOR ASSEMBLY	DVD LOADING DP-8 - SH	
		016	6871R-9288A	PWB(PCB) ASSEMBLY,TOTAL	DP-8 LOADING -SH	
		017	4470R-0153A	GEAR	DECK/MECHA DP8 LOADING MOLD	
		018	4974R-0055A	GUIDE	DECK/MECHA DP8 UP/DOWN MOLD	
		019	3210R-M006B	FRAME	UP/DOWN DP-8 MOLD	
		020	3040R-M061B	BASE	MAIN DP-8 MOLD	
		015A	4680R-E007A	MOTOR(MECH)	FEEDING BCZ3B01 SANKYO FOR DVD	NSP
		015A	4680R-E008A	MOTOR(MECH)	FEEDING RF-300EA-1D390 MABUCHI	NSP
		015B	4560R-0008A	PULLEY	MOTOR	
		435	1SZZR-0011A	SCREW,DRAWING	MACHINE	
		439	1SZZR-0075A	SCREW,DRAWING	+ 1 D1.7 L10.0 SWRCH18A/FZW DP	
		440	1SZZH-1007B	SCREW,DRAWING	+ D2.0 6MM SWRCH16A/ZNBK 4MM 1	
		A03	3041R-D008C	BASE ASSEMBLY	SLED DP8 (MITSUMI VA9/SAMSUNG	
		021	4680R-E007A	MOTOR(MECH)	FEEDING BCZ3B01 SANKYO FOR DVD	
		021	4680R-E008A	MOTOR(MECH)	FEEDING RF-300EA-1D390 MABUCHI	ALTERNATE
		024	4470R-0151A	GEAR	DECK/MECHA PINION MOLD DP8	
		024A	4470R-0149A	GEAR	DECK/MECHA FEED MOTOR MOLD DP8	
		025	4470R-0150A	GEAR	DECK/MECHA MIDDLE MOLD DP8	
		030	4470R-0152A	GEAR	DECK/MECHA RACK MOLD DP8	
		035	6871R-9283A	PWB(PCB) ASSEMBLY,TOTAL	FEEDING DP8 - SH	
		431	1SZZR-0062A	SCREW,DRAWING	+ 1 D1.7 L4.5 SWCH18A/NI DP8 P	
		435	1SZZR-0011A	SCREW,DRAWING	MACHINE	
		035A	6850R-GF10Z	CABLE,FLAT	P=1.0 FFC UL2896(0.05X0.65) 6	
		010	6850R-JW24Y	CABLE,FLAT	P=1.0 FFC UL2896(0.035X0.7) 23	

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
		036	4370H-1024C	SHAFT	P/U (R,GM-RT1332A)	
		432	1SZZR-0072A	SCREW,DRAWING	+ 1 D1.7 L4.5 SWRCH18A/FZY DP8	
		012	5040R-0083B	RUBBER	DVD DP-8 FRONT LEFT 10 OTHER B	
		012A	5040R-0083A	RUBBER	DVD DP-6, DP-8 FRONT RIGHT 20	
		012B	5040R-0110B	RUBBER	DVD DP-8 REAR LEFT 30 OTHER BL	
		012C	5040R-0110A	RUBBER	DVD REAR DP8 RIGHT 20 OTHER BL	
		026	3390R-0023A	TRAY	DECK/MECHA DP8 DISC MOLD	
		430	1SZZR-0064B	SCREW,DRAWING	+ 1 D1.7 L7.0 SWCH18A/BZN DP8	
*** CABLE ASSY,RF ***						
		810	6851RP0003N	CABLE ASSY,RF	DVD CABLE ASSY,RCA USING AREA	
		811	6611R1G001A	PLUG ASSY	1WAY YELLOW GLOBAL	
		812	6611R2G001A	PLUG ASSY	2WAY RED/WHITE GLOBAL	
*** PWB(PCB) ASSEMBLY,TOTAL ***						
		A47	6871R-7251O	PWB(PCB) ASSEMBLY,TOTAL	DVN8000S HDMI MTK1389 NAD SMPS	
		BC101	636-004C	FILTER(CIRC),EMC	BEAD CORE BFS3550R2FD8,R T/P	
		BD101	0DD160000DA	DIODE,RECTIFIERS	S1WBA60 BK SHINDENGEN - 600V -	
		BD101	0DRRE00060A	DIODE,RECTIFIERS	DB105-C-S-V50 RECTRON BK NON 6	ALTERNATE
		C101	624-088S	CAPACITOR,DRAWING	MPX104K ETR/EUROPTRONIC BULK	
		C102	624-088S	CAPACITOR,DRAWING	MPX104K ETR/EUROPTRONIC BULK	
		C103	0CE1071Q6A0	CAPACITOR,FIXED ELECTROLYTIC	100UF HC 200V 20% VNSN BULK	
		C104	624-085D	CAPACITOR	CE 47UF/50V KME (SMPS)	
		C107	0CG1020U630	CAPACITOR,SEMI CERAMIC	1000PF 400V M E(Z5U) R	
		C109	0CE228BF630	CAPACITOR,FIXED ELECTROLYTIC	2200UF KME TYPE 16V 20% FM5 BU	
		C110	0CN223AK948	CAPACITOR,TUBULAR(HIGH DIELEC)	0.022UF 50V Z F TA26 S	
		C112	0CE3376D638	CAPACITOR,ELECTROLYTIC	330UF SMS 10V M FM5 TP5	
		C113	0CC6810U565	CAPACITOR,FIXED CERAMIC(TEMP.C	680PF D 400V 10% N470 TR	
		C115	0CE3366K638	CAPACITOR,FIXED ELECTROLYTIC	33UF SMS,SG 50V 20% FM5 TP 5	
		C116	0CE477BH630	CAPACITOR,AL.ELECTROLYTIC	470UF KME TYPE 25V M FM5 BULK	
		C118	0CE1074F638	CAPACITOR,ELECTROLYTIC	100U SRA 16V M FM5 TP(5)	
		C119	624-087G	CAPACITOR	HIGH-VOL 68PF/1KV SMPS SAMHWA	
		C120	0CE1074F638	CAPACITOR,ELECTROLYTIC	100U SRA 16V M FM5 TP(5)	
		C121	0CE2276F638	CAPACITOR,ELECTROLYTIC	220U SMS 16V M FM5 TP(5)	
		C122	624-085D	CAPACITOR	CE 47UF/50V KME (SMPS)	
		C123	0CE108BF630	CAPACITOR,FIXED ELECTROLYTIC	1000UF KME 16V M FM5 BULK	
		C126	0CQ1031Y519	CAPACITOR,FIXED FILM	0.01UF D 630V 10% PE NI TP5	
		C128	0CQ1042K409	CAPACITOR,FIXED FILM	0.1UF S 50V 5% PE TP5	
		C130	0CE1074F638	CAPACITOR,ELECTROLYTIC	100U SRA 16V M FM5 TP(5)	
		C131	0CE1074F638	CAPACITOR,ELECTROLYTIC	100U SRA 16V M FM5 TP(5)	
		C137	0CE3376D638	CAPACITOR,ELECTROLYTIC	330UF SMS 10V M FM5 TP5	
		D100	0DR400709AA	DIODE,RECTIFIERS	10SP07U(SUF4007SP) TP GULF SEM	
		D100	0DD221009AA	DIODE,RECTIFIERS	ERA22-10 KFLB,TP ,R T/P,FUJI	ALTERNATE
		D102	0DR158220AA	DIODE,RECTIFIERS	1N5822 BK RECTRON DO201AD 40V	
		D102	0DRGF00210A	DIODE,RECTIFIERS	1N5822 GULF BK DO201AD 40V 3A	ALTERNATE
		D103	0DR202000AB	DIODE,RECTIFIERS	HER202 BK RECTRON - 100V 2A 60	
		D103	0DR310000AA	DIODE,RECTIFIERS	RU3YXLF-C1 BK SANKEN - 100V 2A	ALTERNATE
		D103	0DRGF00200A	DIODE,RECTIFIERS	SUF2003(=HER202) GULF BK DO15	ALTERNATE
		D104	0DR104009BA	DIODE,RECTIFIERS	RL104F TP RECTRON - 400V 1A 30	
		D104	0DRGF00239A	DIODE,RECTIFIERS	FR104E GULF TP NON 400V 1A 30A	ALTERNATE
		D106	0DRRE00029A	DIODE,RECTIFIERS	1N17 RECTRON TP NON 20V 1A 20	
		D107	0DR104009BA	DIODE,RECTIFIERS	RL104F TP RECTRON - 400V 1A 30	
		D107	0DRGF00239A	DIODE,RECTIFIERS	FR104E GULF TP NON 400V 1A 30A	ALTERNATE
		D108	0DR104009BA	DIODE,RECTIFIERS	RL104F TP RECTRON - 400V 1A 30	
		D108	0DRGF00239A	DIODE,RECTIFIERS	FR104E GULF TP NON 400V 1A 30A	ALTERNATE
		D109	0DR202000AB	DIODE,RECTIFIERS	HER202 BK RECTRON - 100V 2A 60	
		D109	0DR310000AA	DIODE,RECTIFIERS	RU3YXLF-C1 BK SANKEN - 100V 2A	ALTERNATE
		D109	0DRGF00200A	DIODE,RECTIFIERS	SUF2003(=HER202) GULF BK DO15	ALTERNATE
		D110	0DR104009BA	DIODE,RECTIFIERS	RL104F TP RECTRON - 400V 1A 30	

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
		D110	0DRGF00239A	DIODE,RECTIFIERS	FR104E GULF TP NON 400V 1A 30A	ALTERNATE
		D112	0DR158220AA	DIODE,RECTIFIERS	1N5822 BK RECTRON DO201AD 40V	
		D112	0DRGF00210A	DIODE,RECTIFIERS	1N5822 GULF BK DO201AD 40V 3A	ALTERNATE
		F101	0FS1601B51D	FUSE,SLOW BLOW	1600MA 250 V 5.2X20 CY/GL KS/J	
		FH101	586-008B	HOLDER	FUSE CLIP TP SINSUNG	
		FH102	586-008B	HOLDER	FUSE CLIP TP SINSUNG	
		IC101	0IPMGFA054A	IC,POWER MANAGEMENT	FSDM0265RN FAIRCHILD 8PIN,DIP	
		IC102	657-063A	SENSOR	LTV-817B,PHOTO COUPLER(LITEON)	
		IC103	0IPMGSH010A	IC,POWER MANAGEMENT	PQ12RD1L SHARP 4PIN TO-220 ST	
		IC103	0IKE781200S	IC,KEC	KIA78R12PI CU 4P TO-220IS ST 1	ALTERNATE
		IC103	0IPMGFA017A	IC,POWER MANAGEMENT	KA78R12TSTU FAIRCHILD 4P TO-22	ALTERNATE
		IC104	0IPMGUK001A	IC,POWER MANAGEMENT	SL431-AT AUK 3PIN TO-92 TP PRO	
		IC104	0IKE431000A	IC,KEC	KIA431 3 PIN TP	ALTERNATE
		IC104	0ISS431000A	IC,SAMSUNG ELECTRONICS	KA431AZ (LM431AZ)	ALTERNATE
		IC105	0IPMGSH009A	IC,POWER MANAGEMENT	PQ08RD1L SHARP 4PIN TO-220 ST	
		IC105	0IPMGKE008B	IC,POWER MANAGEMENT	KIA78R08PI/API CU KEC 4P TO-22	ALTERNATE
		IC105	0IPMGFA016A	IC,POWER MANAGEMENT	KA78R08TSTU FAIRCHILD 4P TO-22	ALTERNATE
		IC106	0IPMGFA046A	IC,POWER MANAGEMENT	KA278R33TSTU FAIRCHILD 4PIN TO	
		IC106	0IPMGKE022B	IC,POWER MANAGEMENT	KIA278R33PI-CU KEC 4PIN TO-220	ALTERNATE
		IC106	0IPMGGM003A	IC,POWER MANAGEMENT	G9233 GMT 4PIN, TO 220F-4L ST	ALTERNATE
		IC107	0IPMGFA046A	IC,POWER MANAGEMENT	KA278R33TSTU FAIRCHILD 4PIN TO	
		IC107	0IPMGKE022B	IC,POWER MANAGEMENT	KIA278R33PI-CU KEC 4PIN TO-220	ALTERNATE
		IC107	0IPMGGM003A	IC,POWER MANAGEMENT	G9233 GMT 4PIN, TO 220F-4L ST	ALTERNATE
		L101	6200JB80130	FILTER(CIRC),EMC	SQ2116 SAMWAH TECOM BK SQ11116	
		L102	6140RCC003H	COIL,RF	CHOKE COIL 22 UH 8X8 5 PIE SAM	
		L103	633-088G	COIL,CHOKE	22MH TOKO 5MM TP	
		P101	6631R-E034G	CONNECTOR ASSEMBLY	GIL-S/9073ST 15 PIN 260M/M UL1	
		PW101	561-292B	CONNECTOR(CIRC),DRAWING	GP390 LGC 3P 3.96 STRAIGHT SN	
		Q101	0TR319809AC	TRANSISTOR	KTC3198-TP-BL (KTC1815)KEC	
		Q101	0TR534309BA	TRANSISTOR,BIPOLARS	2SC5343-L TP AUK TO92 -	ALTERNATE
		Q102	0TR105009AD	TRANSISTOR,BIPOLARS	KRA105M KEC TP TO92 50V 100MA	
		Q102	0TRAU90025A	TRANSISTOR,BIPOLARS	SRA2205MAT AUK KOREA TP TO92 -	ALTERNATE
		Q107	0TR115100AC	TRANSISTOR,BIPOLARS	KTB1151-Y BK KEC TO126 -	
		Q107	0TR115100AA	TRANSISTOR	KSB1151-Y BK SAMSUNG TO-126	ALTERNATE
		Q108	0TR319809AC	TRANSISTOR	KTC3198-TP-BL (KTC1815)KEC	
		Q108	0TR534309BA	TRANSISTOR,BIPOLARS	2SC5343-L TP AUK TO92 -	ALTERNATE
		R100	0RD1504H632	RESISTOR,FIXED CARBON FILM	1.5M OHM 1/2 W 5.00% MF10	
		R101	614-007A	RESISTOR	2.7/2W CEMENT SMPS V	
		R102	0RF0200F708	RESISTOR,VARIABLE[CARBON FILM]	0.2 OHM 1/6 W 10% TA26	
		R103	0RS5602K619	RESISTOR,FIXED METAL OXIDE FIL	56K OHM 2 W 5.00% TR	
		R112	0RD0822F608	RESISTOR,FIXED CARBON FILM	82 OHM 1/6 W 5% TA26	
		R114	0RD1003F608	RESISTOR,FIXED CARBON FILM	100K OHM 1/6 W 5% TA26	
		R115	0RD0332F608	RESISTOR,FIXED CARBON FILM	33 OHM 1/6 W 5% TA26	
		R116	0RD0332F608	RESISTOR,FIXED CARBON FILM	33 OHM 1/6 W 5% TA26	
		R117	0RD1800F608	RESISTOR,FIXED CARBON FILM	180 OHM 1/6 W 5% TA26	
		R118	0RD1800F608	RESISTOR,FIXED CARBON FILM	180 OHM 1/6 W 5% TA26	
		R120	0RD4702F608	RESISTOR,FIXED CARBON FILM	47K OHM 1/6 W 5% TA26	
		R121	0RD1201F608	RESISTOR,FIXED CARBON FILM	1.2K OHM 1/6 W 5% TA26	
		R122	0RD2200F608	RESISTOR,FIXED CARBON FILM	220 OHM 1/6 W 5% TA26	
		R123	0RD1001F608	RESISTOR,FIXED CARBON FILM	1K OHM 1/6 W 5% TA26	
		R124	0RD1800F608	RESISTOR,FIXED CARBON FILM	180 OHM 1/6 W 5% TA26	
		R125	0RD2201F608	RESISTOR,FIXED CARBON FILM	2.2K OHM 1/6 W 5% TA26	
		R126	0RD1001F608	RESISTOR,FIXED CARBON FILM	1K OHM 1/6 W 5% TA26	
		R127	0RN3601E408	RESISTOR,FIXED METAL FILM	3.6K OHM 1/8 W 1.00% TA26	
		R128	0RN3301E408	RESISTOR,FIXED METAL FILM	3.3K OHM 1/8 W 1.00% TA26	
		R130	0RD1002F608	RESISTOR,FIXED CARBON FILM	10K OHM 1/6 W 5% TA26	
		R131	0RD2201F608	RESISTOR,FIXED CARBON FILM	2.2K OHM 1/6 W 5% TA26	

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
		R132	ORD1002F608	RESISTOR, FIXED CARBON FILM	10K OHM 1/6 W 5% TA26	
		R140	ORD1001F608	RESISTOR, FIXED CARBON FILM	1K OHM 1/6 W 5% TA26	
		R142	ORD1001F608	RESISTOR, FIXED CARBON FILM	1K OHM 1/6 W 5% TA26	
		R145	ORD4700F608	RESISTOR, FIXED CARBON FILM	470 OHM 1/6 W 5% TA26	
		R146	ORD1001F608	RESISTOR, FIXED CARBON FILM	1K OHM 1/6 W 5% TA26	
		T101	6170RNGW05F	TRANSFORMER, SMPS[COIL]	EER2828 HORIZONTAL SAMWHA SOOJ	
		V101	656-004C	VARISTOR, DRAWING	SVC681D-10A SAMHWA 4.0 CUT	
		ZD101	0DZ332609FB	DIODE, ZENERS	GDZJ3.3B 26MM GRANDE TP26 DO34	
		ZD102	0DZ222609AA	DIODE, ZENERS	GDZJ22B 26MM GRANDE TP DO34 0	
*** SUB PWB(PCB) ASSEMBLY ***						
		A46	6885R-1037M	SUB PWB(PCB) ASSEMBLY	U(55) S(53) 00(ENG) 66 02 55 F	
		JK601	6612J00044G	JACK, RCA	ATT-10dB YUQIU RCA/DIN-200GK F	
		JK602	6612K00003B	JACK, FIBER OPTIC	PLT131/T5/12(12Mbps) EVERLIGHT	
		JK602	6612K00003A	JACK, FIBER OPTIC	PLT131/T5/6 EVERLIGHT PUSH TYP	ALTERNATE
		C210	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C211	0CH1821K562	CAPACITOR, FIXED CERAMIC(TEMP.C	820PF 1608 50V 10% X7R R/TP	
		C212	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C216	0CH1102K562	CAPACITOR, FIXED CERAMIC(TEMP.C	1000PF 50V 10% X7R(X) 1608 R/T	
		C221	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C222	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C507	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C508	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C509	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C510	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C512	0CH4331K412	CAPACITOR, CHIP[CERAMIC M/L TC	330P 50V J COG 1.6X0.8 R/TP	
		C513	0CH1473K942	CAPACITOR, FIXED CERAMIC(Temp.c	0.047UF 50V 80%,-20% Y5V(F) 16	
		C514	0CH1153K562	CAPACITOR, FIXED CERAMIC(Temp.c	0.015UF 50V 10% X7R(X) 1608 R/	
		C515	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C517	0CH4331K412	CAPACITOR, CHIP[CERAMIC M/L TC	330P 50V J COG 1.6X0.8 R/TP	
		C518	0CH1152K562	CAPACITOR, FIXED CERAMIC(Temp.c	1500PF 50V 10% X7R(X) 1608 R/T	
		C519	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C520	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C521	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C522	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C523	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C524	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C525	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C526	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C527	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C528	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C529	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C530	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C531	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C532	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C533	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C540	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C541	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C543	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C546	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C549	0CH1474H942	CAPACITOR, FIXED CERAMIC(Temp.c	0.47UF 25V 80%,-20% Y5V(F) 160	
		C553	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C557	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C558	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C559	0CH1105D942	CAPACITOR, CHIP[CERAMIC M/L HD	1UF 10V Z Y5V(F) 1508 R/TP	
		C560	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C561	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C562	0CH1102K562	CAPACITOR, FIXED CERAMIC(TEMP.C	1000PF 50V 10% X7R(X) 1608 R/T	

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
		C563	0CH4200K412	CAPACITOR, FIXED CERAMIC(High d	20PF 50V 5% NP0 1608 R/TP	
		C564	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C565	0CH1333K562	CAPACITOR, FIXED CERAMIC(TEMP.C	0.033UF 50V 10% X7R(X) 1608 R/	
		C569	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C570	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C571	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C573	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C574	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C575	0CH1103K562	CAPACITOR, FIXED CERAMIC(TEMP.C	0.01UF 50V 10% X7R(X) 1608 R/T	
		C576	0CH1222K562	CAPACITOR, FIXED CERAMIC(TEMP.C	2200PF 50V 10% X7R(X) 1608 R/T	
		C577	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C578	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C583	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C584	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C585	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C586	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C587	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C593	0CH4221K412	CAPACITOR,CHIP[CERAMIC M/L TC	220P 50V J COG 1.6X0.8 R/TP	
		C595	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C597	0CH4221K412	CAPACITOR,CHIP[CERAMIC M/L TC	220P 50V J COG 1.6X0.8 R/TP	
		C599	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C5A2	0CH4470K412	CAPA,CHIP CERAMIC M/L T.C F/S	47P 50V J COG 1.6X0.8 R/TP	
		C5B5	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C5B7	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C673	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C676	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C681	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C682	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C683	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C691	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C6A1	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C6A2	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C6A3	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C701	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C702	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C704	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C706	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C707	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C708	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C709	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C710	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C713	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C714	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C715	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C716	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C718	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C719	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C720	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C723	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C726	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C729	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C731	0CH4100K412	CAPACITOR,CHIP[CERAMIC M/L TC	10PF 50V J NP0 1608 R/TP	
		C741	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C742	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C743	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C744	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C745	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
		C746	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C748	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C755	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C756	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C760	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C762	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C763	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C767	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C768	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C771	0CH4220K412	CAPA,CHIP CERAMIC M/L T.C F/S	22P 50V J COG 1.6X0.8 R/TP	
		C772	0CH4220K412	CAPA,CHIP CERAMIC M/L T.C F/S	22P 50V J COG 1.6X0.8 R/TP	
		IC701	0IPRPGN010B	IC,PERIPHERALS	FLI2301-BD GENESIS 208PIN,QPFP	
		IC702	0IMMRHY025A	IC,MEMORIES	HY57V643220CT-7 HYUNDAI 86P TS	
		IC702	0IMMRHY025B	IC,MEMORIES	HY57V643220DT-7 HYNIX 86PIN,TS	ALTERNATE
		IC704	0IPMGA7001A	IC,POWER MANAGEMENT	AMC1117-1.8SJT ADD MICRATECH 3	
		IC704	0IPMGUC006A	IC,POWER MANAGEMENT	LD1117A-1.8V UTC TO252 R/TP 1.	ALTERNATE
		L204	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L206	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L503	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L504	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L673	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L703	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L709	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		R212	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R227	0RH5601C622	RESISTOR,METAL GLAZED(CHIP)	5.6K OHM 1 / 16 W 1608 5.00% D	
		R228	0RH2701C622	RESISTOR,METAL GLAZED(CHIP)	2.7K OHM 1 / 16 W 1608 5.00% D	
		R231	0RH0101C622	RESISTOR,METAL GLAZED(CHIP)	1 OHM 1 / 16 W 1608 5.00% D	
		R232	0RH0101C622	RESISTOR,METAL GLAZED(CHIP)	1 OHM 1 / 16 W 1608 5.00% D	
		R234	0RH0101C622	RESISTOR,METAL GLAZED(CHIP)	1 OHM 1 / 16 W 1608 5.00% D	
		R236	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R238	0RH0101C622	RESISTOR,METAL GLAZED(CHIP)	1 OHM 1 / 16 W 1608 5.00% D	
		R239	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R243	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R244	0RH2201C622	RESISTOR,METAL GLAZED(CHIP)	2.2K OHM 1 / 16 W 1608 5.00% D	
		R246	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R504	0RH2202C622	RESISTOR,METAL GLAZED(CHIP)	22K OHM 1 / 16 W 1608 5.00% D	
		R505	0RH2202C622	RESISTOR,METAL GLAZED(CHIP)	22K OHM 1 / 16 W 1608 5.00% D	
		R506	0RH6801C622	RESISTOR,METAL GLAZED(CHIP)	6.8K OHM 1 / 16 W 1608 5.00% D	
		R507	0RH2202C622	RESISTOR,METAL GLAZED(CHIP)	22K OHM 1 / 16 W 1608 5.00% D	
		R508	0RH6801C622	RESISTOR,METAL GLAZED(CHIP)	6.8K OHM 1 / 16 W 1608 5.00% D	
		R509	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R510	0RH0332C622	RESISTOR,METAL GLAZED(CHIP)	33 OHM 1 / 16 W 1608 5.00% D	
		R580	0RH4701C622	RESISTOR,METAL GLAZED(CHIP)	4.7K OHM 1 / 16 W 1608 5.00% D	
		R581	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R585	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R5D1	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R5D2	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R621	0RH2200C622	RESISTOR,METAL GLAZED(CHIP)	220 OHM 1 / 16 W 1608 5.00% D	
		R623	0RH1003C622	RESISTOR,METAL GLAZED(CHIP)	100K OHM 1 / 16 W 1608 5.00% D	
		R638	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R670	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R671	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R672	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R673	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R674	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R675	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R691	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
		R692	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R701	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R704	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R705	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R706	0RH1000C622	RESISTOR,METAL GLAZED(CHIP)	100 OHM 1 / 16 W 1608 5.00% D	
		R707	0RH1000C622	RESISTOR,METAL GLAZED(CHIP)	100 OHM 1 / 16 W 1608 5.00% D	
		R708	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R709	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R710	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R711	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R712	0RH0222C622	RESISTOR,METAL GLAZED(CHIP)	22 OHM 1 / 16 W 1608 5.00% D	
		R713	0RH4701C622	RESISTOR,METAL GLAZED(CHIP)	4.7K OHM 1 / 16 W 1608 5.00% D	
		R714	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R715	0RH0752C622	RESISTOR,METAL GLAZED(CHIP)	75 OHM 1 / 16 W 1608 5.00% D	
		R716	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R717	0RH0752C622	RESISTOR,METAL GLAZED(CHIP)	75 OHM 1 / 16 W 1608 5.00% D	
		R718	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R719	0RH0752C622	RESISTOR,METAL GLAZED(CHIP)	75 OHM 1 / 16 W 1608 5.00% D	
		R720	0RH1000C622	RESISTOR,METAL GLAZED(CHIP)	100 OHM 1 / 16 W 1608 5.00% D	
		R721	0RH0912C622	RESISTOR,METAL GLAZED(CHIP)	91 OHM 1 / 16 W 1608 5.00% D	
		R722	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R723	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R724	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R729	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R735	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R738	0RH0222C622	RESISTOR,METAL GLAZED(CHIP)	22 OHM 1 / 16 W 1608 5.00% D	
		R739	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R740	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R741	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R742	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R743	0RH4701C622	RESISTOR,METAL GLAZED(CHIP)	4.7K OHM 1 / 16 W 1608 5.00% D	
		R744	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R745	0RH1201C622	RESISTOR,METAL GLAZED(CHIP)	1.2K OHM 1 / 16 W 1608 5.00% D	
		R746	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R747	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R760	0RH0752C622	RESISTOR,METAL GLAZED(CHIP)	75 OHM 1 / 16 W 1608 5.00% D	
		R761	0RH0752C622	RESISTOR,METAL GLAZED(CHIP)	75 OHM 1 / 16 W 1608 5.00% D	
		R762	0RH0752C622	RESISTOR,METAL GLAZED(CHIP)	75 OHM 1 / 16 W 1608 5.00% D	
		R765	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R766	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R767	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R768	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R770	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R774	0RH1800C622	RESISTOR,METAL GLAZED(CHIP)	180 OHM 1 / 16 W 1608 5.00% D	
		R775	0RH1800C622	RESISTOR,METAL GLAZED(CHIP)	180 OHM 1 / 16 W 1608 5.00% D	
		R776	0RH1800C622	RESISTOR,METAL GLAZED(CHIP)	180 OHM 1 / 16 W 1608 5.00% D	
		C201	0CH8107F611	CAPACITOR,CHIP[AL. ELECTROLYTI	100UF 16V M 85STD(CYL) R/TP	
		C202	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C203	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C204	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C205	0CH8476C611	CAPACITOR,CHIP[AL. ELECTROLYTI	47UF 6.3V M 85STD(CYL) R/TP	
		C206	0CH8476C611	CAPACITOR,CHIP[AL. ELECTROLYTI	47UF 6.3V M 85STD(CYL) R/TP	
		C208	0CH1222K562	CAPACITOR,FIXED CERAMIC(TEMP.C	2200PF 50V 10% X7R(X) 1608 R/T	
		C213	0CH8476C611	CAPACITOR,CHIP[AL. ELECTROLYTI	47UF 6.3V M 85STD(CYL) R/TP	
		C215	0CH1222K562	CAPACITOR,FIXED CERAMIC(TEMP.C	2200PF 50V 10% X7R(X) 1608 R/T	
		C223	0CH8227C621	CAPACITOR,CHIP[AL. ELECTROLYTI	220UF 6.3V M 105STD (CYL) R/TP	
		C225	0CH8227C621	CAPACITOR,CHIP[AL. ELECTROLYTI	220UF 6.3V M 105STD (CYL) R/TP	

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
		C501	0CH1105D942	CAPACITOR,CHIP[CERAMIC M/L HD	1UF 10V Z Y5V(F) 1508 R/TP	
		C502	0CH1105D942	CAPACITOR,CHIP[CERAMIC M/L HD	1UF 10V Z Y5V(F) 1508 R/TP	
		C503	0CH1105D942	CAPACITOR,CHIP[CERAMIC M/L HD	1UF 10V Z Y5V(F) 1508 R/TP	
		C504	0CH1105D942	CAPACITOR,CHIP[CERAMIC M/L HD	1UF 10V Z Y5V(F) 1508 R/TP	
		C505	0CH1105D942	CAPACITOR,CHIP[CERAMIC M/L HD	1UF 10V Z Y5V(F) 1508 R/TP	
		C536	0CH4150K412	CAPA,CHIP CERAMIC M/L T.C F/S	15P 50V J COG 1.6X0.8 R/TP	
		C537	0CH4120K412	CHIP CAPA CERAMIC M/L T.C F/S	12P 50V J COG 1.6X0.8 R/TP	
		C551	0CH4391K412	CAPACITOR,CHIP[CERAMIC M/L TC	390PF 50V J NP0 1508 R/TP	
		C554	0CH1473K942	CAPACITOR,FIXED CERAMIC(Temp.c	0.047UF 50V 80%,-20% Y5V(F) 16	
		C555	0CH1105D942	CAPACITOR,CHIP[CERAMIC M/L HD	1UF 10V Z Y5V(F) 1508 R/TP	
		C556	0CH1473K942	CAPACITOR,FIXED CERAMIC(Temp.c	0.047UF 50V 80%,-20% Y5V(F) 16	
		C567	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C568	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C579	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C580	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C581	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C594	0CH4221K412	CAPACITOR,CHIP[CERAMIC M/L TC	220P 50V J COG 1.6X0.8 R/TP	
		C598	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C5A8	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C5A9	0CH4221K412	CAPACITOR,CHIP[CERAMIC M/L TC	220P 50V J COG 1.6X0.8 R/TP	
		C5B1	0CH4221K412	CAPACITOR,CHIP[CERAMIC M/L TC	220P 50V J COG 1.6X0.8 R/TP	
		C5B4	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C5B9	0CH8476C611	CAPACITOR,CHIP[AL. ELECTROLYTI	47UF 6.3V M 85STD(CYL) R/TP	
		C5C1	0CH8476C611	CAPACITOR,CHIP[AL. ELECTROLYTI	47UF 6.3V M 85STD(CYL) R/TP	
		C5C2	0CH8226F611	CAPACITOR,CHIP[AL. ELECTROLYTI	22UF 16V M 85STD(CYL) R/TP	
		C5C3	0CH8106F611	CAPACITOR,CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C5C4	0CH8106F611	CAPACITOR,CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C5C5	0CH8476C611	CAPACITOR,CHIP[AL. ELECTROLYTI	47UF 6.3V M 85STD(CYL) R/TP	
		C5C6	0CH8106F611	CAPACITOR,CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C5C7	0CH8107F611	CAPACITOR,CHIP[AL. ELECTROLYTI	100UF 16V M 85STD(CYL) R/TP	
		C5C9	0CH8227C621	CAPACITOR,CHIP[AL. ELECTROLYTI	220UF 6.3V M 105STD (CYL) R/TP	
		C5D4	0CH8227C621	CAPACITOR,CHIP[AL. ELECTROLYTI	220UF 6.3V M 105STD (CYL) R/TP	
		C5E1	0CH8476C611	CAPACITOR,CHIP[AL. ELECTROLYTI	47UF 6.3V M 85STD(CYL) R/TP	
		C5E2	0CH8476C611	CAPACITOR,CHIP[AL. ELECTROLYTI	47UF 6.3V M 85STD(CYL) R/TP	
		C600	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C601	0CH8476C611	CAPACITOR,CHIP[AL. ELECTROLYTI	47UF 6.3V M 85STD(CYL) R/TP	
		C603	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C604	0CH1105D942	CAPACITOR,CHIP[CERAMIC M/L HD	1UF 10V Z Y5V(F) 1508 R/TP	
		C605	0CH1105D942	CAPACITOR,CHIP[CERAMIC M/L HD	1UF 10V Z Y5V(F) 1508 R/TP	
		C606	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C607	0CH8226F611	CAPACITOR,CHIP[AL. ELECTROLYTI	22UF 16V M 85STD(CYL) R/TP	
		C608	0CH8226F611	CAPACITOR,CHIP[AL. ELECTROLYTI	22UF 16V M 85STD(CYL) R/TP	
		C609	0CH1102K562	CAPACITOR,FIXED CERAMIC(TEMP.C	1000PF 50V 10% X7R(X) 1608 R/T	
		C610	0CH4271K412	CAPACITOR,FIXED CERAMIC(HIGH D	270PF 50V 5% NP0 1608 R/TP	
		C611	0CH4271K412	CAPACITOR,FIXED CERAMIC(HIGH D	270PF 50V 5% NP0 1608 R/TP	
		C612	0CH8226F611	CAPACITOR,CHIP[AL. ELECTROLYTI	22UF 16V M 85STD(CYL) R/TP	
		C614	0CH4271K412	CAPACITOR,FIXED CERAMIC(HIGH D	270PF 50V 5% NP0 1608 R/TP	
		C615	0CH1102K562	CAPACITOR,FIXED CERAMIC(TEMP.C	1000PF 50V 10% X7R(X) 1608 R/T	
		C616	0CH8226F611	CAPACITOR,CHIP[AL. ELECTROLYTI	22UF 16V M 85STD(CYL) R/TP	
		C617	0CH8226F611	CAPACITOR,CHIP[AL. ELECTROLYTI	22UF 16V M 85STD(CYL) R/TP	
		C618	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C619	0CH8107F611	CAPACITOR,CHIP[AL. ELECTROLYTI	100UF 16V M 85STD(CYL) R/TP	
		C620	0CH8226F611	CAPACITOR,CHIP[AL. ELECTROLYTI	22UF 16V M 85STD(CYL) R/TP	
		C621	0CH8226F611	CAPACITOR,CHIP[AL. ELECTROLYTI	22UF 16V M 85STD(CYL) R/TP	
		C622	0CH8226F611	CAPACITOR,CHIP[AL. ELECTROLYTI	22UF 16V M 85STD(CYL) R/TP	
		C623	0CH1392K562	CAPACITOR,FIXED CERAMIC(Temp.c	3900PF 50V K Z5U(E) 1608 R/TP	
		C624	0CH1392K562	CAPACITOR,FIXED CERAMIC(Temp.c	3900PF 50V K Z5U(E) 1608 R/TP	

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
		C628	0CH8105K611	CAPACITOR, FIXED ELECTROLYTIC	1UF 50V 20% 85STD (CYL) R/TP	
		C629	0CH8105K611	CAPACITOR, FIXED ELECTROLYTIC	1UF 50V 20% 85STD (CYL) R/TP	
		C630	0CH8105K611	CAPACITOR, FIXED ELECTROLYTIC	1UF 50V 20% 85STD (CYL) R/TP	
		C631	0CH8105K611	CAPACITOR, FIXED ELECTROLYTIC	1UF 50V 20% 85STD (CYL) R/TP	
		C632	0CH8105K611	CAPACITOR, FIXED ELECTROLYTIC	1UF 50V 20% 85STD (CYL) R/TP	
		C633	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C634	0CH8226F611	CAPACITOR, CHIP[AL. ELECTROLYTI	22UF 16V M 85STD(CYL) R/TP	
		C635	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C636	0CH8476C611	CAPACITOR, CHIP[AL. ELECTROLYTI	47UF 6.3V M 85STD(CYL) R/TP	
		C637	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C638	0CH8227C621	CAPACITOR, CHIP[AL. ELECTROLYTI	220UF 6.3V M 105STD (CYL) R/TP	
		C643	0CH8105K611	CAPACITOR, FIXED ELECTROLYTIC	1UF 50V 20% 85STD (CYL) R/TP	
		C647	0CH8477C611	CAPACITOR, CHIP[AL. ELECTROLYTI	470UF 6.3V M 85STD(CYL) R/TP	
		C651	0CH8477C611	CAPACITOR, CHIP[AL. ELECTROLYTI	470UF 6.3V M 85STD(CYL) R/TP	
		C655	0CH8477C611	CAPACITOR, CHIP[AL. ELECTROLYTI	470UF 6.3V M 85STD(CYL) R/TP	
		C659	0CH8477C611	CAPACITOR, CHIP[AL. ELECTROLYTI	470UF 6.3V M 85STD(CYL) R/TP	
		C663	0CH8477C611	CAPACITOR, CHIP[AL. ELECTROLYTI	470UF 6.3V M 85STD(CYL) R/TP	
		C674	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C675	0CH8107F611	CAPACITOR, CHIP[AL. ELECTROLYTI	100UF 16V M 85STD(CYL) R/TP	
		C677	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C678	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C679	0CH8227C621	CAPACITOR, CHIP[AL. ELECTROLYTI	220UF 6.3V M 105STD (CYL) R/TP	
		C680	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C690	0CH8227C621	CAPACITOR, CHIP[AL. ELECTROLYTI	220UF 6.3V M 105STD (CYL) R/TP	
		C692	0CH8227C621	CAPACITOR, CHIP[AL. ELECTROLYTI	220UF 6.3V M 105STD (CYL) R/TP	
		C693	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C694	0CH8107F611	CAPACITOR, CHIP[AL. ELECTROLYTI	100UF 16V M 85STD(CYL) R/TP	
		C695	0CH4271K412	CAPACITOR, FIXED CERAMIC(HIGH D	270PF 50V 5% NP0 1608 R/TP	
		C6B1	0CH1103K562	CAPACITOR, FIXED CERAMIC(TEMP.C	0.01UF 50V 10% X7R(X) 1608 R/T	
		C6W1	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C6W2	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C6W3	0CH8106F611	CAPACITOR, CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C6W4	0CH4101K412	CHIP CAPA CERAMIC M/L T.C F/S	100P 50V J COG 1.6X0.8 R/TP	
		C6W5	0CH4270K412	CAPACITOR, CHIP[CERAMIC M/L TC	27PF 50V J NP0 1608 R/TP	
		C6W6	0CH4101K412	CHIP CAPA CERAMIC M/L T.C F/S	100P 50V J COG 1.6X0.8 R/TP	
		C703	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C705	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C711	0CH8476C611	CAPACITOR, CHIP[AL. ELECTROLYTI	47UF 6.3V M 85STD(CYL) R/TP	
		C712	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C717	0CH8106F611	CAPACITOR, CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C721	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C722	0CH8106F611	CAPACITOR, CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C724	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C725	0CH8106F611	CAPACITOR, CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C727	0CH4330K412	CAPACITOR, CHIP[CERAMIC M/L TC	33P 50V J COG 1.6X0.8 R/TP	
		C728	0CH4330K412	CAPACITOR, CHIP[CERAMIC M/L TC	33P 50V J COG 1.6X0.8 R/TP	
		C730	0CH8476C611	CAPACITOR, CHIP[AL. ELECTROLYTI	47UF 6.3V M 85STD(CYL) R/TP	
		C732	0CH8106F611	CAPACITOR, CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C733	0CH8106F611	CAPACITOR, CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C734	0CH8106F611	CAPACITOR, CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C735	0CH8106F611	CAPACITOR, CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C736	0CH8106F611	CAPACITOR, CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C737	0CH8106F611	CAPACITOR, CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C738	0CH8476C611	CAPACITOR, CHIP[AL. ELECTROLYTI	47UF 6.3V M 85STD(CYL) R/TP	
		C739	0CH1103K562	CAPACITOR, FIXED CERAMIC(TEMP.C	0.01UF 50V 10% X7R(X) 1608 R/T	
		C740	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C747	0CH1104K942	CAPACITOR, CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
		C749	0CH8106F611	CAPACITOR,CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C750	0CH8106F611	CAPACITOR,CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C751	0CH8107F611	CAPACITOR,CHIP[AL. ELECTROLYTI	100UF 16V M 85STD(CYL) R/TP	
		C752	0CH8106F611	CAPACITOR,CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C753	0CH8476C611	CAPACITOR,CHIP[AL. ELECTROLYTI	47UF 6.3V M 85STD(CYL) R/TP	
		C754	0CH8476C611	CAPACITOR,CHIP[AL. ELECTROLYTI	47UF 6.3V M 85STD(CYL) R/TP	
		C757	0CH8106F611	CAPACITOR,CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C758	0CH8106F611	CAPACITOR,CHIP[AL. ELECTROLYTI	10UF 16V M 85STD(CYL) R/TP	
		C759	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C761	0CH8107F611	CAPACITOR,CHIP[AL. ELECTROLYTI	100UF 16V M 85STD(CYL) R/TP	
		C764	0CH4101K412	CHIP CAPA CERAMIC M/L T.C F/S	100P 50V J COG 1.6X0.8 R/TP	
		C769	0CH8226F611	CAPACITOR,CHIP[AL. ELECTROLYTI	22UF 16V M 85STD(CYL) R/TP	
		C770	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		CN201	6630XE00123	CONNECTOR (CIRC),FFC/FPC	04-6232-023-010-000/JE500-B1.0	
		CN202	6630XE00106	CONNECTOR (CIRC),FFC/FPC	JE500-B1.0-T06/04-6232-006-010	
		CN203	6630XE00105	CONNECTOR (CIRC),FFC/FPC	JE500-B1.0-T05/04-6232-005-010	
		CN502	6630XE00118	CONNECTOR (CIRC),FFC/FPC	04-6232-018-010-000/JE500-B1.0	
		CN602	6630XE00118	CONNECTOR (CIRC),FFC/FPC	04-6232-018-010-000/JE500-B1.0	
		CN604	6630R3S006M	CONNECTOR(CIRC),DRAWING	GT200-15P-SS-A-P500 LG CABLE 1	
		D600	0DSRM00118A	DIODE,SWITCHING	DAP202K T146 ROHM R/TP SMD 80V	
		F600	6200JB8010V	FILTER(CIRC),EMC	LFA20-2A1E473MT MITSUBISHI MAT	
		F701	6200J000039	FILTER(CIRC),EMC	VC TDK R/TP ACM2012H-900-2P .0	
		F702	6200J000039	FILTER(CIRC),EMC	VC TDK R/TP ACM2012H-900-2P .0	
		F703	6200J000039	FILTER(CIRC),EMC	VC TDK R/TP ACM2012H-900-2P .0	
		F704	6200J000039	FILTER(CIRC),EMC	VC TDK R/TP ACM2012H-900-2P .0	
		IC201	0ILNRIJ001A	IC,LINEAR	IP4504 INTERPION 28PIN,SSOPH-3	
		IC201	0ILNRIJ001B	IC,LINEAR	IP4504ALTF INTERPION 28PIN,SSO	ALTERNATE
		IC501	0ILNRNF009A	IC,LINEAR	MT1389FE//BO2-L MEDIATEK INCOR	
		IC503	0IMMR0004A	IC,MEMORIES	M12L64164A-7T ELITE MEMORY TEC	
		IC506	0ISS240210A	IC,SAMSUNG ELECTRONICS	S524A40X21-SCT0 SOP8 TP EEPROM	
		IC507	0IFA742440F	IC,FAIRCHILD	MM74HCT244SJ 20P SOIC TP 3-STA	
		IC511	0IPMGA7001A	IC,POWER MANAGEMENT	AMC1117-1.8SJT ADD MICROTECH 3	
		IC511	0IPMGUC006A	IC,POWER MANAGEMENT	LD1117A-1.8V UTC TO252 R/TP 1.	ALTERNATE
		IC601	0IPRPCI003C	IC,PERIPHERALS	CS4391A-KZR CIRRUS LOGIC 20PIN	
		IC601	0IPRPCI003B	IC,PERIPHERALS	CS4391-KZR CIRRUS LOGIC 20 TSS	ALTERNATE
		IC602	0ILNRBB003A	IC,LINEAR	OPA2604AU BUR BROWN 8P SOP R/T	
		IC604	0IPRPMT008A	IC,PERIPHERALS	MM1623XFBE MITSUMI 28PIN SOP R	
		IC703	0IPRPS5003A	IC,PERIPHERALS	SI19190CT64 SILICON IMAGE 64PI	
		IC705	0IPRPMT004A	IC,PERIPHERALS	MM1234XFBE MITSUMI 16 SOP R/TP	
		IC706	0IPRPPH012A	IC,PERIPHERALS	P82B715TD PHILIPS 8 SOP R/TP I	
		JK701	6630R-SY08Z	CONNECTOR(CIRC),DRAWING	HDMI,HMR46-AK5210, ACON	
		L201	6140R-G022A	COIL,RF	SFOP4532-R90100 SAMHWA 10UH SM	
		L202	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L203	6140R-G022A	COIL,RF	SFOP4532-R90100 SAMHWA 10UH SM	
		L205	0LCCE00004E	INDUCTOR,CHIP	FI-C2012-103KJT (10UH) CERATEC	
		L502	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L505	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L509	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L510	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L600	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L601	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L602	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L674	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L690	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L701	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L702	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L704	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
		L705	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L706	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L707	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L708	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L710	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L711	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		L713	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		Q201	0TR387509AC	TRANSISTOR	CHIP KTC3875S-GR-T1(ALG) KEC	
		Q201	0TRON80009A	TRANSISTOR,BIPOLARS	BC846ALT1 ON SEMI(MOTOROLA) R/	ALTERNATE
		Q201	0TRAU80017A	TRANSISTOR,BIPOLARS	2SC5343SG AUK KOREA R/TP SOT23	ALTERNATE
		Q202	0TRRH80042A	TRANSISTOR,BIPOLARS	2SK3018 T106 ROHM KOREA R/TP U	
		Q203	0TRRH80042A	TRANSISTOR,BIPOLARS	2SK3018 T106 ROHM KOREA R/TP U	
		Q204	0TR103709BB	TRANSISTOR,BIPOLARS	2SA1037K-Q CHIP TP ROHM - -	
		Q204	0TR150409AC	TRANSISTOR	KTA1504-GR-T1(ASG) CHIP KEC	ALTERNATE
		Q204	0TRON80008A	TRANSISTOR,BIPOLARS	MSA1162YT1G ON SEMI(MOTOROLA)	ALTERNATE
		Q204	0TRAU80008A	TRANSISTOR,BIPOLARS	AUK KOREA 2SA1980SY R/TP SOT23	ALTERNATE
		Q205	0TR103709BB	TRANSISTOR,BIPOLARS	2SA1037K-Q CHIP TP ROHM - -	
		Q205	0TRON80008A	TRANSISTOR,BIPOLARS	MSA1162YT1G ON SEMI(MOTOROLA)	ALTERNATE
		Q205	0TR150409AC	TRANSISTOR	KTA1504-GR-T1(ASG) CHIP KEC	ALTERNATE
		Q205	0TRAU80008A	TRANSISTOR,BIPOLARS	AUK KOREA 2SA1980SY R/TP SOT23	ALTERNATE
		Q504	0TR387509AC	TRANSISTOR	CHIP KTC3875S-GR-T1(ALG) KEC	
		Q600	0TR150409AC	TRANSISTOR	KTA1504-GR-T1(ASG) CHIP KEC	
		Q601	0TR103009AC	TRANSISTOR	KRA103S-T1(PC)22-22 CHIP KEC	
		Q602	0TR103009AC	TRANSISTOR	KRA103S-T1(PC)22-22 CHIP KEC	
		Q603	0TR387509AC	TRANSISTOR	CHIP KTC3875S-GR-T1(ALG) KEC	
		Q604	0TR387509AC	TRANSISTOR	CHIP KTC3875S-GR-T1(ALG) KEC	
		Q605	0TR387509AC	TRANSISTOR	CHIP KTC3875S-GR-T1(ALG) KEC	
		Q606	0TR387509AC	TRANSISTOR	CHIP KTC3875S-GR-T1(ALG) KEC	
		Q701	0TR387509AC	TRANSISTOR	CHIP KTC3875S-GR-T1(ALG) KEC	
		Q704	0TR830009BA	TRANSISTOR,BIPOLARS	BSS83 TP PHILIPS NON N-CHANNEL	
		Q705	0TR830009BA	TRANSISTOR,BIPOLARS	BSS83 TP PHILIPS NON N-CHANNEL	
		R201	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R202	0RH1003C622	RESISTOR,METAL GLAZED(CHIP)	100K OHM 1 / 16 W 1608 5.00% D	
		R203	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R204	0RH1003C622	RESISTOR,METAL GLAZED(CHIP)	100K OHM 1 / 16 W 1608 5.00% D	
		R205	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R206	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R207	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R208	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R209	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R210	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R211	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R213	0RH0331C622	RESISTOR,METAL GLAZED(CHIP)	3.3 OHM 1 / 16 W 1608 5.00% D	
		R214	0RH0471C622	RESISTOR,METAL GLAZED(CHIP)	4.7 OHM 1 / 16 W 1608 5.00% D	
		R215	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R216	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R217	0RJ7503C677	RESISTOR,METAL GLAZED(CHIP)	750K OHM 1/16 W 5% 1608 R/TP	
		R218	0RJ7503C677	RESISTOR,METAL GLAZED(CHIP)	750K OHM 1/16 W 5% 1608 R/TP	
		R219	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R220	0RH3903C622	RESISTOR,METAL GLAZED(CHIP)	390K OHM 1 / 16 W 1608 5.00% D	
		R221	0RH3903C622	RESISTOR,METAL GLAZED(CHIP)	390K OHM 1 / 16 W 1608 5.00% D	
		R222	0RH0101C622	RESISTOR,METAL GLAZED(CHIP)	1 OHM 1 / 16 W 1608 5.00% D	
		R223	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R224	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R225	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R226	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R240	0RH5602C622	RESISTOR,METAL GLAZED(CHIP)	56K OHM 1 / 16 W 1608 5.00% D	

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
		R511	0RH5600C622	RESISTOR,METAL GLAZED(CHIP)	560 OHM 1 / 16 W 1608 5.00% D	
		R512	0RH0332C622	RESISTOR,METAL GLAZED(CHIP)	33 OHM 1 / 16 W 1608 5.00% D	
		R513	0RH0332C622	RESISTOR,METAL GLAZED(CHIP)	33 OHM 1 / 16 W 1608 5.00% D	
		R514	0RH0332C622	RESISTOR,METAL GLAZED(CHIP)	33 OHM 1 / 16 W 1608 5.00% D	
		R515	0RH0332C622	RESISTOR,METAL GLAZED(CHIP)	33 OHM 1 / 16 W 1608 5.00% D	
		R516	0RH0332C622	RESISTOR,METAL GLAZED(CHIP)	33 OHM 1 / 16 W 1608 5.00% D	
		R517	0RH0332C622	RESISTOR,METAL GLAZED(CHIP)	33 OHM 1 / 16 W 1608 5.00% D	
		R518	0RH0681C622	RESISTOR,METAL GLAZED(CHIP)	6.8 OHM 1 / 16 W 1608 5.00% D	
		R520	0RH0332C622	RESISTOR,METAL GLAZED(CHIP)	33 OHM 1 / 16 W 1608 5.00% D	
		R521	0RH0332C622	RESISTOR,METAL GLAZED(CHIP)	33 OHM 1 / 16 W 1608 5.00% D	
		R522	0RH2401C622	RESISTOR,METAL GLAZED(CHIP)	2.4K OHM 1 / 16 W 1608 5.00% D	
		R523	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R524	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R525	0RJ7503C677	RESISTOR,METAL GLAZED(CHIP)	750K OHM 1/16 W 5% 1608 R/TP	
		R526	0RH1003C622	RESISTOR,METAL GLAZED(CHIP)	100K OHM 1 / 16 W 1608 5.00% D	
		R527	0RH1502C622	RESISTOR,METAL GLAZED(CHIP)	15K OHM 1 / 16 W 1608 5.00% D	
		R528	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R529	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R530	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R531	0RH1001C622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 16 W 1608 5.00% D	
		R532	0RH1001C622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 16 W 1608 5.00% D	
		R533	0RH4701C622	RESISTOR,METAL GLAZED(CHIP)	4.7K OHM 1 / 16 W 1608 5.00% D	
		R549	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R556	0RH1201C622	RESISTOR,METAL GLAZED(CHIP)	1.2K OHM 1 / 16 W 1608 5.00% D	
		R557	0RH1201C622	RESISTOR,METAL GLAZED(CHIP)	1.2K OHM 1 / 16 W 1608 5.00% D	
		R558	0RH1201C622	RESISTOR,METAL GLAZED(CHIP)	1.2K OHM 1 / 16 W 1608 5.00% D	
		R559	0RH1201C622	RESISTOR,METAL GLAZED(CHIP)	1.2K OHM 1 / 16 W 1608 5.00% D	
		R560	0RH1201C622	RESISTOR,METAL GLAZED(CHIP)	1.2K OHM 1 / 16 W 1608 5.00% D	
		R566	0RH1003C622	RESISTOR,METAL GLAZED(CHIP)	100K OHM 1 / 16 W 1608 5.00% D	
		R569	0RH4701C622	RESISTOR,METAL GLAZED(CHIP)	4.7K OHM 1 / 16 W 1608 5.00% D	
		R570	0RH1001C622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 16 W 1608 5.00% D	
		R571	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R582	0RH1000C622	RESISTOR,METAL GLAZED(CHIP)	100 OHM 1 / 16 W 1608 5.00% D	
		R583	0RH1000C622	RESISTOR,METAL GLAZED(CHIP)	100 OHM 1 / 16 W 1608 5.00% D	
		R586	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R587	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R588	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R589	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R590	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R591	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R592	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R593	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R594	0RH0822C622	RESISTOR,METAL GLAZED(CHIP)	82 OHM 1 / 16 W 1608 5.00% D	
		R595	0RH0822C622	RESISTOR,METAL GLAZED(CHIP)	82 OHM 1 / 16 W 1608 5.00% D	
		R596	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R597	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R598	0RH4702C622	RESISTOR,METAL GLAZED(CHIP)	47K OHM 1 / 16 W 1608 5.00% D	
		R599	0RH6801C622	RESISTOR,METAL GLAZED(CHIP)	6.8K OHM 1 / 16 W 1608 5.00% D	
		R600	0RH1001C622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 16 W 1608 5.00% D	
		R601	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R602	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R603	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R605	0RH7501C622	RESISTOR,METAL GLAZED(CHIP)	7.5K OHM 1 / 16 W 1608 5.00% D	
		R606	0RH7501C622	RESISTOR,METAL GLAZED(CHIP)	7.5K OHM 1 / 16 W 1608 5.00% D	
		R607	0RH8201C622	RESISTOR,METAL GLAZED(CHIP)	8.2K OHM 1 / 16 W 1608 5.00% D	
		R608	0RH1801C622	RESISTOR,METAL GLAZED(CHIP)	1.8K OHM 1 / 16 W 1608 5.00% D	
		R609	0RH1801C622	RESISTOR,METAL GLAZED(CHIP)	1.8K OHM 1 / 16 W 1608 5.00% D	

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
		R610	0RH8201C622	RESISTOR,METAL GLAZED(CHIP)	8.2K OHM 1 / 16 W 1608 5.00% D	
		R611	0RH8201C622	RESISTOR,METAL GLAZED(CHIP)	8.2K OHM 1 / 16 W 1608 5.00% D	
		R612	0RH5601C622	RESISTOR,METAL GLAZED(CHIP)	5.6K OHM 1 / 16 W 1608 5.00% D	
		R613	0RH4701C622	RESISTOR,METAL GLAZED(CHIP)	4.7K OHM 1 / 16 W 1608 5.00% D	
		R614	0RH1801C622	RESISTOR,METAL GLAZED(CHIP)	1.8K OHM 1 / 16 W 1608 5.00% D	
		R615	0RH1801C622	RESISTOR,METAL GLAZED(CHIP)	1.8K OHM 1 / 16 W 1608 5.00% D	
		R616	0RH8201C622	RESISTOR,METAL GLAZED(CHIP)	8.2K OHM 1 / 16 W 1608 5.00% D	
		R617	0RH7501C622	RESISTOR,METAL GLAZED(CHIP)	7.5K OHM 1 / 16 W 1608 5.00% D	
		R618	0RH7501C622	RESISTOR,METAL GLAZED(CHIP)	7.5K OHM 1 / 16 W 1608 5.00% D	
		R619	0RH3300C622	RESISTOR,METAL GLAZED(CHIP)	330 OHM 1 / 16 W 1608 5.00% D	
		R620	0RH3300C622	RESISTOR,METAL GLAZED(CHIP)	330 OHM 1 / 16 W 1608 5.00% D	
		R622	0RH2200C622	RESISTOR,METAL GLAZED(CHIP)	220 OHM 1 / 16 W 1608 5.00% D	
		R624	0RH1003C622	RESISTOR,METAL GLAZED(CHIP)	100K OHM 1 / 16 W 1608 5.00% D	
		R625	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R626	0RH1001C622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 16 W 1608 5.00% D	
		R627	0RH1001C622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 16 W 1608 5.00% D	
		R628	0RH1001C622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 16 W 1608 5.00% D	
		R629	0RH1001C622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 16 W 1608 5.00% D	
		R634	0RH1001C622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 16 W 1608 5.00% D	
		R635	0RH4701C622	RESISTOR,METAL GLAZED(CHIP)	4.7K OHM 1 / 16 W 1608 5.00% D	
		R636	0RH4701C622	RESISTOR,METAL GLAZED(CHIP)	4.7K OHM 1 / 16 W 1608 5.00% D	
		R640	0RH1800C622	RESISTOR,METAL GLAZED(CHIP)	180 OHM 1 / 16 W 1608 5.00% D	
		R643	0RH1800C622	RESISTOR,METAL GLAZED(CHIP)	180 OHM 1 / 16 W 1608 5.00% D	
		R661	0RH0752C622	RESISTOR,METAL GLAZED(CHIP)	75 OHM 1 / 16 W 1608 5.00% D	
		R662	0RH0752C622	RESISTOR,METAL GLAZED(CHIP)	75 OHM 1 / 16 W 1608 5.00% D	
		R663	0RH0752C622	RESISTOR,METAL GLAZED(CHIP)	75 OHM 1 / 16 W 1608 5.00% D	
		R664	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R665	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R666	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R696	0RH1001C622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 16 W 1608 5.00% D	
		R6A3	0RH0752C622	RESISTOR,METAL GLAZED(CHIP)	75 OHM 1 / 16 W 1608 5.00% D	
		R6A4	0RH0752C622	RESISTOR,METAL GLAZED(CHIP)	75 OHM 1 / 16 W 1608 5.00% D	
		R6A5	0RH0752C622	RESISTOR,METAL GLAZED(CHIP)	75 OHM 1 / 16 W 1608 5.00% D	
		R6W1	0RH1100C622	RESISTOR,METAL GLAZED(CHIP)	110 OHM 1 / 16 W 1608 5.00% D	
		R6W2	0RH0752C622	RESISTOR,METAL GLAZED(CHIP)	75 OHM 1 / 16 W 1608 5.00% D	
		R6W3	0RH0222C622	RESISTOR,METAL GLAZED(CHIP)	22 OHM 1 / 16 W 1608 5.00% D	
		R6W4	0RH1100C622	RESISTOR,METAL GLAZED(CHIP)	110 OHM 1 / 16 W 1608 5.00% D	
		R6W5	0RH0222C622	RESISTOR,METAL GLAZED(CHIP)	22 OHM 1 / 16 W 1608 5.00% D	
		R725	0RH4702C622	RESISTOR,METAL GLAZED(CHIP)	47K OHM 1 / 16 W 1608 5.00% D	
		R730	0LCCE00005T	INDUCTOR,CHIP	HB-1S1608-400JT 400OHM CERATECH	
		R731	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R737	0RH1001C622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 16 W 1608 5.00% D	
		R748	0RH5600C422	RESISTOR,METAL GLAZED(CHIP)	560 OHM 1 / 16 W 1608 1.00% D	
		R749	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R750	0RH4702C622	RESISTOR,METAL GLAZED(CHIP)	47K OHM 1 / 16 W 1608 5.00% D	
		R751	0RH1001C622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 16 W 1608 5.00% D	
		R763	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		R764	0RH0000C622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 16 W 1608 5.00% D	
		RA701	0RRZVTA001L	RESISTOR,DRAWING	22 OHM 1 / 16 W 1608 4P 5% R/T	
		RA702	0RRZVTA001L	RESISTOR,DRAWING	22 OHM 1 / 16 W 1608 4P 5% R/T	
		RA703	0RRZVTA001L	RESISTOR,DRAWING	22 OHM 1 / 16 W 1608 4P 5% R/T	
		RA704	0RRZVTA001L	RESISTOR,DRAWING	22 OHM 1 / 16 W 1608 4P 5% R/T	
		RA705	0RRZVTA001L	RESISTOR,DRAWING	22 OHM 1 / 16 W 1608 4P 5% R/T	
		RA706	0RRZVTA001L	RESISTOR,DRAWING	22 OHM 1 / 16 W 1608 4P 5% R/T	
		V701	6102R7E001A	VARISTOR,DRAWING	AVRL161A1R1NT , TDK , 90V , 16	
		V702	6102R7E001A	VARISTOR,DRAWING	AVRL161A1R1NT , TDK , 90V , 16	
		V703	6102R7E001A	VARISTOR,DRAWING	AVRL161A1R1NT , TDK , 90V , 16	

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
		V704	6102R7E001A	VARISTOR,DRAWING	AVRL161A1R1NT , TDK , 90V , 16	
		V705	6102R7E001A	VARISTOR,DRAWING	AVRL161A1R1NT , TDK , 90V , 16	
		V706	6102R7E001A	VARISTOR,DRAWING	AVRL161A1R1NT , TDK , 90V , 16	
		V707	6102R7E001A	VARISTOR,DRAWING	AVRL161A1R1NT , TDK , 90V , 16	
		V708	6102R7E001A	VARISTOR,DRAWING	AVRL161A1R1NT , TDK , 90V , 16	
		X501	6202R-BL01A	RESONATOR,CRYSTAL	HC-49/SM5H KONY 27MHZ 15PF -	
		X701	6212AB2135C	RESONATOR,CRYSTAL	HC-49/SM BUBANG 13.5 MHZ +/- 5	
		ZD501	0DZPH00058A	DIODE,ZENERS	BZX84-C7V5 PHILIPS R/TP SOT23	
		IC502A	6957R-9991Q	PROGRAM	NV80702A1 MIH	
*** PWB(PCB) ASSEMBLY,TOTAL ***						
		A48	6871R-8389A	PWB(PCB) ASSEMBLY,TOTAL	DFN8024NH SH 5.1CH	
		C302	0CH1104K946	CAPACITOR,FIXED CERAMIC(TEMP.C	0.1UF 2012 50V 80%,-20% Y5V(F)	
		C303	0CE1064F638	CAPACITOR,ELECTROLYTIC	10M SRA 16V M FM5 TP(5)	
		C304	0CE4775C638	CAPACITOR,FIXED ELECTROLYTIC	470UF SR,SV 6.3V 20% FM5 TP 5	
		C305	0CH1104K946	CAPACITOR,FIXED CERAMIC(TEMP.C	0.1UF 2012 50V 80%,-20% Y5V(F)	
		C306	0CH4102K406	CHIP CAPA CERAMIC M/L T.C F/S	1000P 50V J SL 2.0X1.2 R/TP	
		C307	0CH4101K416	CAPA,CHIP CERAMIC M/L T.C F/S	100P 50V J NP0 2.0*1.25 R/TP	
		C308	0CH1392K566	CAPACITOR,FIXED CERAMIC(Temp.c	3900P 50V K X7R 2.0X1.2 R/TP	
		C309	0CE3354K638	CAPACITOR,FIXED ELECTROLYTIC	3.3UF SRA,SS 50V 20% FM5 TP 5	
		C310	0CE4764F638	CAPACITOR,FIXED ELECTROLYTIC	47UF SRA,SS 16V 20% FM5 TP 5	
		C311	0CE4764F638	CAPACITOR,FIXED ELECTROLYTIC	47UF SRA,SS 16V 20% FM5 TP 5	
		C312	0CE4764F638	CAPACITOR,FIXED ELECTROLYTIC	47UF SRA,SS 16V 20% FM5 TP 5	
		C313	0CH4102K406	CHIP CAPA CERAMIC M/L T.C F/S	1000P 50V J SL 2.0X1.2 R/TP	
		C314	0CH4101K416	CAPA,CHIP CERAMIC M/L T.C F/S	100P 50V J NP0 2.0*1.25 R/TP	
		C315	0CE1064F638	CAPACITOR,ELECTROLYTIC	10M SRA 16V M FM5 TP(5)	
		C316	0CH4102K406	CHIP CAPA CERAMIC M/L T.C F/S	1000P 50V J SL 2.0X1.2 R/TP	
		C317	0CH4101K416	CAPA,CHIP CERAMIC M/L T.C F/S	100P 50V J NP0 2.0*1.25 R/TP	
		C318	0CE1064F638	CAPACITOR,ELECTROLYTIC	10M SRA 16V M FM5 TP(5)	
		C319	0CH1392K566	CAPACITOR,FIXED CERAMIC(Temp.c	3900P 50V K X7R 2.0X1.2 R/TP	
		C320	0CE4764F638	CAPACITOR,FIXED ELECTROLYTIC	47UF SRA,SS 16V 20% FM5 TP 5	
		C321	0CE4764F638	CAPACITOR,FIXED ELECTROLYTIC	47UF SRA,SS 16V 20% FM5 TP 5	
		C322	0CE1064F638	CAPACITOR,ELECTROLYTIC	10M SRA 16V M FM5 TP(5)	
		C323	0CE4764F638	CAPACITOR,FIXED ELECTROLYTIC	47UF SRA,SS 16V 20% FM5 TP 5	
		C324	0CH1392K566	CAPACITOR,FIXED CERAMIC(Temp.c	3900P 50V K X7R 2.0X1.2 R/TP	
		C325	0CE1064F638	CAPACITOR,ELECTROLYTIC	10M SRA 16V M FM5 TP(5)	
		C326	0CE1064F638	CAPACITOR,ELECTROLYTIC	10M SRA 16V M FM5 TP(5)	
		C327	0CH1392K566	CAPACITOR,FIXED CERAMIC(Temp.c	3900P 50V K X7R 2.0X1.2 R/TP	
		C328	0CH4101K416	CAPA,CHIP CERAMIC M/L T.C F/S	100P 50V J NP0 2.0*1.25 R/TP	
		C329	0CH4102K406	CHIP CAPA CERAMIC M/L T.C F/S	1000P 50V J SL 2.0X1.2 R/TP	
		C330	0CH4101K416	CAPA,CHIP CERAMIC M/L T.C F/S	100P 50V J NP0 2.0*1.25 R/TP	
		C331	0CH4102K406	CHIP CAPA CERAMIC M/L T.C F/S	1000P 50V J SL 2.0X1.2 R/TP	
		C332	0CE4764F638	CAPACITOR,FIXED ELECTROLYTIC	47UF SRA,SS 16V 20% FM5 TP 5	
		C333	0CE4764F638	CAPACITOR,FIXED ELECTROLYTIC	47UF SRA,SS 16V 20% FM5 TP 5	
		C334	0CE1064F638	CAPACITOR,ELECTROLYTIC	10M SRA 16V M FM5 TP(5)	
		C335	0CH4101K416	CAPA,CHIP CERAMIC M/L T.C F/S	100P 50V J NP0 2.0*1.25 R/TP	
		C336	0CH4102K406	CHIP CAPA CERAMIC M/L T.C F/S	1000P 50V J SL 2.0X1.2 R/TP	
		C337	0CH1392K566	CAPACITOR,FIXED CERAMIC(Temp.c	3900P 50V K X7R 2.0X1.2 R/TP	
		C338	0CE4764F638	CAPACITOR,FIXED ELECTROLYTIC	47UF SRA,SS 16V 20% FM5 TP 5	
		C339	0CE4764F638	CAPACITOR,FIXED ELECTROLYTIC	47UF SRA,SS 16V 20% FM5 TP 5	
		C340	0CH1392K566	CAPACITOR,FIXED CERAMIC(Temp.c	3900P 50V K X7R 2.0X1.2 R/TP	
		C341	0CE4764F638	CAPACITOR,FIXED ELECTROLYTIC	47UF SRA,SS 16V 20% FM5 TP 5	
		C342	0CE4764F638	CAPACITOR,FIXED ELECTROLYTIC	47UF SRA,SS 16V 20% FM5 TP 5	
		C343	0CE3354K638	CAPACITOR,FIXED ELECTROLYTIC	3.3UF SRA,SS 50V 20% FM5 TP 5	
		C344	0CH1104K946	CAPACITOR,FIXED CERAMIC(TEMP.C	0.1UF 2012 50V 80%,-20% Y5V(F)	
		C345	0CH1104K946	CAPACITOR,FIXED CERAMIC(TEMP.C	0.1UF 2012 50V 80%,-20% Y5V(F)	
		D311	0DS202009CA	DIODE,SWITCHING	DAN202K TP ROHM KOREA SOT23 80	
		D312	0DS202009CA	DIODE,SWITCHING	DAN202K TP ROHM KOREA SOT23 80	

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
		F301	6200HJC901A	FILTER(CIRC),EMC	CFI06B1H101MF SAMHWA TP 2-5K	
		F302	6200HJC901A	FILTER(CIRC),EMC	CFI06B1H101MF SAMHWA TP 2-5K	
		F303	6200HJC901A	FILTER(CIRC),EMC	CFI06B1H101MF SAMHWA TP 2-5K	
		F304	6200HJC901A	FILTER(CIRC),EMC	CFI06B1H101MF SAMHWA TP 2-5K	
		F305	6200HJC901A	FILTER(CIRC),EMC	CFI06B1H101MF SAMHWA TP 2-5K	
		F306	6200HJC901A	FILTER(CIRC),EMC	CFI06B1H101MF SAMHWA TP 2-5K	
		IC301	0IPRPCI012A	IC,PERIPHERALS	CS4360-KZR CIRRUS LOGIC 28PIN,	
		IC302	0ILNRBB003A	IC,LINEAR	0PA2604AU BUR BROWN 8P SOP R/T	
		IC303	0ILNRBB003A	IC,LINEAR	0PA2604AU BUR BROWN 8P SOP R/T	
		IC304	0ILNRBB003A	IC,LINEAR	0PA2604AU BUR BROWN 8P SOP R/T	
		Q301	0TR387509AC	TRANSISTOR	CHIP KTC3875S-GR-T1(ALG) KEC	
		Q301	0TRON80009A	TRANSISTOR,BIPOLARS	BC846ALT1 ON SEMI(MOTOROLA) R/	ALTERNATE
		Q302	0TR387509AC	TRANSISTOR	CHIP KTC3875S-GR-T1(ALG) KEC	
		Q302	0TRON80009A	TRANSISTOR,BIPOLARS	BC846ALT1 ON SEMI(MOTOROLA) R/	ALTERNATE
		Q303	0TR387509AC	TRANSISTOR	CHIP KTC3875S-GR-T1(ALG) KEC	
		Q303	0TRON80009A	TRANSISTOR,BIPOLARS	BC846ALT1 ON SEMI(MOTOROLA) R/	ALTERNATE
		Q304	0TR387509AC	TRANSISTOR	CHIP KTC3875S-GR-T1(ALG) KEC	
		Q304	0TRON80009A	TRANSISTOR,BIPOLARS	BC846ALT1 ON SEMI(MOTOROLA) R/	ALTERNATE
		Q305	0TR387509AC	TRANSISTOR	CHIP KTC3875S-GR-T1(ALG) KEC	
		Q305	0TRON80009A	TRANSISTOR,BIPOLARS	BC846ALT1 ON SEMI(MOTOROLA) R/	ALTERNATE
		Q306	0TR387509AC	TRANSISTOR	CHIP KTC3875S-GR-T1(ALG) KEC	
		Q306	0TRON80009A	TRANSISTOR,BIPOLARS	BC846ALT1 ON SEMI(MOTOROLA) R/	ALTERNATE
		Q307	0TR103009AC	TRANSISTOR	KRA103S-T1(PC)22-22 CHIP KEC	
		Q307	0TRON80007A	TRANSISTOR,BIPOLARS	MMUN2112LT1 ON SEMI(MOTOROLA)	ALTERNATE
		Q308	0TR103009AC	TRANSISTOR	KRA103S-T1(PC)22-22 CHIP KEC	
		Q308	0TRON80007A	TRANSISTOR,BIPOLARS	MMUN2112LT1 ON SEMI(MOTOROLA)	ALTERNATE
		R301	0RH1001D622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 10 W 2012 5.00% D	
		R302	0RH0102D622	RESISTOR,METAL GLAZED(CHIP)	10 OHM 1 / 10 W 2012 5.00% D	
		R305	0RH0102D622	RESISTOR,METAL GLAZED(CHIP)	10 OHM 1 / 10 W 2012 5.00% D	
		R306	0RH1001D622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 10 W 2012 5.00% D	
		R307	0RH1003D622	RESISTOR,METAL GLAZED(CHIP)	100K OHM 1 / 10 W 2012 5.00% D	
		R308	0RH2200D622	RESISTOR,METAL GLAZED(CHIP)	220 OHM 1 / 10 W 2012 5.00% D	
		R309	0RH3300D622	RESISTOR,METAL GLAZED(CHIP)	330 OHM 1 / 10 W 2012 5.00% D	
		R310	0RH1001D622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 10 W 2012 5.00% D	
		R311	0RH1502D622	RESISTOR,METAL GLAZED(CHIP)	15K OHM 1 / 10 W 2012 5.00% D	
		R312	0RH6801D622	RESISTOR,METAL GLAZED(CHIP)	6.8K OHM 1 / 10 W 2012 5.00% D	
		R313	0RH8201D622	RESISTOR,METAL GLAZED(CHIP)	8.2K OHM 1 / 10 W 2012 5.00% D	
		R314	0RH8201D622	RESISTOR,METAL GLAZED(CHIP)	8.2K OHM 1 / 10 W 2012 5.00% D	
		R315	0RH8201D622	RESISTOR,METAL GLAZED(CHIP)	8.2K OHM 1 / 10 W 2012 5.00% D	
		R316	0RH6801D622	RESISTOR,METAL GLAZED(CHIP)	6.8K OHM 1 / 10 W 2012 5.00% D	
		R317	0RH1502D622	RESISTOR,METAL GLAZED(CHIP)	15K OHM 1 / 10 W 2012 5.00% D	
		R318	0RH3300D622	RESISTOR,METAL GLAZED(CHIP)	330 OHM 1 / 10 W 2012 5.00% D	
		R319	0RH5601D622	RESISTOR,METAL GLAZED(CHIP)	5.6K OHM 1 / 10 W 2012 5.00% D	
		R320	0RH4701D622	RESISTOR,METAL GLAZED(CHIP)	4.7K OHM 1 / 10 W 2012 5.00% D	
		R321	0RH1003D622	RESISTOR,METAL GLAZED(CHIP)	100K OHM 1 / 10 W 2012 5.00% D	
		R322	0RH2200D622	RESISTOR,METAL GLAZED(CHIP)	220 OHM 1 / 10 W 2012 5.00% D	
		R323	0RH1001D622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 10 W 2012 5.00% D	
		R324	0RH2200D622	RESISTOR,METAL GLAZED(CHIP)	220 OHM 1 / 10 W 2012 5.00% D	
		R325	0RH1003D622	RESISTOR,METAL GLAZED(CHIP)	100K OHM 1 / 10 W 2012 5.00% D	
		R326	0RH3300D622	RESISTOR,METAL GLAZED(CHIP)	330 OHM 1 / 10 W 2012 5.00% D	
		R327	0RH1001D622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 10 W 2012 5.00% D	
		R328	0RH1502D622	RESISTOR,METAL GLAZED(CHIP)	15K OHM 1 / 10 W 2012 5.00% D	
		R329	0RH6801D622	RESISTOR,METAL GLAZED(CHIP)	6.8K OHM 1 / 10 W 2012 5.00% D	
		R330	0RH1001D622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 10 W 2012 5.00% D	
		R331	0RH8201D622	RESISTOR,METAL GLAZED(CHIP)	8.2K OHM 1 / 10 W 2012 5.00% D	
		R332	0RH6801D622	RESISTOR,METAL GLAZED(CHIP)	6.8K OHM 1 / 10 W 2012 5.00% D	
		R333	0RH1502D622	RESISTOR,METAL GLAZED(CHIP)	15K OHM 1 / 10 W 2012 5.00% D	

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
		R334	0RH3300D622	RESISTOR,METAL GLAZED(CHIP)	330 OHM 1 / 10 W 2012 5.00% D	
		R335	0RH5601D622	RESISTOR,METAL GLAZED(CHIP)	5.6K OHM 1 / 10 W 2012 5.00% D	
		R336	0RH4701D622	RESISTOR,METAL GLAZED(CHIP)	4.7K OHM 1 / 10 W 2012 5.00% D	
		R337	0RH1003D622	RESISTOR,METAL GLAZED(CHIP)	100K OHM 1 / 10 W 2012 5.00% D	
		R338	0RH2200D622	RESISTOR,METAL GLAZED(CHIP)	220 OHM 1 / 10 W 2012 5.00% D	
		R339	0RH1001D622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 10 W 2012 5.00% D	
		R340	0RH1001D622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 10 W 2012 5.00% D	
		R341	0RH2200D622	RESISTOR,METAL GLAZED(CHIP)	220 OHM 1 / 10 W 2012 5.00% D	
		R342	0RH1003D622	RESISTOR,METAL GLAZED(CHIP)	100K OHM 1 / 10 W 2012 5.00% D	
		R343	0RH3300D622	RESISTOR,METAL GLAZED(CHIP)	330 OHM 1 / 10 W 2012 5.00% D	
		R344	0RH1001D622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 10 W 2012 5.00% D	
		R345	0RH1502D622	RESISTOR,METAL GLAZED(CHIP)	15K OHM 1 / 10 W 2012 5.00% D	
		R346	0RH6801D622	RESISTOR,METAL GLAZED(CHIP)	6.8K OHM 1 / 10 W 2012 5.00% D	
		R347	0RH8201D622	RESISTOR,METAL GLAZED(CHIP)	8.2K OHM 1 / 10 W 2012 5.00% D	
		R348	0RH8201D622	RESISTOR,METAL GLAZED(CHIP)	8.2K OHM 1 / 10 W 2012 5.00% D	
		R349	0RH6801D622	RESISTOR,METAL GLAZED(CHIP)	6.8K OHM 1 / 10 W 2012 5.00% D	
		R350	0RH1502D622	RESISTOR,METAL GLAZED(CHIP)	15K OHM 1 / 10 W 2012 5.00% D	
		R361	0RH3300D622	RESISTOR,METAL GLAZED(CHIP)	330 OHM 1 / 10 W 2012 5.00% D	
		R362	0RH5601D622	RESISTOR,METAL GLAZED(CHIP)	5.6K OHM 1 / 10 W 2012 5.00% D	
		R363	0RH4701D622	RESISTOR,METAL GLAZED(CHIP)	4.7K OHM 1 / 10 W 2012 5.00% D	
		R364	0RH1001D622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 10 W 2012 5.00% D	
		R365	0RH2200D622	RESISTOR,METAL GLAZED(CHIP)	220 OHM 1 / 10 W 2012 5.00% D	
		R366	0RH1003D622	RESISTOR,METAL GLAZED(CHIP)	100K OHM 1 / 10 W 2012 5.00% D	
		R367	0RH0000D622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 10 W 2012 5.00% D	
		R368	0RH0000D622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 10 W 2012 5.00% D	
		R369	0RH0000D622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 10 W 2012 5.00% D	
		R370	0RH0000D622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 10 W 2012 5.00% D	
		R371	0RH0000D622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 10 W 2012 5.00% D	
		R372	0RH0000D622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 10 W 2012 5.00% D	
		R375	0RH1001D622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 10 W 2012 5.00% D	
		R376	0RH1001D622	RESISTOR,METAL GLAZED(CHIP)	1K OHM 1 / 10 W 2012 5.00% D	
		R384	0RH0000D622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 10 W 2012 5.00% D	
		R386	0RH0000D622	RESISTOR,METAL GLAZED(CHIP)	0 OHM 1 / 10 W 2012 5.00% D	
		CN301	6630R-FB05R	CONNECTOR (CIRC),FFC/FPC	00-6232-018-104-800 ELCO 18PIN	
		JK301	6612JH002XE	JACK,RCA	ATT-10dB YUQIU RCA-621A-01GK	
		JK302	6612F00007A	JACK,PHONE	PJ-308-01 YUQIU	
		SW301	6600R-SH03B	SWITCH,SLIDE	SKQ-22H06-G5-NA LUP FUNG NON D	
*** CHASSIS ASSEMBLY ***						
		A44	3141R-D045D	CHASSIS ASSEMBLY	DFN8024NH(T534AH) MAIN	
		260	3140R-D002B	CHASSIS	DV7000 PRESS WITH FOOT	
		261	5040R-5040C	RUBBER	DVD DVN8000 OTHER FOOT D17.5X	
		320	3720R-D123D	PANEL,VIDEO	DVD DFN8024NH(T534AH) PRESS BA	
		467	353-046N	SCREW,DRAWING	SPECIAL(3X8 BK.)	
*** BOARD ASSEMBLY ***						
		A43	3501RF6993B	BOARD ASSEMBLY	DVD DFN8024NH HA1UNN FRONT	
		280	3721R-F883B	PANEL ASSEMBLY,FRONT	DVD DFN8024NH HA1UNN NAD	NSP
		452	353-051A	SCREW,DRAWING	SPECIAL	
		A49	6871R-9971A	PWB(PCB) ASSEMBLY,TOTAL	DVN8000S TMER SH	
		C902	0CE1064F638	CAPACITOR,ELECTROLYTIC	10M SRA 16V M FM5 TP(5)	
		C908	0CE4764F638	CAPACITOR,FIXED ELECTROLYTIC	47UF SRA,SS 16V 20% FM5 TP 5	
		C909	0CE4764J638	CAPACITOR,AL.ELECTROLYTIC	47UF SRA,SS 35V M FM5 TP 5	
		C912	0CE4764F638	CAPACITOR,FIXED ELECTROLYTIC	47UF SRA,SS 16V 20% FM5 TP 5	
		CN901	6630R-FB05R	CONNECTOR (CIRC),FFC/FPC	00-6232-018-104-800 ELCO 18PIN	
		CON902	6631R-E078J	CONNECTOR ASSEMBLY	GIL-S04/9073 04AN 4P 120M/M UL	
		DIG901	6302RCV226A	DIGITRON	VFD14-0601N ZEC SEG VFD DVD800	
		IC902	0IKE704200B	IC,KEC	KIA7042P 3P 4.2V RESET(TAPING)	
		RC901	6712R1038GA	REMOTE CONTROLLER RECEIVER	TSOP2438SB1 VISHAY 38KHZ 10.2M	

S	AL	LOCA. NO.	PART NO.	DESCRIPTION	SPECIFICATION	REMARKS
		X901	6212BA3004A	RESONATOR,CERAMIC	CSTLS6M00G53-A0 MURATA 6MHZ +/-	
		ZD901	0DZ562609AA	DIODE,ZENER	GDZJ5.6B 26MM TP GRANDE DO34	
		C905	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C906	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C907	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C910	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C911	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C913	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		C9A1	0CH1104K942	CAPACITOR,CHIP[CERAMIC M/L HD	0.1UF 50V Z Y5V(F) 1508 R/TP	
		IC901	0IMCRHY084B	IC,MICRO CONTROLLER	HMS81C2012A-HK012 2ND HYNIX 64	
		L901	6200HJC102A	FILTER(CIRC),EMC	HB-1M2012-102JT CERATECH TP	
		Q901	0TRAU80002A	TRANSISTOR,BIPOLARS	AUK KOREA SRC1203S R/TP SOT23	
		Q902	0TRAU80002A	TRANSISTOR,BIPOLARS	AUK KOREA SRC1203S R/TP SOT23	
		R908	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R909	0RH1002C622	RESISTOR,METAL GLAZED(CHIP)	10K OHM 1 / 16 W 1608 5.00% D	
		R910	0RH3301C622	RESISTOR,METAL GLAZED(CHIP)	3.3K OHM 1 / 16 W 1608 5.00% D	
		R911	0RH3300C622	RESISTOR,METAL GLAZED(CHIP)	330 OHM 1 / 16 W 1608 5.00% D	
		R912	0RH2200C622	RESISTOR,METAL GLAZED(CHIP)	220 OHM 1 / 16 W 1608 5.00% D	
		R913	0RH2200C622	RESISTOR,METAL GLAZED(CHIP)	220 OHM 1 / 16 W 1608 5.00% D	
		R939	0RH1003C622	RESISTOR,METAL GLAZED(CHIP)	100K OHM 1 / 16 W 1608 5.00% D	
		R951	0RH1000C622	RESISTOR,METAL GLAZED(CHIP)	100 OHM 1 / 16 W 1608 5.00% D	
		R952	0RH1000C622	RESISTOR,METAL GLAZED(CHIP)	100 OHM 1 / 16 W 1608 5.00% D	
		R954	0RH1000D622	RESISTOR,METAL GLAZED(CHIP)	100 OHM 1 / 10 W 2012 5.00% D	
		A42	6871R-9771A	PWB(PCB) ASSEMBLY,TOTAL	DVN8000S KEY SH	
		CON903	561-712D	CONNECTOR (CIRC),WAFER	GIL-S-04P-S2L2-EF LG CABLE 4PI	
		LED901	0DLAU0029AA	LED	AUK SYM3272 (YELLOW-GREEN,GREE	
		R900	0RD6800F608	RESISTOR,FIXED CARBON FILM	680 OHM 1/6 W 5% TA26	
		R901	0RD8200F608	RESISTOR,FIXED CARBON FILM	820 OHM 1/6 W 5% TA26	
		R902	0RD1201F608	RESISTOR,FIXED CARBON FILM	1.2K OHM 1/6 W 5% TA26	
		R903	0RD1501F608	RESISTOR,FIXED CARBON FILM	1.5K OHM 1/6 W 5% TA26	
		R904	0RD2201F608	RESISTOR,FIXED CARBON FILM	2.2K OHM 1/6 W 5% TA26	
		R905	0RD3301F608	RESISTOR,FIXED CARBON FILM	3.3K OHM 1/6 W 5% TA26	
		R906	0RD4701F608	RESISTOR,FIXED CARBON FILM	4.7K OHM 1/6 W 5% TA26	
		R907	0RD8201F608	RESISTOR,FIXED CARBON FILM	8.2K OHM 1/6 W 5% TA26	
		SW901	556-219B	SWITCH,TACT	THV10910G TACT DC 12 V 5-0 A V	
		SW902	556-219B	SWITCH,TACT	THV10910G TACT DC 12 V 5-0 A V	
		SW903	556-219B	SWITCH,TACT	THV10910G TACT DC 12 V 5-0 A V	
		SW904	556-219B	SWITCH,TACT	THV10910G TACT DC 12 V 5-0 A V	
		SW905	556-219B	SWITCH,TACT	THV10910G TACT DC 12 V 5-0 A V	
		SW906	556-219B	SWITCH,TACT	THV10910G TACT DC 12 V 5-0 A V	
		SW907	556-219B	SWITCH,TACT	THV10910G TACT DC 12 V 5-0 A V	
		SW908	556-219B	SWITCH,TACT	THV10910G TACT DC 12 V 5-0 A V	
		SW909	556-219B	SWITCH,TACT	THV10910G TACT DC 12 V 5-0 A V	