


PHILIPS-SERVICE



258 V/259 V

200—585 m
850—1950 m
468 kc/s

9662 Z 5 Ω
6V—4,5 A (258V)
12V—2,25 A (259V)



| 850—1950 m | | 200—585 m | | 850—1950 m | |
|------------------------|-----|-----------------|-----|-----------------|-----|
| VOL. | max | VOL. | max | VOL. | max |
| 468kc/s-32000pF-g1B2 | | C4, C5 15° | | C4, C5 30° | |
| S11, S12, S17 max | | 1480 kc/s-32 pF | | C8 max | |
| 468 kc/s-32000 pF-g4B1 | | C7, C6 max | | 32 pF-aB1 | |
| S9, S10 max | | C5 | | C5 | |
| | | 625kc/s-32 pF | | 170kc/s-32pF | |
| | | C4, C5 625 kc/s | | C4, C5 170 kc/s | |
| | | C5 | | C5 | |
| | | C52 max | | C51 max | |



| | | | | | |
|-----|---------|----------------|-----|-------------|----------------|
| R1 | 0.1 MΩ | 48 552 10/100K | C1 | 12.5 μF | 48 317 11/12.5 |
| R2 | 47 Ω | 48 425 10/47E | C2 | 12.5 μF | 49 020 41.0 |
| R3 | 390 Ω | 48 426 10/390E | C3 | 25 μF | 28 212 39.0 |
| R4 | 47000 Ω | 48 426 10/47K | C4 | 0.490 pF | 28 211 83.1 |
| R5 | 2200 Ω | 48 426 10/2K2 | C5 | 0.490 pF | 28 211 83.1 |
| R6 | 330 Ω | 48 426 10/330E | C6 | 2 1/2-30 pF | — |
| R7 | 82000 Ω | 48 426 10/82K | C7 | 2 1/2-30 pF | — |
| R8 | 47000 Ω | 48 426 10/47K | C8 | 30 pF | — |
| R9 | 0.1 MΩ | 48 427 10/100K | C9 | 47000 pF | 48 751 10/47K |
| R10 | 100 Ω | 48 427 10/100E | C10 | 47000 pF | 48 751 10/47K |
| R11 | 220 Ω | 48 427 10/220E | C11 | 120 pF | 48 429 05/120E |
| R12 | 100 Ω | 48 427 10/100E | C12 | 375 pF | 48 429 05/375E |
| R13 | 220 Ω | 48 427 10/220E | C13 | 97 pF | — |
| R14 | 0.5 MΩ | 49 473 04.0 | C14 | 91 pF | — |
| R15 | 1.5 MΩ | 48 426 10/1M5 | C15 | 0.1 μF | 48 751 10/100K |
| R16 | 6800 Ω | 48 426 10/6K8 | C16 | 0.1 μF | 48 751 10/100K |
| R17 | 0.68 MΩ | 48 425 10/680K | C17 | 0.33 μF | 48 751 10/330K |
| R18 | 0.27 MΩ | 48 426 10/270K | C18 | 0.1 μF | 48 751 10/100K |
| R19 | 1.2 MΩ | 48 426 10/1M2 | C19 | 97 pF | — |
| R20 | 0.47 MΩ | 48 552 10/330K | C20 | 103 pF | — |
| | 1000 Ω | 48 426 10/470K | C21 | 15 pF | 48 601 10/15E |
| | 1200 Ω | 48 426 10/1K | C22 | 100 pF | 48 406 10/100E |
| | | 48 426 10/1K2 | C23 | 47000 pF | 48 751 10/47K |
| | | | C24 | 0.1 μF | 48 751 10/47K |
| | | | C25 | 47000 pF | 48 751 10/47K |
| | | | C26 | 0.39 μF | 48 751 10/390K |
| | | | C27 | 2 x 0.47 μF | 48 751 10/470K |
| | | | C28 | 22000 pF | 48 758 20/22K |
| | | | C29 | 22000 pF | 48 758 20/22K |
| | | | C30 | 47000 pF | 48 754 20/47K |
| | | | C31 | 330 pF | 48 406 10/330E |
| | | | C32 | 47000 pF | 48 751 10/47K |
| | | | C33 | 10000 pF | 28 199 94.0* |
| | | | C34 | 0.22 μF | 48 751 10/220K |
| | | | C35 | 10000 pF | 28 199 94.0* |
| | | | C36 | 0.5 μF | — |
| | | | C37 | 15 pF | 48 601 10/15E |
| | | | C38 | 5000 pF | — |
| | | | C39 | 47000 pF | 48 751 10/47K |
| | | | C40 | 30 pF | — |
| | | | C41 | 2 1/2-30 pF | 28 212 45.3 |
| | | | C42 | 22 pF | 48 406 10/22E |
| | | | C43 | 47000 pF | 48 751 10/47K |
| | | | C44 | 47000 pF | 48 751 10/47K |

| | | | |
|------------------|---------------|--------------------|--------------|
| S1, S14, S2 | A1 035 12.1 | S16 | T |
| S3, S4, S28, S29 | A1 035 11.0 | S17, S18, S19, S20 | A3 161 02.0* |
| S5, S6, S7, S8 | A1 035 13.2 | S17, S18, S19, S20 | |
| C8, C51 | 28 573 73.1 | S20, S22, S23, S24 | 28 534 62.1 |
| S9, S10 | | S25 | 28 220 52.0 |
| C16, C17 | 28 573 74.1 | S26 | 28 891 16.0* |
| S11, S12, S27 | | S26 | |
| C22, C23 | A1 000 27.1 | C38 | |
| S13 | 28 588 50.1 | | |
| S15 | | | |
| T | 7866 1) | Cb | 2 μF |
| Z | 7867 2) | Cd | 0.5 μF |
| Z | 08 140 34.0*) | | 28 160 92.1 |
| Z | 08 140 31.1*) | | 7350 |

| | B1 | B2 | B3 | B4 | |
|--------|------|-----|------|-----|----|
| | EK2 | EF9 | EBC3 | EL2 | |
| Va | 220 | 225 | 80 | 220 | V |
| Vg2 | 225 | 95 | — | 230 | V |
| Vg3(5) | 45 | — | — | — | V |
| Vk | 1,6 | 2,1 | 2,5 | 15 | V |
| Ia | 1,75 | 6,0 | 0,45 | 25 | mA |
| Ig2 | 2,0 | 1,8 | — | 4,5 | mA |
| Ig3(5) | 1,0 | 1,8 | — | — | mA |

1) 258 V 2) 259 V

93 952 04.1

Philips 258/259/268/269 B
258/259/268/269 V

