

# SANSUI SC-700 (AMP)

## SPECIFICATIONS


### INPUT AND OUTPUT LEVEL

INPUT TERMINAL	INPUT	OUTPUT
LINE-HIGH	70mV	1.2V
LINE-LOW	70mV	0.35V
MIC	0.5mV	
MIC (Center)	0.5mV	
DIN	14mV	1.2V

### Memo for Replacement Part by Modification or Improvement


Modified Circuit or Section	Date	Reason for Modification	Replaced Part No.	Stock No.	Name of the Original Part

# SANSUI SC-700 SCHEMATIC DIAGRAM OF CONTROL SECTION




\* Design and specification subject to change without notice for improvements.

# SANSUI SC-700 SCHEMATIC DIAGRAM OF AMP SECTION



- 500A, 1. TAPS SEL. SW
- 500A, 2. 500V SW
- 500A, 3. 500V SW
- 500A, 4. 500V SW
- 500A, 5. 500V SW
- 500A, 6. 500V SW
- 500A, 7. 500V SW
- 500A, 8. 500V SW
- 500A, 9. 500V SW
- 500A, 10. 500V SW
- 500A, 11. 500V SW
- 500A, 12. 500V SW
- 500A, 13. 500V SW
- 500A, 14. 500V SW
- 500A, 15. 500V SW
- 500A, 16. 500V SW
- 500A, 17. 500V SW
- 500A, 18. 500V SW
- 500A, 19. 500V SW
- 500A, 20. 500V SW
- 500A, 21. 500V SW
- 500A, 22. 500V SW
- 500A, 23. 500V SW
- 500A, 24. 500V SW
- 500A, 25. 500V SW
- 500A, 26. 500V SW
- 500A, 27. 500V SW
- 500A, 28. 500V SW
- 500A, 29. 500V SW
- 500A, 30. 500V SW
- 500A, 31. 500V SW
- 500A, 32. 500V SW
- 500A, 33. 500V SW
- 500A, 34. 500V SW
- 500A, 35. 500V SW
- 500A, 36. 500V SW
- 500A, 37. 500V SW
- 500A, 38. 500V SW
- 500A, 39. 500V SW
- 500A, 40. 500V SW
- 500A, 41. 500V SW
- 500A, 42. 500V SW
- 500A, 43. 500V SW
- 500A, 44. 500V SW
- 500A, 45. 500V SW
- 500A, 46. 500V SW
- 500A, 47. 500V SW
- 500A, 48. 500V SW
- 500A, 49. 500V SW
- 500A, 50. 500V SW

- SYMBOL**
- △ CERAMIC CAPACITOR
  - POLYMER FILM CAPACITOR
  - POLYESTER FILM CAPACITOR
  - ⊖ NOISELESS RESISTOR



\* Design and specification subject to change without notice for improvements.