

Operation Manual

FLASH MEMORY MULTIMEDIA AV NAVIGATION RECEIVER

AVIC-Z120BT AVIC-X920BT

Notice to all users:

This software requires that the navigation system is properly connected to your vehicle's parking brake and depending on your vehicle, additional installation may be required. For more information, please contact your Authorized Pioneer Electronics retailer or call us at (800) 421-1404.

Be sure to read **Important Information for the User** first!

Important Information for the User includes the important information that you must understand before using this navigation system.

Indications of this unit may be different from the actual value.

Some of the features of this device do not take in to consideration the type of vehicle it is installed into.





Thank you for buying this Pioneer product.

Please read through these operating instructions so you will know how to operate your model properly. After you have finished reading the instructions, keep this manual in a safe place for future reference.

	Important
~	

The screens shown in the examples may differ from actual screens.

Actual screens may be changed without notice for performance and function improvements.

1 Introduction

Manual overview 9

How to use this manual 9

Conventions used in this manual 9

Terms used in this manual 9

Notice regarding video viewing 10

Notice regarding DVD Video viewing 10

Notice regarding MP3 file usage **10**

iPod compatibility 10

Map coverage 10

Protecting the LCD panel and screen 1

Notes on internal memory 11

Before removing the vehicle

battery 11

Data subject to erasure 11

Basic operation

Checking part names and functions 12

Adjusting the LCD panel angle 14

Inserting and ejecting a disc 14

Inserting a disc (for AVIC Z120BT) **14**Eiecting a disc (for AVIC Z120BT) **15**

Inserting a disc (for AVIC X920BT) 1

Ejecting a disc (for AVIC X920BT) 15

Inserting and ejecting an SD memory

card 15

Inserting an SD memory card (for AVIC

Z120BT) **15**

Ejecting an SD memory card (for AVIC

Z120BT) **16**

Inserting an SD memory card (for AVIC

X920BT) 17

Ejecting an SD memory card (for AVIC X920BT) **17**

Plugging and unplugging a USB storage device **18**

ice 18

Plugging in a USB storage device 18

Unplugging a USB storage device 18 Connecting and disconnecting an iPod 18

Connecting your iPod 19

Disconnecting your iPod 19

Flow from startup to termination 19

On first time startup 19

Regular startup 20

(B) How to use the navigation menu screens

Screen switching overview 22

What you can do on each menu 23

Shortcut Menu 23

Selecting the shortcut 23

Canceling the shortcut 24

Operating list screens (e.g. POI list) 24

Operating the on screen keyboard 24

(4) How to use the map

How to read the map screen 25

Enlarged map of the intersection 26

Display during freeway driving 27

Roads without turn by turn instructions 27

Operating the map screen 27

Changing the scale of the map 27

Switching the map orientation 27

Scrolling the map to the position you

octolling the map to the posi

want to see 28

Setting the "Quick Access" menu 28
Switching the view mode 29

15 Eco-driving function

Displaying "Eco Graph" 31

Displaying Eco Oraph 31
Displaying Eco Drive Level guidance 32

Sudden start alert 32

06 Searching for and selecting a location

The basic flow of creating your route 33 Searching for a location by address 34

Searching for a city name first 34 Finding the location by specifying the house number 35 Searching for a name by entering multiple keywords 36 Setting up a route to your home 36	Registering a location by "Favorites" 46 Registering a location by scroll mode 46 Editing registered locations 46 Editing the entry in the "Favorites"
Searching for Points of Interest (POI) 36 Searching for POIs by preset categories 36 Searching for a POI directly from the name of the facilities 37 Searching for a nearby POI 37	list 46 Editing your home 47 Sorting the entry in the "Favorites" list 47 Deleting the entry from the "Favorites" list 48
Searching for POIs around the destination 38 Searching for POIs around the city 38 Selecting destination from "Favorites" 39 Searching for POIs by using the data on the	Exporting and importing "Favorites" items 48 Exporting "Favorites" items 48 Importing the "Favorites" items 49 Deleting the entry from the "History" list 49
SD memory card 39 Selecting a location you searched for recently 39 Searching for a location by coordinates 40	Decided the service with the service wit
Of After the location is decided Setting a route to your destination 41 Displaying multiple routes 41	service 51 Activating the MSN Direct function 51
Checking and modifying the current route Displaying the "Route Overview" screen 42 Modifying the route calculation conditions 42 Items that users can operate 42 Checking the current itinerary 43 Editing waypoint 44 Adding a waypoint 44 Deleting a waypoint 44 Sorting waypoints 45 Canceling the route guidance 45	Browsing gas prices 51 Browsing movie times 52 Searching for a theater by selecting a movie title 52 Searching for a movie title by selecting a theater 53 Browsing weather information 54 Checking the local weather information 54 Checking worldwide weather conditions 54 How to read MSN Direct information on the map 54
Registering and editing locations Storing a location in "Favorites" 46	Using traffic information 55 Checking all traffic information 55 Checking traffic information on the route 56

Receiving a phone call 71 Answering an incoming call 71 Transferring the phone book 72 Deleting registered contacts 73 Changing the phone settings 73 Editing the device name 73 Editing the password 73 Stopping Bluetooth wave transmission 73 Echo canceling and noise reduction 74 Answering a call automatically 74 Setting the automatic rejection function 74 Clearing memory 75 Updating the Bluetooth wireless technology software 75 Notes for hands free phoning 75 13 Basic operations of the AV source Displaying the AV operation screen 77 Selecting a source 77 Operating list screens (e.g. iPod list screen) 77 Switching between the AV operation screen and the list screen 77 Selecting an item 78 Returning to the previous display 78
Starting procedure 79 Reading the screen 79 Using the touch panel keys 80 Storing and recalling broadcast frequencies 80 Using the "Function" menu 81 Storing the strongest broadcast frequencies 81 Tuning in strong signals 81 15 Using the radio (AM)

Dialing from the map 71

4) _{En}

Starting procedure 83

Reading the screen 83 Using the touch panel keys 84 Storing and recalling broadcast frequencies 84 Using the "Function" menu 85 Stores the strongest broadcast frequencies 85 Tunes in strong signals 85
The starting the screen service of the starting the screen service starting procedure service starting procedure service serv
17 Playing audio CDs Starting procedure 90 Reading the screen 90 Using the touch panel keys 91 Using the "Function" menu 92
Playing music files on ROM Starting procedure 93 Reading the screen 93 Using the touch panel keys 95 Using the "Function" menu 96
19 Playing a DVD-Video Starting procedure 97 Reading the screen 97 Using the touch panel keys 98 Resuming playback (Bookmark) 99

Searching for a specific scene and starting playback from a specified time 100
Direct number search 100
Operating the DVD menu 100
Using DVD menu by touch panel keys 100
Frame by frame playback 101
Slow motion playback 101
Using the "Function" menu 101

2 Playing a DivX video

Starting procedure 103
Reading the screen 103
Using the touch panel keys 104
Frame by frame playback 105
Slow motion playback 105
Starting playback from a specified time 106
Using the "Function" menu 106

21 DVD-Video or DivX setup

Displaying DVD/DivX® Setup menu 107
Setting the top priority languages 107
Setting the angle icon display 107
Setting the aspect ratio 107
Setting the parental lock 108
Setting the code number and level 108
Setting the auto play 109
Setting the subtitle file for DivX 109
Language code chart for DVDs 110

22 Playing music files (from USB or SD)

Starting procedure 111
Reading the screen 111
Using the touch panel keys (Music) 113
Using the "Function" menu 114

23 Playing video files (from USB or SD)

Starting procedure 115
Reading the screen 115
Using the touch panel keys (Video) 116

Searching for a specific scene and starting playback from a specified

time 117 Using the "Function" menu 117	Reading the screen 139 Using the touch panel keys 140
Using an iPod (iPod) Starting procedure 118 Reading the screen 118 Using the touch panel keys 120 Starting the video playback 122 Narrowing down a song or video with the list 122 Operating the functions from your iPod 123 Playing MusicSphere 124 Reading the screen 124 Using the touch panel keys 124 Using the "Function" menu 124	Selecting a SIRIUS channel directly 141 Display the Radio ID 141 Storing and recalling broadcast stations 141 Using "My Mix" function 142 Using the "Instant Replay" function 142 Using the "Function" menu 143 Setting the memorized songs 143 Using the Game Alert function 144 Displaying Game Information 144
23 Using Pandora® Starting procedure 126 Reading the screen 127 Using the touch panel keys 128	29 Using AV input Reading the screen 145 Using AV1 145 Using AV2 145 Using the touch panel keys 145
Starting procedure 129 Reading the screen 129 Using the touch panel keys Using the "Function" menu 131	30 Using the external unit (EXT1, EXT2) Starting procedure 146 Reading the screen 146 Using the touch panel keys 147
Using the XM tuner Starting procedure 133 Reading the screen 133 Using the touch panel keys 135 Selecting an XM channel directly 136 Displaying the Radio ID 136 Storing and recalling broadcast stations 136 Selecting a channel from the list 137 Using "My Mix" function 137 Using the "Function" menu 138 Setting the memorized songs 138	31 Customizing preferences Displaying the "Navi Settings" screen 148 Checking the connections of leads 148 Checking sensor learning status and driving status 149 Clearing status 149 Using the "Gas Mileage" function 150 Inputting the fuel consumption information for calculating the fuel cost 150 Calculating the fuel consumption 151 Exporting the data of fuel cost information 151 Recording your travel history 152
\	

Using the SIRIUS tunerStarting procedure 139

Using the demonstration guidance 152 Registering your home 152	Adjusting the response positions of the touch panel (touch panel
Correcting the current location 153 Changing the eco function setting 153 Displaying the "Map Settings" screen 154 Setting the auto zoom display 154	calibration) 165 Setting the illumination color 165 Checking the version information 166 Selecting the video for "Rear display" 166
Setting the detailed city map 155	Adjusting the picture 167
Setting the barrier graphic for city map 155	Displaying the "AV System Settings"
Displaying the traffic notification icon 155	screen 168
Displaying the Bluetooth connection	Setting video input 1 (AV1) 168
icon 156	Setting video input 2 (AV2) 168
Setting the current street name display 156	Changing the wide screen mode 169
Setting the "Favorites" icon display 156	Setting the rear output 169
Displaying the 3D landmarks 156	Switching the muting/attenuation
Displaying maneuvers 157 Displaying the MSN Direct icons 157	timing 170
Displaying the MSN Direct icons Displaying the fuel consumption	Switching the muting/attenuation level 170
information 157	Acquiring/Cataloging iPod music
Displaying POI on the map 157	information 170
Displaying preinstalled POIs on the	Displaying your DivX VOD registration
map 157	code 171
Displaying the customized POIs 158	Displaying the "AV Sound Settings"
Changing "View Mode" 159	screen 171
Setting the map color change between day	Using balance adjustment 172
and night 159	Using the equalizer 172
Changing the road color 159	Adjusting loudness 174
Changing the setting of navigation	Using subwoofer output 174
interruption screen 160	Using the high pass filter 175
Selecting the "Quick Access" menu 160	Adjusting source levels 175
Displaying the "System Settings"	Enhancing bass (Bass Booster) 175
screen 161	Setting the simulated sound
Customizing the regional settings 161	stage 175
Setting the Volume for Guidance and	Replicating the settings 176
Phone 163	Turning off the screen 177
Changing the preinstalled splash screen 163	32 Operating Your Navigation System with
Changing to the splash screen stored	Voice
in the SD memory card 164	To Ensure Safe Driving 178
Setting for rear view camera 164	Basics of Voice Operation 178
coanneg for four view carnera 104	Flow of voice operation 178
	Starting voice operation 178
	How to use the voice operation 179
	En

Available Basic Voice Commands 181	Playable discs 203
Basic commands 181	DVD Video and CD 203
Voice operation for the iPod 181	AVCHD recorded discs 203
Voice operation for AV source (other	Playing DualDisc 204
than iPod) 182	Dolby Digital 204
Voice commands related to hands free	DTS sound 204
phoning 183	Detailed information for playable media 204
Tips for Voice Operation 184	Compatibility 204
- The for voice operation	Media compatibility chart 207
3 Other functions	Bluetooth 211
Setting the anti theft function 185	About the SAT RADIO READY Logo 211
Setting the password 185	HD Radio Technology 211
Entering the password 185	SD and SDHC logo 212
Deleting the password 185	WMA/WMV 212
Forgotten password 185	DivX 212
Returning the navigation system to the	AAC 213
default or factory settings 186	Detailed information regarding connectable
Setting items to be deleted 187	iPods 213
Restore Factory Settings 188	iPods 213
Displaying the "Select Items to Reset"	iPhone 213
screen 188	iTunes 213
	Using the LCD screen correctly 213
Appendix	9
Troubleshooting 189	
Messages and how to react to them 194	Liquid crystal display (LCD) screen 214
Messages for audio functions 196	
Positioning technology 198	9
Positioning by GPS 198	LED (light emitting diode)
Positioning by dead reckoning 198	backlight 214
How do GPS and dead reckoning work	Display information 215
together? 198	Destination Menu 215
Handling large errors 199	Phone Menu 215
When positioning by GPS is	Settings Menu 216
impossible 199	Glossary 220
Conditions likely to cause noticeable	Specifications 223
positioning errors 200	
Route setting information 202	
Route search specifications 202	
Handling and care of discs 202	

8

Built in drive and care **203**Ambient conditions for playing a

disc **203**

Introduction

Manual overview

Before using this product, be sure to read **Important Information for the User** (a separate manual) which contains warnings, cautions, and other important information that you should note.

How to use this manual

Finding the operation procedure for what you want to do

When you have decided what you want to do, you can find the page you need from the *Contents*.

Finding the operation procedure from a menu name

If you want to check the meaning of an item displayed on the screen, you will find the ne cessary page from the *Display information* at the end of the manual.

Glossary

Use the glossary to find the meanings of terms.

Conventions used in this manual

Before moving on, take a few minutes to read the following information about the conven tions used in this manual. Familiarity with these conventions will help you greatly as you learn how to use your new equipment.

 Buttons on your navigation system are de scribed in ALL CAPITAL, BOLD lettering: e.a.)

MENU button, MAP button.

- Items in different menus, screen titles, and functional components are described in bold with double quotation marks "": e.g.)
 - "Destination Menu" screen or "AV Source" screen
- Touch panel keys that are available on the screen are described in **bold** in brackets []:

e.g.)

[Destination], [Settings].

- Extra information, alternatives and other notes are presented in the following for mat:
 - e.g.)
 - ☐ If the home location has not been stored yet, set the location first.
- Descriptions of separate operations to be performed on the same screen are indicated with at the beginning of the de scription:

e.g.)

- Touch [OK].
- References are indicated like this: e.g.)
 - **⊃** For details, refer to *How to use the navi gation menu screens* on page 22.

Terms used in this manual

"Front Display" and "Rear Display"

In this manual, the screen that is attached to the body of this navigation unit will be referred to as the "Front Display". Any additional op tional screen that is purchased for use in con junction with this navigation unit will be referred to as the "Rear Display".

"Video image"

"Video image" in this manual indicates moving images of DVD Video, DivX®, iPod, and any equipment that is connected to this system with an RCA cable, such as general purpose AV equipment.

"External storage device (USB, SD)"

The SD memory card, SDHC memory card, mi croSD card, microSDHC card and USB mem ory device are collectively referred to as the "external storage device (USB, SD)". If it indicates the USB memory only, it is referred to as the "USB storage device".

Introduction

"SD memory card"

The SD memory card, SDHC memory card, mi croSD card and microSDHC card are collec tively referred to as the "SD memory card".

Notice regarding video viewing

Remember that use of this system for commercial or public viewing purposes may constitute an infringement on the author's rights as protected by the Copyright Law.

Notice regarding DVD-Video viewing

This product incorporates copyright protection technology that is protected by method claims of certain U.S. patents and other intellectual property rights owned by Macrovision Corporation and other rights owners. Use of this copyright protection technology must be authorized by Macrovision Corporation, and is intended for home and other limited viewing uses only unless otherwise authorized by Macrovision Corporation. Reverse engineering or disassembly is prohibited.

Notice regarding MP3 file usage

Supply of this navigation system conveys only a license for private, non commercial use and does not convey a license nor imply any right to use this product in any commercial (i.e. rev enue generating), real time broadcasting (ter restrial, satellite, cable and/or any other media), broadcasting/streaming via internet, intranets and/or other networks or in other electronic content distribution systems, such as pay audio or audio on demand applica tions. An independent license for such use is

required. For details, please visit http://www.mp3licensing.com.

iPod compatibility

This product supports only the following iPod models and iPod software versions. Others may not work correctly.

- iPod nano first generation: Ver. 1.3.1
- iPod nano second generation: Ver. 1.1.3
- iPod nano third generation: Ver. 1.1.3
- iPod nano fourth generation: Ver. 1.0.3
- iPod nano fifth generation: Ver. 1.0.1
- iPod fifth generation: Ver. 1.3
- iPod classic: Ver. 2.0.2
- iPod touch first generation: Ver. 3.1.1
- iPod touch second generation: Ver. 3.1.1
- iPhone: Ver. 3.1.2
- iPhone 3G: Ver. 3.1.2
- iPhone 3GS: Ver. 3.1.2
- ☐ In this manual, iPod and iPhone will be re ferred to as iPod.
- When you use this navigation system with a Pioneer USB interface cable for iPod (CD IU50V) (sold separately), you can control an iPod compatible with this navigation sys tem.
- To obtain maximum performance, we re commend that you use the latest software for the iPod.
- Operation methods may vary depending on the iPod models and the software version of iPod.
- For details about iPod compatibility with this navigation system, refer to the informa tion on our website.
- ☐ iPod is a trademark of Apple Inc., regis tered in the U.S. and other countries.
- ☐ iPhone is a trademark of Apple Inc. ■

Map coverage

For details about the map coverage of this na vigation system, refer to the information on our website. •

Introduction

Protecting the LCD panel and screen

- Do not allow direct sunlight to fall on the LCD screen when this product is not being used. Extended exposure to direct sunlight can result in LCD screen malfunction due to the resulting high temperatures.
- ☐ When using a cellular phone, keep the an tenna of the cellular phone away from the LCD screen to prevent disruption of the video in the form of spots, colored stripes, etc.
- ☐ To protect the LCD screen from damage, be sure to touch the touch panel keys with your finger only and gently touch the screen.

Notes on internal memory Before removing the vehicle batterv

If the battery is disconnected or discharged. the memory will be erased and must be repro grammed.

- ☐ Some data remains. Be sure to read *Return* ing the navigation system to the default or factory settings first.
 - ⇒ For detailed information about the items which would be erased, refer to Return ing the navigation system to the default or factory settings on page 186.

Data subject to erasure


The information is erased by disconnecting the yellow lead from the battery (or removing the battery itself). However, some items re main.

- ☐ Some data remains. Be sure to read *Return* ing the navigation system to the default or factory settings first.
 - ⇒ For detailed information about the items. which would be erased, refer to Return


ing the navigation system to the default or factory settings on page 186.

Checking part names and functions


This chapter gives information about the names of the parts and the main features using the buttons.



AVIC-Z120BT (with the LCD panel closed)



AVIC-Z120BT (with the LCD panel open)



AVIC-X920BT

1 NO button

Press the **NO** button to activate voice opera tions.

Press and hold the \mathfrak{P} button to switch the AV source to mute.

To cancel the muting, press and hold it again.

② VOL (+/-) button

Press to adjust the AV (Audio and Video) source volume.

3 HOME button

- Press the HOME button to display the "Top Menu" screen.
- Press to switch between the "Classic Menu" and the "Shortcut Menu" while the "Top Menu" is displayed.
 - **⊃** For details, refer to What you can do on each menu on page 23.
- Press and hold to turn off the screen dis play.

(4) MODE button

 Press to switch between the map screen and the AV operation screen.

- Press to display the map screen while the navigation function screen is dis played.
- Press and hold to display the "Picture Adjustment" screen.
 - **⊃** For details, refer to *Adjusting the pic ture* on page 167.

5 TRK button

Press to perform manual seek tuning, fast forward, reverse and track search controls.

→ For details, refer to the descriptions from Chapter 14 to Chapter 30.

⑥ ▲ button

(7) LCD screen

8 Disc loading slot

Insert a disc to play.

⇒ For details of the operation, refer to In serting and ejecting a disc on the next page.

SD card slot

⇒ For more detailed information, refer to In serting and ejecting an SD memory card on page 15. ■

Adjusting the LCD panel angle

☐ This function is available for AVIC Z120BT only.



WARNING

When opening, closing and adjusting the angle of the LCD panel, be careful not to get your fin gers caught.



CAUTION

Do not open or close the LCD panel by force. This may cause malfunction.

1 Press the **≜** button.

The "Monitor Setup" screen appears.

2 Touch or to adjust the angle.



3 Touch ≤ .

□ The adjusted angle of the LCD panel will be memorized and the LCD panel will automa tically return to that angle the next time the LCD panel is opened or closed.

Inserting and ejecting a disc Inserting a disc (for AVIC-Z120BT)

This section describes operations for AVIC 7120BT.



WARNING

 When opening, closing and adjusting the angle of the LCD panel, be careful not to get your fingers caught. Do not use with the LCD panel left open. If LCD panel is left open, it may result in injury in the event of an accident.



CAUTION

- Do not open or close the LCD panel by force.
 This may cause malfunction.
- Do not operate this navigation system until the LCD panel completely opens or closes. If this navigation system is operated while the LCD panel is opening or closing, the LCD panel may stop at that angle for safety.
- Do not place a glass or a can on the open LCD panel. Doing so may break this naviga tion system.
- Do not insert anything other than a disc into the disc loading slot.

1 Press the **≜** button.


The "Monitor Setup" screen appears.

2 Touch [Open].



The LCD panel opens, and the disc loading slot appears.

3 Insert a disc into the disc loading slot.



The disc is loaded, and the LCD panel closes.

Ejecting a disc (for AVIC-Z120BT)

- This section describes operations for AVIC 7120BT.
- 1 Press the **≜** button.

The "Monitor Setup" screen appears.

2 Touch [Disc Eject].




The LCD panel opens, and the disc is ejected.

3 Remove the disc, and press the ≜ button.

The LCD panel closes.

Inserting a disc (for AVIC-X920BT)

- This section describes operations for AVIC X920BT.
- Insert a disc into the disc loading slot.



Do not insert anything other than a disc into the disc loading slot.

Ejecting a disc (for AVIC-X920BT)

This section describes operations for AVIC X920BT.

1 Press the **≜** button.

The touch panel keys for ejecting the media appear.

2 Touch [Disc Eject].



The disc is ejected.

Inserting and ejecting an SD memory card



WARNING

Ejecting an SD memory card during data transfer can damage the SD memory card. Be sure to eject the SD memory card by following the procedure described in this manual.



CAUTION

If data loss or corruption occurs on the storage device for any reason, it is usually not possible to recover the data. Pioneer accepts no liability for damages, costs or expenses arising from data loss or corruption.

- ☐ This system is not compatible with Multi Media Card (MMC).
- ☐ Compatibility with all SD memory cards is not guaranteed.
- ☐ This unit may not achieve optimum perfor mance with some SD memory cards.

Inserting an SD memory card (for AVIC-Z120BT)

This section describes operations for AVIC Z120BT.

A CAUTION

- Do not press the ≜ button when an SD mem ory card is not fully inserted. Doing so may da mage the card.
- Do not press the ≜ button before an SD mem ory card has been completely removed. Doing so may damage the card.

1 Press the **≜** button.

The "Monitor Setup" screen appears.


2 Touch [SD Insert].



The LCD panel opens, and the SD card slot ap pears.

3 Insert an SD memory card into the SD card slot.

Insert it with the label surface facing to the up side and press the card until it clicks and com pletely locks.



4 Press the **≜** button.

The LCD panel closes.

If data related to map data, such as custo mized POI data, is stored on the SD mem ory card, the navigation system restarts.

Ejecting an SD memory card (for AVIC-Z120BT)

This section describes operations for AVIC 7120BT.

1 Press the **≜** button.

The "Monitor Setup" screen appears.

2 Touch [Eject SD].



The LCD panel opens.

Touch [Yes] if the message indicating that the flap opens after the navigation system restarts appears.



The navigation system restarts, and then the LCD panel opens.

3 Press the middle of the SD memory card gently until it clicks.



4 Pull the SD memory card out straight.



5 Press the **≜** button.

The LCD panel closes.


- If data related to map data, such as custo mized POI data, is stored on the SD mem ory card, the navigation system restarts.
- When you eject the SD memory card by touching [Eject SD], the model information that you are using will be automatically stored into the SD memory card. The utility program AVIC FEEDS will use this information to recognize the model that you use.

Inserting an SD memory card (for AVIC-X920BT)

This section describes operations for AVIC X920BT.

• Insert an SD memory card into the SD card slot.

Insert the SD memory card with the terminal contacts facing down, and press the card until it clicks and locks completely.



If data related to map data, such as custo mized POI data, is stored on the SD mem ory card, the navigation system restarts.

Ejecting an SD memory card (for AVIC-X920BT)

This section describes operations for AVIC X920BT.

1 Press the **≜** button.

The touch panel keys for ejecting the media appear.

2 Touch [Eject SD].



A message prompting you to remove the SD memory card appears.



3 Press the middle of the SD memory card gently until it clicks.



4 Pull the SD memory card out straight.



When the data related to map data is stored

If data related to map data, such as custo mized POI data, is stored on the SD memory card, operating procedures are slightly different

1 Press the **≜** button and then touch [Eject SD].

2 Touch [Yes].



The navigation system restarts, and a message prompting you to remove the SD memory card appears.



3 Eject the SD memory card while the message is displayed.

Eject the SD memory card before touching [**OK**].

4 Touch [OK].

The navigation system restarts.

Plugging and unplugging a USB storage device




CAUTION

 To prevent data loss and damage to the sto rage device, never remove it from this naviga tion system while data is being transferred. If data loss or corruption occurs on the sto rage device for any reason, it is usually not possible to recover the data. Pioneer accepts no liability for damages, costs or expenses arising from data loss or corruption.

Plugging in a USB storage device

Plug a USB storage device into the USB connector.

USB connector



USB storage device

Compatibility with all USB storage devices is not guaranteed.

This navigation system may not achieve op timum performance with some USB sto rage devices.

Connection via a USB hub is not possible.

Unplugging a USB storage device

 Pull out the USB storage device after checking that no data is being accessed.

Connecting and disconnecting an iPod



CAUTION


 To prevent data loss and damage to the sto rage device, never remove it from this naviga tion system while data is being transferred.

 If data loss or corruption occurs on the sto rage device for any reason, it is usually not possible to recover the data. Pioneer accepts no liability for damages, costs or expenses arising from data loss or corruption.

Connecting your iPod

Using the USB interface cable for iPod en ables you to connect your iPod to the navigation system.

- ☐ A USB interface cable for iPod (CD IU50V) (sold separately) is required for connection.
- 1 Pull out the USB storage device after checking that no data is being accessed.



- ☐ For details about iPod compatibility with this navigation system, refer to the information on our website.
- ☐ Connection via a USB hub is not possible.
- 2 Connect your iPod.

Disconnecting your iPod

 Pull out the USB interface cable for iPod after checking that no data is being accessed.

Flow from startup to termination

1 Start the engine to boot up the system.

After a short pause, the splash screen comes on for a few seconds.

- To protect the LCD screen from damage, be sure to touch the touch panel keys with your finger only and gently touch the screen.
- 2 Turn off the vehicle engine to terminate the system.

The navigation system is also turned off.

On first-time startup

When you use the navigation system for the first time, select the language that you want to use.

1 Start the engine to boot up the system.

After a short pause, the splash screen comes on for a few seconds.

2 Touch the language that you want to use on the screen.



3 Touch the language that you want to use for the voice guidance.



The navigation system will now restart.

4 Read the disclaimer carefully, checking its details, and then touch [OK] if you agree to the conditions.



The map screen appears.



Regular startup


• Start the engine to boot up the system.

After a short pause, the splash screen comes on for a few seconds.

- ☐ The screen shown will differ depending on the previous conditions.
- When there is no route, the disclaimer ap pears after the navigation system reboots. Read the disclaimer carefully, checking its details, and then touch [OK] if you agree to the conditions.
- □ If the anti theft function is activated, you must enter your password.
 Read the disclaimer carefully, checking its details, and then touch [OK] if you agree to the conditions.

How to use the navigation menu screens

Screen switching overview



How to use the navigation menu screens

What you can do on each menu

1 Top Menu

Press the **HOME** button to display the "**Top Menu**" screen.

This is the starting menu to access the desired screens and operate the various functions.

There are two types of the "**Top Menu**" screen.



Classic Menu



Shortcut Menu

☐ In this manual, Classic Menu will be re ferred to as "**Top Menu**".

2 Destination Menu

You can search for your destination on this menu. You can also check or cancel your set route from this menu.

③ Phone Menu

You can access the screen that is related to hands free phoning.

4 AV operation screen

This is the screen that normally appears when you play the AV source.

⑤ Settings Menu

You can access the screen to customize set tings.

6 Map screen


Press the **MODE** button to display the naviga tion map screen.

Shortcut Menu

Registering your favorite menu items in short cuts allows you to quickly jump to the regis tered menu screen by a simple touch on the Shortcut Menu screen.

Selecting the shortcut

- ☐ Up to 15 menu items can be registered in shortcuts.
- 1 Press the HOME button repeatedly to display the "Shortcut Menu" screen.
 - When you use the navigation system for the first time or no items are set on shortcut, a message will appear. Touch [Yes] to pro ceed to next step.
- 2 Touch [Shortcut].



The Shortcut selection screen appears.

3 Touch the tab on the right edge or scroll the bar to display the icon that you want to set to shortcut.



4 Touch and hold the icon that you want to add to shortcut.

How to use the navigation menu screens

5 Move the icon to the left side of the screen, and then release it.

The selected item is added to shortcut.



Canceling the shortcut

- 1 Touch and hold the icon that you want to cancel the shortcut.
- 2 Move the icon to the right side of the screen, and then release it.

Operating list screens (e.g. POI list)



- 1 Screen title
- ② 🛭 🗸

Touching on on the scroll bar scrolls through the list and allows you to view the remaining items.

3 ≤

Returns the previous screen.

(4) Listed items

Touching an item on the list allows you to nar row down the options and proceed to the next operation.

⑤ ▶ ◀

If all of the characters cannot be displayed within the displayed area, touching the key to

the right of the item allows you to see remaining characters.

Operating the on-screen keyboard



1) Screen title

The screen title appears.

② Text box

Displays the characters that are entered. If there is no text in the box, an informative quide with text appears.

3 Keyboard

Touch the keys to enter the characters.

- (4) ≤
 - The previous screen returns.
- (5) Keys

Switches the on screen keyboard layout.

6 Sym., Others, 0-9

You can enter other characters of alphabet. You can also enter text with marks such as [&] or [+] or numbers.

Touch to toggle the selection.

- □ When you use any of "A", "A", "A", "Æ", the displayed result is the same.
- (7) **OK**

Confirms the entry and allows you to proceed to the next step.


(8)

Deletes the input text one letter at a time, be ginning at the end of the text. Continuing to touch the button deletes all of the text.

Most of the information provided by your navigation system can be seen on the map. You need to be come familiar with how information appears on the map.

How to read the map screen

This example shows an example of a 2D map screen.



- ☐ Information with an asterisk (*) appears only when the route is set.
- Depending on the conditions and settings, some items may not be displayed.
- ① Name of the street to be used (or next guidance point)*
- 2 Next direction of travel*

When you approach a guidance point, this item appears.

As you get closer to the guidance point, the color of the item changes to green.

- ☐ Touching this item enables you to hear the next guidance again.
- ☐ You can select between display and non display.
 - **⊃** For details, refer to *Displaying man* euvers on page 157.
- 3 Distance to the guidance point*

Shows the distance to the next guidance point.

☐ Touching this item enables you to hear the next guidance again.

4 Second Maneuver Arrow*

Shows the turning direction after next and the distance to there.

⊃ For details, refer to *Displaying maneu vers* on page 157.

5 Zoom in/Zoom out

Touching aisplays touch panel keys for changing the map scale and the map orienta tion.

(6) Current position

Indicates the current location of your vehicle. The apex of the triangular mark indicates your orientation and the display moves automatically as you drive.

☐ The apex of the triangular mark is the proper current position.

7 Eco-Meter

Displays a graph comparing the past average fuel mileage and the average fuel mileage since the navigation system was last started.

→ For details, refer to Displaying the fuel consumption information on page 157.

Street name (or city name) that your vehicle is traveling along

- **⊃** For details, refer to *Setting the current* street name display on page 156.
- Extension tab for the AV information bar Touching this tab opens the AV information bar and enables you to briefly view the current status on the AV source. Touching it again re tracts the bar.

10 Shortcut to the AV operation screen

The AV source currently selected is shown. Touching the indicator displays the AV opera tion screen of the current source directly.

If you connect your iPod to this naviga tion system, the artwork for the album that is playing appears.

(1) Ouick Access icon

Displays the "Quick Access" menu.

→ For details, refer to Setting the "Quick Access" menu on page 28.

12 Map orientation indicator

- When "North up" is selected, is dis played.
- When "Heading up" is selected, is displayed.
- ☐ The red arrow indicates north.

(13) Current route*

The route currently set is highlighted in color on the map. If a waypoint is set on the route, the route after the next waypoint is high lighted in another color.

① Direction line*

The direction towards your destination (next waypoint, or cursor) is indicated with a straight line.

15 Bluetooth connection icon

This icon shows whether the device featuring Bluetooth technology is connected or not. You can select between display and non display.

⇒ For details, refer to *Displaying the Blue tooth connection icon* on page 156.

16 Multi-Info window

Each touch of [Multi Info window] changes the display information.

Distance to the destination (or distance to waypoint)*

Estimated time of arrival at your destination or waypoint*

The estimated time of arrival is an ideal value calculated based on the value set for "Average Speed" and the actual driving speed. The estimated time of ar rival is only a reference value, and does not guarantee arrival at that time.

Travel time to your destination or waypoint*

① Current time

Meaning of guidance flags



Destination

The checkered flag indicates your destination.



Waypoint

The blue flags indicate your way points.



Guidance point

The next guidance point (next turn ing point, etc.) is shown by a yel low flag.

Enlarged map of the intersection

When "Close Up View" in the "Map Settings" screen is "On", an enlarged map of the inter section appears.



→ For details, refer to Setting the auto zoom display on page 154.

Display during freeway driving

In certain locations of the freeway, lane infor mation is available, indicating the recom mended lane to be in to easily maneuver the next guidance.



While driving on the freeway, freeway exit numbers and freeway signs may be displayed when in the vicinity of interchanges and exits.



- 1 Lane information
- 2 Freeway exit information Displays the freeway exit.
- 3 Freeway signs

These show the road number and give directional information.

☐ If the data for these items is not contained in the built in memory, the information is not available even if there are the signs on the actual road. ☐

Roads without turn-by-turn instructions

Routable roads (the route displayed and high lighted in purple) have only basic data and can only be used to plot a navigable route. Pioneer Navigation will only display a navig able route on the map (only the arrival gui

dance for the destination or a waypoint is available). Please review and obey all local traffic rules along the highlighted route. (For your safety.)

Operating the map screen Changing the scale of the map

You can change the map scale between 25 yard and 1 000 miles (25 meters and 2 000 kilo meters).

- 1 Display the map screen.
- 2 Touch on the map screen.
- and with the map scale appear.



- 3 Touch or to change the map scale.
 - If you do not operate the function for a few seconds, the initial map screen automati cally returns.
- Touch the direct scale key to change the map to the selected scale directly.

Switching the map orientation

You can switch how the map shows your vehicle's direction between "Heading up" and "North up".

- Heading up:
 - The map display always shows the vehicle's direction as proceeding toward the top of the screen.
- North up:

The map display always has north at the top of the screen.

- The map orientation is fixed at "North up" when the map scale is 25 miles (50 kilo meters) or more.
- ☐ The map orientation is fixed at "Heading up" when the 3D map screen is displayed.
- 1 Display the map screen.
- 2 Touch on the map screen.
- or nappears.



3 Touch or to switch the vehicle's direction.

Each time you touch the key changes that set ting.

If you do not operate the function for a few seconds, the initial map screen automati cally returns.

Scrolling the map to the position you want to see

- 1 Display the map screen.
- 2 Touch and drag the map in the desired direction to scroll.



- (1) Cursor
- ② Distance from the current position Positioning the cursor to the desired location results in a brief informational overview about the location being displayed at the bottom of

screen, with street name and other information for this location being shown. (The information shown varies depending on the position.)

- ☐ The scrolling increment depends on your dragging length.
- Touch .

The map returns to the current position.

Pressing MODE button returns the map to the current position.

Setting the "Quick Access" menu

"Quick Access" menu allows you to perform various tasks, such as route calculation for the location indicated by the cursor or registering a location in [Favorites], faster than using the navigation menu.

You can customize "Quick Access" displayed on screen. The "Quick Access" described here are prepared as the default setting.

- → For details, refer to Selecting the "Quick Access" menu on page 160.
- ☐ Items marked with an asterisk (*) cannot be removed from the **Ouick Access** menu.
- When the map is displayed, touch



Ouick Access menu

Route Options*

Displayed when the map is not scrolled. This item can be selected only during route gui dance.

You can modify the conditions for route calculation and recalculate the current route.

- **⊃** For details, refer to *Modifying the route cal culation conditions* on page 42.
- Destination*

Displayed when the map is scrolled. Set the route to the place specified with the cursor.

Registration

Register information on the location indicated by the cursor to "**Favorites**".

⇒ For details, refer to *Registering a location by scroll mode* on page 46.

: Vicinity Search

Find POIs (Points Of Interest) in the vicinity of the cursor.

⊃ For details, refer to *Searching for a nearby POI* on page 37.

10 : Overlay POI

Displays icons for surrounding facilities (POI) on the map.

⊃ For details, refer to *Displaying POI on the map* on page 157.

: Volume

Displays the "Volume Settings" screen.

⊃ For details, refer to *Setting the Volume for Guidance and Phone* on page 163.

Contacts

Displays the "Contacts List" screen.

⊃ For details, refer to *Calling a number in the* "Contacts List" on page 69.

Close

Hides the **Ouick Access** menu.

Switching the view mode

Various types of screen displays can be se lected for navigation guidance.

1 Display the "Map Settings" screen.

→ For details, refer to Displaying the "Map Settings" screen on page 154.

2 Touch [View Mode].

The "View Mode" screen appears.

3 Touch the type that you want to set.

You can select the following types:

• 2D View (default):

Displays a normal map (2D map).



3D View:

Displays a map with an antenna view (3D map).



Street View:

Information on the next four guidance points closest to the current location ap pear in order from top to bottom on the left side of the screen. The following information is displayed.



Name of the next route to be taken by the vehicle

Arrow indicating the direction of the vehicle

Distance to the guidance points

☐ This mode is available when the route is set.

Rear View:

Displays the rear view image on the left side of the screen and the map on the right side of the screen.



- ☐ This mode is available when [Camera] is set to "On".
 - **⊃** For details, refer to *Setting for rear view camera* on page 164.

• Eco Graph:

Displays a graph for eco driving on the left side of the screen and the map on the right side of the screen.



For details, refer to Displaying "Eco Graph" on the next page. ■

Eco-driving function

This navigation system is equipped with an Eco driving function that can be used to esti mate whether you are driving in an environ mentally friendly way.

This chapter describes this function.

- The fuel mileage calculated is based on a theoretical value determined from vehicle speed and position information from the navigation system. The fuel mileage dis played is only a reference value, and does not guarantee the mileage displayed can be obtained.
- The Eco driving functions are an estimate of the real time fuel consumption to aver age fuel consumption ratio and is not an actual value.
- The Eco driving functions and calculations take into consideration the location of the GPS position and speed of the vehicle in de termining a value.

Displaying "Eco Graph"

This function estimates approximate fuel mile age based on your driving, compares that with your average fuel mileage in the past, and dis plays the results in a graph.

The graph appears when the map display is set to "**Eco Graph**".

1 Display the "Map Settings" screen.


→ For details, refer to Displaying the "Map Settings" screen on page 154.

2 Touch [View Mode].

The "View Mode" screen appears.

3 Touch [Eco Graph].

The "Eco Graph" screen appears.



1 Eco Score

The result of the comparison of your past average fuel mileage and current average fuel mileage appears as a value from **0.0**Pts (points) to **10.0** Pts. The higher the value, the better the fuel mileage when compared to past route guidance.

The green gauge indicates the current score, and the gray gauge indicates the best score to date.

The "**Eco Score**" is updated every 5 min utes.

- ☐ This is not displayed when "Eco Score" is set to "Off" or when no route is set.
- ⇒ For details of the operation, refer to Changing the eco function setting on page 153.

② Best Score

Displays the best score to date.

- ☐ This is not displayed when "Eco Score" is set to "Off" or when no route is set.
- ⇒ For details of the operation, refer to Changing the eco function setting on page 153.

3 Average fuel mileage comparison graph

Displays a comparison of the average fuel mileage up to the point the navigation sys tem was last stopped (past average fuel mileage) and the current average fuel mile age. The display is updated every 3 sec onds. The more the value moves in the direction of 4, the better the fuel mileage. There are three different graph bars.

Total

A comparison of the past average fuel mileage and the average fuel mileage from the location the navigation system was last started to the current driving lo cation.

Eco-driving function

M: Ordinary Road

A comparison of the past average fuel mileage and the average fuel mileage for 90 seconds in the past, while the ve hicle is driving on an ordinary road.

• 🖀 : Freeway

A comparison of the past average fuel mileage and the average fuel mileage for 90 seconds in the past, while the vehicle is driving on a freeway.

4 Animal icons

The number of displayed animal icons in creases or decreases according to the value of "Fco Score".

- ☐ This is not displayed when "Eco Score" is set to "Off" or when no route is set.
- ☐ If you try to use the "Eco Graph" function immediately after you start using the navi gation system for the first time, may be displayed and the function may not be avail able.
 - For details, refer to Troubleshooting on page 189.
- □ The display settings can be changed.
 - ⇒ For details, refer to Changing the eco function setting on page 153.

Displaying Eco Drive Level guidance

This navigation system is equipped with the "Eco Drive Level" function that estimates how well you have driven in an environmentally friendly way.

The points of "Eco Drive Level" change ac cording to "Eco Score" when the vehicle reaches the destination. When a certain num ber of points is reached, the level increases and a message appears.



1 Tree icon

As the level increases, a tree icon changes from a young tree to a big tree.

- ☐ This is not displayed when "Eco Drive Level" is set to "Off".
 - ⇒ For details of the operation, refer to Changing the eco function setting on page 153.

Sudden start alert

If the speed of the vehicle exceeds 25.5 mph (41 kmph) within 5 seconds from the time it is started, a message appears and a warning sound beeps.



⇒ For details of the operation, refer to Chan ging the eco function setting on page 153.



CAUTION

For safety reasons, these route setting functions are not available while your vehicle is in motion. To enable these functions, you must stop in a safe place and put on the parking brake before setting your route.

☐ Some information regarding traffic regula tions depends on the time when the route calculation is performed. Thus, the infor mation may not correspond with a certain traffic regulation when your vehicle actually passes through the location in question. Also, the information on the traffic regula tions provided will be for a passenger vehicle, and not for a truck or other delivery vehicles. Always follow the actual traffic regulations when driving.

The basic flow of creating your route

1 Park your vehicle in a safe place and apply the parking brake.



- 2 Display the "**Destination Menu**" screen.
 - **⇒** For details of the operations, refer to *Screen switching overview* on page 22.



3 Select the method of searching for your destination.



4 Enter the information about your destina tion to calculate route.



- 5 Confirm the location on the map.
 - → For details, refer to Setting a route to your destination on page 41.



6 The navigation system calculates the route to your destination, and then shows the route on the map.



- 7 Check and decide the route.
 - → For details, refer to Setting a route to your destination on page 41.



8 Your navigation system sets the route to your destination, and the map of your sur roundings appears.



After releasing the parking brake, drive in accordance with navigation guidance.

Searching for a location by address

The most frequently used function is "Address", in which the address is specified and the destination is searched.

You can select the method of searching for a location by address.

- · Searching for a city name first
- Finding the location by specifying the house number

Searching for a city name first

- Depending on the search results, some steps may be skipped.
- 1 Display the "Destination Menu" screen.
 - → For details of the operations, refer to Screen switching overview on page 22.
- 2 Touch [Address].



3 Touch the key next to "Country" to select the country.

If the destination is in another country, change the country setting.

- Once the country has been selected, you only have to change countries when your destination is outside of the country you se lected.
- 4 Touch the key next to "State" and touch the desired state, province, or territory on the list.

If the location that you want to search for is in another state, province, or territory, this changes the area setting.

Once the state, province, or territory has been selected, you only have to change states, provinces, or territories when your destination is outside of the state, province, or territory you selected.

5 Touch [City].



6 Enter the city name and then touch [OK].



The "Select City" screen appears.

7 Touch the desired city name.

The "Street Name" screen appears.

Touch

The representative location of the city appears on the map screen.

8 Enter the street name and then touch [OK].



The "Street Selection" screen appears.

9 Touch the street you want.

10 Enter the house number and then touch [OK].



The "House Number Selection" screen appears.

11 Touch the desired house number range.

The searched location appears on the map screen.

➡ For the subsequent operations, refer to Set ting a route to your destination on page 41.

Finding the location by specifying the house number

- Depending on the search results, some steps may be skipped.
- 1 Display the "Address Search" screen.
- 2 Touch [House #].

The "Enter House Number" screen appears.

3 Enter the house number and then touch [OK].



The "Enter Street Name" screen appears.

4 Enter the street name and then touch [OK].



The "Street Selection" screen appears.

5 Touch the street you want.

The "Enter City Name" screen appears.

6 Enter the city name and then touch IOK1.



The "Select City" screen appears.

7 Touch the desired city name.

The "House Number Selection" screen appears.

If the house number you have entered is not found, a message appears. In that case, all house number ranges are listed after touching **Yes**].

■ Touch

The representative location of the city appears on the map screen.

8 Touch the desired house number range.

The searched location appears on the map screen.

⊃ For the subsequent operations, refer to *Set* ting a route to your destination on page 41.

Searching for a name by entering multiple keywords

You can search for a name (such as a city name or a street name) by entering multiple keywords.

- ☐ The maximum character number that can be input is 18, and you can enter keywords up to 3.
- Separate keywords by a space, quotation mark, comma, hyphen, period, or slash. The result of search depends on the number of entered keywords.

Entering a keyword

All names containing the word beginning with the entered keyword are displayed as a search result.

Entering two keywords

The names including the following words below are displayed as a result:

- First keyword you entered.
- The word beginning with the second key word.

Entering three keywords

The names including the following words below are displayed as a result:

- The words that completely match with both first and second keywords you entered.
- The word beginning with the third keyword. e.g. Searching "East West Street".

Entered key- words	Search results
EAST W	
WEST S	
EAST WEST S	"East West Street" is searchable.
WEST STREET E	
WES	"East West Street" is not search able.
E WEST STREET	

Setting up a route to your home

If your home location is stored, the route to your home can be calculated by touching a single key.

1 Display the "Destination Menu" screen.

→ For details of the operations, refer to Screen switching overview on page 22.

2 Touch [Return Home].

- If you have not registered your home num ber, a message appears. Touch [Register] to start registration.
 - ⇒ For details, refer to Registering your home on page 152.

Searching for Points of Interest (POI)

Information about various facilities (Points Of Interest POI), such as gas stations, parking lots or restaurants, is available. You can search for a POI by selecting the category (or entering the POI Name).

Searching for POIs by preset categories

You can search for POIs with a single touch from the preset category.

1 Display the "Destination Menu" screen.

- **⊃** For details of the operations, refer to *Screen switching overview* on page 22.
- 2 Touch [POI].

3 Touch the desired category.

Preset categories



The "POI List" screen appears.

4 Touch the POI you want.

The searched location appears on the map screen.

⇒ For the subsequent operations, refer to Set ting a route to your destination on page 41.

Searching for a POI directly from the name of the facilities

- 1 Display the "Destination Menu" screen.
 - **⊃** For details of the operations, refer to *Screen switching overview* on page 22.
- 2 Touch [POI].

The "POI Search" screen appears.

- 3 Touch [Spell Name].
- 4 Touch the state code key and touch the desired state, province, or territory on the list.

State code key



If the destination is in another country, touch [Country] to change the country setting when the "State/Province Selection" screen is dis played.

Once the state, province, or territory has been selected, you only have to change them when your destination is outside of the country you selected.

5 Enter the POI name and then touch [OK].

The "POI List" screen appears.

Touch the POI you want.

The searched location appears on the map screen.

■ Touch [Sort].

Each time you touch [**Sort**] changes the sort order.

- ☐ Current order is indicated on the upper right of the screen.
 - **₹**:

Sorts the items in the list in order by dis tance from the vehicle position.

• ABC. ₩

Sorts the items in the list alphabetically.

⊃ For the subsequent operations, refer to *Set* ting a route to your destination on page 41.

Searching for a nearby POI

You can search for POIs in your surroundings.

- 1 Display the "Destination Menu" screen.
 - **⊃** For details of the operations, refer to *Screen* switching overview on page 22.
- 2 Touch [POI].

The "POI Search" screen appears.

3 Touch [Near Me].

POIs are divided into several categories.

4 Touch the category you want.

The "POI List" screen appears.

If there are more detailed categories within the selected category, repeat this step as many times as necessary.

5 Touch the POI you want.

The searched location appears on the map screen.

⇒ For the subsequent operations, refer to Set ting a route to your destination on page 41.

Searching for POIs around the destination

This function is available when the route is set.

1 Display the "Destination Menu" screen.

⊃ For details of the operations, refer to *Screen switching overview* on page 22.

2 Touch [POI].

The "POI Search" screen appears.

3 Touch [Near Destination].

POIs are divided into several categories.

4 Touch the category you want.

The "POI List" screen appears.

If there are more detailed categories within the selected category, repeat this step as many times as necessary.

5 Touch the POI you want.

The searched location appears on the map screen.

⇒ For the subsequent operations, refer to Set ting a route to your destination on page 41.

Searching for POIs around the city

You can search for POIs around a specified city.

1 Display the "Destination Menu" screen.

→ For details of the operations, refer to Screen switching overview on page 22.

2 Touch [POI].

The "POI Search" screen appears.

3 Touch [Around City].

4 Touch the state code key and touch the desired state, province, or territory on the list.

State code key



If the destination is in another country, touch [Country] to change the country setting when the "State/Province Selection" screen is dis played.

- Once the state, province, or territory has been selected, you only have to change them when your destination is outside of the country you selected.
- → For details, refer to Searching for a city name first on page 34.

5 Enter the city name and then touch [OK].

The "Select City" screen appears.

6 Touch the desired city name.

The "POI List" screen appears.

■ Touch 🌉.

The representative location of the city appears on the map screen.

7 Touch the category you want.

POIs are divided into several categories.

8 Touch the POI you want.

The searched location appears on the map screen.

⇒ For the subsequent operations, refer to Set ting a route to your destination on page 41.

Selecting destination from "Favorites"

Storing locations you visit frequently saves time and effort.

Selecting an item from the list provides an easy way to specify the position.

- ☐ This function is not available if no locations have been registered in "Favorites".
- → For details, refer to Storing a location in "Favorites" on page 46.

1 Display the "Destination Menu" screen.

- **⊃** For details of the operations, refer to *Screen* switching overview on page 22.
- 2 Touch [Favorites].
- 3 Touch the entry you want.



The searched location appears on the map screen.

⇒ For the subsequent operations, refer to Set ting a route to your destination on page 41.

Searching for POIs by using the data on the SD memory card

Creating a customized POI is possible by using the utility program AVIC FEEDS which is available separately, on your PC. (AVIC FEEDS will be available on our website.) Storing the customized POI properly and inserting the SD memory card enables the system to use the data for searches.

1 Insert an SD memory card into the SD card slot.

For details of the operation, refer to Insert ing and ejecting an SD memory card on page 15.

2 Display the "Destination Menu" screen.

⇒ For details of the operations, refer to *Screen switching overview* on page 22.

3 Touch [AVIC FEEDS].

The "Select POI" screen appears.

4 Touch the item you want.

5 Touch the POI you want.

The searched location appears on the map screen.

⇒ For the subsequent operations, refer to Set ting a route to your destination on page 41.

Selecting a location you searched for recently

The places that you have set as destination or waypoint in the past are automatically stored in "**History**".

- ☐ If no location is stored in Destination His tory, you cannot select [**History**]. (If you perform a route calculation, you can select [**History**].)
- "History" can store up to 100 locations. If the entries reach the maximum, the new entry overwrites the oldest one.

1 Display the "Destination Menu" screen.

- **⇒** For details of the operations, refer to *Screen switching overview* on page 22.
- 2 Touch [History].

3 Touch the entry you want.



The searched location appears on the map screen.

⇒ For the subsequent operations, refer to Set ting a route to your destination on the next page.

Searching for a location by coordinates

Entering a latitude and longitude pinpoints the location.

- 1 Display the "Destination Menu" screen.
 - **⊃** For details of the operations, refer to *Screen switching overview* on page 22.
- 2 Touch [Coordinates].
- 3 Touch [East] or [West], and then enter the longitude.



To enter W 50°1'2.5" for example, touch [**West**], [0], [5], [0], [0], [1], [0], [2], and [5].

4 Touch [North] or [South], and then enter the latitude.

To enter N 5°1'2.5" for example, touch [**North**], [0], [5], [0], [1], [0], [2], and [5].

5 Touch [OK].

The searched location appears on the map screen.

⇒ For the subsequent operations, refer to Set ting a route to your destination on the next page.

After the location is decided

Setting a route to your destination

1 Search for a location.

→ For details, refer to Chapter 6. After searching for the destination, the Loca tion confirmation screen appears.

2 Touch [OK].

Location confirmation screen



The destination is set, and then route calculation starts.

When the route calculation is completed, Route confirmation screen appears.

- If you press the **MODE** button during route calculation, the calculation is canceled and the map screen appears.
- Touch [Scroll].

The map display changes to the scroll mode. You can fine tune the location in the scroll mode, and then you can set the location as your destination or do various operations.

■ Touch [Waypoint].

The location is added to the "Waypoints List" screen.

If a destination is not set, [Waypoint] is not available.

3 Touch [OK].

Route confirmation screen



Sets the displayed route as your route, and starts the route guidance.

- 1) Travel time to your destination
- 2 Distance to the destination
- ③ Estimated fuel cost to your destination
 - ⇒ For details, refer to Inputting the fuel consumption information for calculating the fuel cost on page 150.
- Route calculation condition
- Touch ≤.

The message confirming whether to cancel the calculated route appears.

Touch [**Yes**] to cancel the calculated route, and then the map screen appears.



1 Multiple Route

→ For details, refer to Displaying multiple routes on this page.

② Options

⊃ For details, refer to *Modifying the route* calculation conditions on the next page.

③ Profile

⊃ For details, refer to *Checking the current itinerary* on page 43.

(4) Waypoints

→ For details, refer to Editing waypoints on page 44.

Displaying multiple routes

You can select a desired route from multiple route options. Calculated routes are shown in different colors.

☐ If you set waypoints, you cannot display multiple routes.

1 Touch [Multiple Route] on the Route confirmation screen.

Multiple route options appear.

2 Touch to 6.

Another route is displayed.

3 Touch [OK].

Route confirmation screen appears.

Displaying the "Route Overview" **screen**

- 1 Press the HOME button to display the "Top Menu" screen.
- **2 Touch [Destination].** The "**Destination Menu**" screen appears.
- 3 Touch [Route Overview].







- 1 Options
 - → For details, refer to *Modifying the route* calculation conditions on this page.
- Profile
 - **⇒** For details, refer to *Checking the current itinerary* on the next page.
- 3 Waypoints
 - → For details, refer to Editing waypoints on page 44.
- ☐ [Route Overview] is active only when the route is set.
- 4 Touch [OK].

Modifying the route calculation conditions

You can modify the conditions for route calculation and recalculate the current route.

- 1 Display the "Route Overview" screen.
 - → For details, refer to Displaying the "Route Overview" screen on this page.
- 2 Touch [Options].
- 3 Touch the desired items to change the route calculation conditions and then touch [OK].



The route is recalculated, and the Route con firmation screen appears.

Items that users can operate

Settings marked with an asterisk (*) show that these are default or factory settings.

Route Condition

This setting controls how the route should be calculated by taking into account the time, distance or main road.

Determines which condition takes priority for route calculation.

👸 Fast*:

Calculates a route with the shortest travel time to your destination as a priority.

Short:

Calculates a route with the shortest distance to your destination as a priority.

Main Road:

Calculates a route that passes major arterial road as a priority.

Avoid Toll Road

This setting controls whether toll roads (in cluding toll areas) should be taken into ac count.

Off*:

Calculates a route that may include toll roads (including toll areas).

🧭 On:

Calculates a route that avoids toll roads (in cluding toll areas).

☐ The system may calculate a route that in cludes toll roads even if "On" is selected.

Avoid Ferry

This setting controls whether ferry crossings should be taken into account.

Off*:

Calculates a route that may include ferries.

🔀 On:

Calculates a route that avoids ferries.

☐ The system may calculate a route that in cludes ferries even if "On" is selected.

Avoid Freeway

This setting controls whether freeways may be included in the route calculation.

Gff*:

Calculates a route that may include freeways.

🔀 On:

Calculates a route that avoids freeways.

☐ The system may calculate a route that in cludes freeways even if "On" is selected.

Time restrictions

This setting controls whether streets or bridges that have traffic restrictions during a certain time should be taken into account.

☐ If you want to set your route to avoid raised draw bridges, select "On".

On*:

Calculates a route while avoiding streets or bridges with traffic restrictions during a cer tain time.

Ø Off:

Calculates a route while ignoring traffic restrictions.

☐ The system may calculate a route that in cludes streets or bridges that are subject to traffic restrictions during a certain time even if "On" is selected



CAUTION

If the time difference is not set correctly, the navi gation system cannot consider traffic regulations correctly. Set the time difference correctly (\bigcirc Refer to Setting the time difference on page 162).

Learning Route

The system learns the travel history of your vehicle for each road.

This setting controls whether or not the travel history should be taken into account.

📆 On*:

Calculates a route with the travel history taken into account.

Off:

Calculates a route without the travel history taken into account.

Clear:

Clears the current travel history.

Checking the current itinerary

You can check the route details.

- 1 Display the "Route Overview" screen.
 - → For details, refer to Displaying the "Route Overview" screen on the previous page.

2 Touch [Profile].

The "Route Profile" screen appears.



Editing waypoints

You can edit waypoints (locations you want to visit on the way to your destination) and recal culate the route so that it passes through these locations.

Adding a waypoint

Up to 5 waypoints can be set, and waypoints and final destination can be sorted automatically or manually.

- 1 Display the "Route Overview" screen.
 - → For details, refer to Displaying the "Route Overview" screen on page 42.
- 2 Touch [Waypoints].

The "Waypoints List" screen appears.

3 Touch [Add].



The "Select Search method" screen appears.

4 Search for a location.



⇒ For details, refer to Chapter 6.

Touch [OK].



6 Touch [OK] on the "Waypoints List" screen.



The route is recalculated, and the Route con firmation screen appears.

☐ If you set waypoints, you cannot display multiple routes.

Deleting a waypoint

You can delete waypoints from the route and then recalculate the route. (You can delete successive waypoints.)

- 1 Display the "Route Overview" screen.
 - For details, refer to *Displaying the "Route Overview"* screen on page 42.
- 2 Touch [Waypoints].

The "Waypoints List" screen appears.

3 Touch [Delete] next to the waypoint that you want to delete.

The touched waypoint will be deleted from the list.

4 Touch [OK] on the "Waypoints List" screen.

The route is recalculated, and the Route confirmation screen appears.

5 Touch [OK].

The map of the current position appears.

Sorting waypoints

You can sort waypoints and recalculate the route.

- You cannot sort waypoints that you have al ready passed.
- 1 Display the "Route Overview" screen.
 - → For details, refer to Displaying the "Route Overview" screen on page 42.
- 2 Touch [Waypoints].

The "Waypoints List" screen appears.

3 Touch [Sort].

The "Sort Waypoints" screen appears.

4 Touch the waypoint or destination.



Put them in the desired order.

■ Touch [Automatic].

You can sort the destination and waypoints auto matically. The system will show the nearest way point (distance in a straight line) from the current location as waypoint 1, and sort the other points (including your destination) in order of distance from the waypoint 1.

Touch [Clear].

Waypoint sort is canceled.

5 Touch [OK].

The "Waypoints List" screen appears.

6 Touch [OK] on the "Waypoints List" screen.

The route is recalculated, and the Route confirmation screen appears.

7 Touch [OK].

The map of the current position appears.

Canceling the route guidance

If you no longer need to travel to your destina tion, follow the steps below to cancel the route guidance.

1 Display the "Destination Menu" screen.

⇒ For details of the operations, refer to *Screen* switching overview on page 22.

2 Touch [Cancel Route].

A message confirming the cancellation of the current route appears.

3 Touch [Yes].



The current route is deleted, and a map of your surroundings reappears.

■ Touch [Skip].

The next waypoint along the route is skipped. A new route to your destination through all re maining waypoints, except for the skipped way point, is calculated.

When the route calculation is completed, Route confirmation screen appears.

- ☐ [Skip] is available only when a waypoint is set.
- Touch [No].

The previous screen returns without deleting the route. $\ensuremath{\blacksquare}$

Storing a location in "Favorites"

Storing your favorite locations as "Favorites" provides you with the opportunity to save the time and effort of re entering this information. Stored items can be made available on "Favorites" later.

Registering a location by "Favorites"

Favorites can store up to 400 registered loca tions. These can include your home location, favorite places, and destinations you have al ready registered.

- ☐ "Favorites" can store up to 400 locations.
- ☐ Home location is counted as one of the items in "Favorites".

1 Display the "Destination Menu" screen.

⊃ For details of the operations, refer to *Screen switching overview* on page 22.

2 Touch [Favorites].

The "Favorites" screen appears.

3 Touch [Add].

The "Select Search method" screen appears.

- 4 Search for a location.
 - For details about the search methods, refer to Chapter 6.
- 5 When the map of the location you want to register is displayed, touch [OK].

The location is registered, and then the "Edit Favorite" screen appears.

→ For details, refer to Editing the entry in the "Favorites" list on this page.

6 Touch [OK].

The registration is completed.

Registering a location by scroll mode

1 Touch and drag the screen to scroll the map to the position that you want to register.



- Touch to display the Quick Access menu.
- 3 Touch **____**.

The location is registered, and then the "Edit Favorite" screen appears.

- **⊃** For details, refer to *Editing the entry in the* "**Favorites**" *list* on this page.
- 4 Touch [OK].

The registration is completed.

Editing registered locations Editing the entry in the "Favorites" list

- 1 Display the "Destination Menu" screen.
 - **⊃** For details of the operations, refer to *Screen* switching overview on page 22.
- 2 Touch [Favorites].

The "Favorites" screen appears.

3 Touch property next to the location that you want to edit.

The "Edit Favorite" screen appears.

4 Touch the item that you want to change the setting.



- Up to 17 characters can be input for the name.
- Touch [Name].

You can enter the desired name.

■ Touch [Phone#].

You can edit the registered phone number. To dial the number, touch [Call].

The maximum digits you can enter for the phone number is 15.

■ Touch [Icon].

You can change the symbol displayed on the map and "Favorites".

■ Touch [Modify Location].

You can change the registered location by scrol ling the map.

5 Touch [OK].

The registration is completed.

Editing your home

When you have already registered your home, you can edit the information of your home.

- 1 Display the "Destination Menu" screen.
 - **⊃** For details of the operations, refer to *Screen switching overview* on page 22.
- 2 Touch [Favorites].
 - Home location is displayed on the top of the list.

3 Touch ment to the home location.



The "Edit Favorite" screen appears.

4 Touch the item that you want to change the setting.



■ Touch [Phone#].

To dial the number, touch [Call].

■ Touch [Modify Location].

You can change the registered location by scrol ling the map.

☐ For home information, [Name] and [Icon] are not editable.

5 Touch [OK].

The registration is completed.

Sorting the entry in the "Favorites" list

- 1 Display the "Destination Menu" screen.
 - **⊃** For details of the operations, refer to *Screen switching overview* on page 22.
- 2 Touch [Favorites].

The "Favorites" screen appears.

3 Touch [Sort].

Each time you touch [**Sort**] changes the sort order.

- Current order is indicated on the upper right of the screen.
- 🔭 🖟

Sorts the items in the list in order by dis tance from the vehicle position.

ABC. ₩

Sorts the items in the list alphabetically.

• 👼 🛊

Sorts the items in the list in order of the recently used items.

Deleting the entry from the "Favorites" **list**

- 1 Display the "Destination Menu" screen.
 - → For details of the operations, refer to Screen switching overview on page 22.
- 2 Touch [Favorites].

The "Favorites" screen appears.

- 3 Touch [Delete].
- 4 Select the location you want to delete.



A check mark appears next to the selected lo cation.

■ Touch [All] or [None].

Selects or deselects all entries.

5 Touch [Delete].



A message will appear asking you to confirm the deletion.

6 Touch [Yes].



The data you selected is deleted.

■ Touch [No].

Cancels the deletion.

Exporting and importing"Favorites" **items**

Exporting "Favorites" items

Exporting the "**Favorites**" data to an SD mem ory card for editing is possible by using the utility program AVIC FEEDS which is available separately, on your PC.

- ☐ If there is previous data in the SD memory card, the data is overwritten with new data when current data is exported.
- 1 Insert an SD memory card into the SD card slot.
 - For details of the operation, refer to Insert ing and ejecting an SD memory card on page 15.
- 2 Display the "Destination Menu" screen.
 - → For details of the operations, refer to Screen switching overview on page 22.
- 3 Touch [Favorites].

The "Favorites" screen appears.

4 Touch **→**P.

Data export starts.

After the data is exported, the completion mes sage appears.



5 Touch [OK].

The "Favorites" screen appears.

Importing the "Favorites" items

You can import the locations that you have edited on the utility program AVIC FEEDS which is available separately to "Favorites".

- When a location that is already registered in "Favorites" is imported, the location is overwritten.
- 1 Store the item into the SD memory card by using the AVIC FEEDS.
- 2 Insert an SD memory card into the SD card slot.
 - For details of the operation, refer to Insert ing and ejecting an SD memory card on page 15.
- 3 Display the "Destination Menu" screen.
 - **⊃** For details of the operations, refer to *Screen* switching overview on page 22.
- 4 Touch [Favorites].

The "Favorites" screen appears.

5 Touch **P**→.

The message confirming whether to replace the stored items appears.



6 Touch [Yes].

Data import starts.

After importing the data is finished, the "Favorites" screen appears.

Deleting the entry from the "History" list

Items in "**History**" can be deleted. All entries in "**History**" can be deleted at once.

- 1 Display the "Destination Menu" screen.
 - **⊃** For details of the operations, refer to *Screen switching overview* on page 22.
- 2 Touch [History].

The "**Destination History List**" screen appears.

3 Touch [Delete].

The "Delete from History" screen appears.

4 Select the location you want to delete.



A check mark appears next to the selected lo cation.

■ Touch [All] or [None].
Selects or deselects all entries.

5 Touch [Delete].



A message will appear asking you to confirm the deletion.

6 Touch [Yes].

The data you selected is deleted.

Touch [No].

Cancels the deletion.

If you have an active subscription to MSN Direct service, you can check and browse various information on your navigation system, such as gas prices, movie times, weather conditions and traffic information. The information will be updated periodically.

IMPORTANT:

To receive MSN® Direct on an MSN Direct ready device, you must be within an MSN Di rect coverage area; see http://www.msndirect.com/pioneer for current coverage maps. Cover age areas are affected by reception limitations of the FM network as well as other factors, which may affect the ability to receive FM broadcasts. Coverage areas are subject to change. Not all content is available in all cover age areas.

© 2008 Microsoft Corporation. All rights re served. Microsoft, MSN, and the MSN logo are trademarks of the Microsoft group of companies.

Notice about MSN Direct

Pioneer is not responsible for the accuracy of the MSN Direct content. The MSN Direct con tent may not be current or available at times, and is subject to change without notice.

Activating the service

You have to activate MSN Direct first.

- □ A web connected computer is required for the online subscription.
- ☐ If you have difficulty in online subscription, please call toll free 1 866 658 7032.

General flow chart:

Check your product key.
 You have to know your product key for the subscription.
 (Refer to Checking your product key on this page.)



2 Make an online subscription to MSN Direct service using your PC. (Refer to Subscribing to the MSN Direct ser vice on the next page.)



3 Activate the MSN Direct service on this product.
(Refer to Activating the MSN Direct function on the next page.)



4 Activation is complete.

Checking your product key

The product key that you can find here is used in the online subscription.

1 Touch [Destination] on the "Top Menu", and then touch [MSN Direct].

The "MSN Direct" screen appears.

- 2 Touch [Status].
- 3 Write your product key down in the following box:



Subscribing to the MSN Direct service

Within two days of completing the subscription, execute *Activating the MSN Direct function*.

1 Access the following URL and read the description.

http://www.msndirect.com/pioneer

- 2 Be sure to check the coverage area and other availabilities of MSN Direct on the web page.
- 3 Go to the page for activation and enter your product key.
- 4 Follow the directions on the web page to complete the subscription.

Activating the MSN Direct function

After the online subscription, complete the ac tivation so that the navigation system can re ceive the information.

This operation must be performed under the following conditions:

You are currently in the coverage area of MSN Direct.

The signal strength () on the "MSN Direct Status" screen is not weak.

- 1 Boot-up your navigation system.
- 2 Display the "Destination Menu" screen.
 - **⊃** For details of the operations, refer to *Screen* switching overview on page 22.
- 3 Touch [MSN Direct].

The "MSN Direct" screen appears.

- 4 Touch [Status].
- 5 Wait until the activation status changes to "Active".

It may take approximately 20 or 30 minutes to complete the activation.

After activation is complete, the information will be available on each menu.

Browsing gas prices

Recent gas prices of nearby gas stations are displayed in a list.

Although the MSN Direct service regularly up dates gas price information, the information provided may not necessarily correspond to ac tual gas prices. Please refer to *Notice about MSN Direct* on the previous page.

It may take up to 24 hours for all the data to be come available under the following conditions:

- When you use MSN Direct for the first time.
- When you have not performed this function previously around the current area.
- After the navigation system has been turned off for a few days.
- 1 Display the "Destination Menu" screen.
 - **⇒** For details of the operations, refer to *Screen* switching overview on page 22.
- 2 Touch [MSN Direct].


The "MSN Direct" screen appears.

3 Touch [Gas Prices].



The "Gas Prices" screen appears.

4 Touch the desired tab to change the sort order.



Available options:

• Dist. (default):

Sorts the items in the list in order by dis tance from the vehicle position.

Name:

Sorts the items in the list alphabetically.

Price:

Sorts the items in the list by price.

■ Touch [Refresh].

The information is updated.

□ [Refresh] appears when new gas prices in formation is received.

5 Touch on the item that you want to view in detail.



① Name:

Indicates the names of gas stations.

If there is no data, "Unknown" is dis played.

② Price:

Red: indicates gas stations whose gas prices exceed average prices of all gas stations that are received.

Green: indicates gas stations whose gas prices go below average prices of all gas stations that are received.

White: indicates gas stations with average prices of all gas stations that are received. The information in () shows how current the information is.

☐ If there is no data, "----" is displayed.

③ Dist.:

Indicates the distance from the current lo cation to the gas station.

□ Touching allows you to check the loca tion on a map.

6 Touch [OK].



Location confirmation screen appears.

⇒ For details, refer to Setting a route to your destination on page 41.

Browsing movie times

Nearby theaters can be displayed on a list. Switching the screen allows you to see the movie title now showing.

Although the MSN Direct service regularly up dates movie information, the information pro vided may not necessarily correspond to actual movie information. Please refer to *Notice* about MSN Direct on page 50.

It may take up to six hours for all the data to become available under the following conditions:

- When you use MSN Direct for the first time.
- When you have not performed this function previously around the current area.
- After the navigation system has been turned off for a few days.

Searching for a theater by selecting a movie title

- 1 Display the "Destination Menu" screen.
 - **⊃** For details of the operations, refer to *Screen* switching overview on page 22.
- 2 Touch [MSN Direct].

The "MSN Direct" screen appears.

3 Touch [Movie Times].

The "All Movie Theaters" screen appears.

4 Touch [All Movie Titles].



The movie titles now showing are displayed.

■ Touch [Refresh].

The information is updated.

□ [Refresh] appears when the new information is received.

5 Touch the desired movie title.

The theaters that are currently showing the se lected movie are displayed.



■ Touch [Refresh].

The information is updated.

□ [Refresh] appears when the new informa tion is received.

6 Touch the desired tab to change the sort order.

Available options:

 Dist. (default): Sorts the items in the list in order by dis tance from the vehicle position.

Name:

Sorts the items in the list alphabetically.

7 Touch on the item that you want to view in detail.

Touching allows you to check the loca tion on a map.

8 Touch [OK].

Location confirmation screen appears.

- ⇒ For details, refer to Setting a route to your destination on page 41.
- Touch [Call].

Enables you to call the position if a telephone number is available. (Pairing with cellular phone featuring Bluetooth wireless technology is required.)

Searching for a movie title by selecting a theater

- 1 Display the "Destination Menu" screen.
 - ➡ For details of the operations, refer to Screen switching overview on page 22.

2 Touch [MSN Direct].

The "MSN Direct" screen appears.

3 Touch [Movie Times].

The "All Movie Theaters" screen appears.

4 Touch the desired tab to change the sort order.

Available options:

- Dist. (default):
 - Sorts the items in the list in order by dis tance from the vehicle position.
- Name:

Sorts the items in the list alphabetically.

5 Touch the desired theater.

The movie titles currently shown on the se lected theater are displayed.

6 Touch on the item that you want to view in detail.

- □ Touching allows you to check the location on a map.
- Touch [Refresh].

The information is updated.

☐ [Refresh] appears when the new informa tion is received.

7 Touch [OK].

Location confirmation screen appears.

- ⇒ For details, refer to Setting a route to your destination on page 41.
- Touch [Call].

Enables you to call the position if a telephone number is available. (Pairing with cellular phone featuring Bluetooth wireless technology is re quired.)

Browsing weather information

Local weather information can be displayed on a list. Switching the screen allows you to see worldwide weather conditions.

Although the MSN Direct service regularly up dates weather information, the information provided may not necessarily correspond to ac tual weather conditions. Please refer to *Notice about MSN Direct* on page 50.

Checking the local weather information

- 1 Display the "Destination Menu" screen.
 - **⊃** For details of the operations, refer to *Screen* switching overview on page 22.
- 2 Touch [MSN Direct].

The "MSN Direct" screen appears.

3 Touch [Weather].

The local weather information is displayed.



The city name, weather, temperature and wind direction are displayed in list format.

☐ If there is no information available, ☑ or "----" is displayed.

4 Touch the desired area.

Detailed information is displayed.



Touch [Forecast].

Displays the weather forecasts for these three days.

Checking worldwide weather conditions

- 1 Display the "Destination Menu" screen.
 - **⊃** For details of the operations, refer to *Screen switching overview* on page 22.
- 2 Touch [MSN Direct].

The "MSN Direct" screen appears.

3 Touch [Weather].

The local weather information is displayed.

4 Touch [Worldwide].

Worldwide weather conditions are displayed. The area names and weather conditions are displayed on the list. The list is sorted alphabe tically by the area name.

5 Touch the desired area.

Detailed information is displayed.

How to read MSN Direct information on the map

MSN Direct icons can be displayed on the map.

- → For details, refer to Displaying the MSN Di rect icons on page 157.
- MSN Direct icons are not displayed when the map scale is 0.75 mile (1 kilometer) or more.

MSN Direct icon



The following MSN Direct icons appear in the map screen.

Gas Prices

III: Indicates gas stations whose gas prices exceed average prices of all gas stations that are received.

[a]: Indicates gas stations whose gas prices equal or go below average prices of all gas stations that are received.

Indicates gas stations without any price information.

Movie Times

: Indicates the locations of movie thea ters.

Local Events

: Indicates the locations of music events.

: Indicates the locations of performing arts events.

: Indicates the locations of visual arts events.

: Indicates the locations of spectator events.

∴ Indicates the locations of other events. ■

Using traffic information

You can view current traffic conditions and in formation. When the navigation system re ceives updated traffic information, it will overlay the traffic information on your map and also display detailed text information when available.

The navigation system takes into account traffic information and tries to avoid traffic congestion and suggests better routes. Also,

when you are traveling along a route and the system finds a better route to avoid traffic con gestion.

The system acquires the traffic information up to 100 miles in radius from the vehicle position. (If there is a lot of traffic information around your vehicle, the radius will be shorter than 100 miles.)

The term "traffic congestion" in this section in dicates the following types of traffic information: slow, queuing and stationary traffic and closed/blocked roads. This information is al ways taken into consideration when checking your route, and the information related with these events cannot be turned off. If you select other traffic information in "Traffic Settings", the information can be displayed in a list or on a map.

⊃ For details, refer to *Selecting traffic informa tion to display* on page 59.

Checking all traffic information

Traffic information except traffic flow information is displayed onscreen in a list.

Although the MSN Direct service regularly up dates traffic information, the information pro vided may not necessarily correspond to actual traffic conditions. Please refer to *Notice about MSN Direct* on page 50.

1 Display the "Destination Menu" screen.

⊃ For details of the operations, refer to *Screen* switching overview on page 22.

2 Touch [MSN Direct].

The "MSN Direct" screen appears.

3 Touch [Traffic Events].

The "Traffic Event List" screen appears.

4 Select an incident you want to view in detail.



The details of the selected incident are dis played.

- □ Touching an incident you want to see allows you to view the detailed information of the incident. If the information cannot be dis played on one screen, touch or or to view the remaining information.
- Touching allows you to check the loca tion on a map. (Traffic information without positional information cannot be checked on a map.)
- Touch [Sort].

You can sort the traffic information. Each time you touch the key changes that set ting.

• 🔁

You can sort the traffic information by distance from your current position.

For the list displayed when you touch [**Traffic Events**], the list will be sorted according to the linear distance from the vehicle position to the traffic information.

For the list displayed when you touch [**Traffic On Route**], the list will be sorted according to the distance from the vehicle position to the traffic information.

• ABC. ∓

You can sort the traffic information in alpha betical order.

• 🦚 🛊 :

You can sort the traffic information according to the incident.

The list will be sorted in the order of closed/ blocked roads, traffic congestion, acci dents, road works and others. Current order is indicated on the upper right of the screen.

■ Touch [Refresh].

When new traffic information is received, current information is changed or old information has been removed, the list is updated to reflect the new situation.

5 Touch 5.

The previous screen returns.

Checking traffic information on the route

All traffic information on the current route (in cluding traffic flow information) is displayed onscreen in a list.

1 Display the "Destination Menu" screen.

⇒ For details of the operations, refer to Screen switching overview on page 22.

2 Touch [MSN Direct].

The "MSN Direct" screen appears.

3 Touch [Traffic On Route].

The "Traffic On Route" screen appears.
The method for checking the content dis played on the screen is the same for *Checking all traffic information* on the previous page.

How to read traffic information on the map

The traffic event information displayed on the map is as follows.

- ☐ A line is displayed only when the map scale is 2.5 miles (5 km) or lower.
- Icon appears only when the scale on the map is 10 miles (20 km) or lower. If the scale is changed, the icons are resized ac cording to the selected scale.



Traffic event icon

- Stop and go traffic
- swith red line: Stopped traffic
- Swith black line: Closed/blocked roads
- 🐠 etc.:

Accidents, constructions, etc.

- ☐ For meanings of other icons, check them the "Traffic Type Settings" screen.
- ➡ For details of the operations, refer to Select ing traffic information to display on page 59.

Viewing the traffic flow

All traffic flow information is displayed on screen in a list.

1 Display the "Destination Menu" screen.

⊃ For details of the operations, refer to *Screen switching overview* on page 22.

2 Touch [MSN Direct].

The "MSN Direct" screen appears.

3 Touch [Traffic Flow].

A list with traffic flow information that has been received is shown. The list is sorted by distance from your current position. Places (street names) where incidents have occurred are displayed on the list.

4 Select an incident you want to view in detail.

The details of the selected incident are displayed.

Touching an incident you want to see allows you to view the detailed information of the incident. If the information cannot be dis

- played on one screen, touch

 or

 or

 or

 to view
 the remaining information.
- Touching allows you to check the loca tion on a map. (Traffic information without positional information cannot be checked on a map.)

■ Touch [Sort].

You can sort the traffic information. Each time you touch the key changes that set ting.

• 🔭 🐺

You can sort the traffic information by the linear distance from your current position.

● ABC. ∓

You can sort the traffic information in alpha betical order.

• 🕲 🖡

You can sort the traffic information by the average speed.

The list will be sorted in the order of closed/blocked roads, traffic congestion, accidents, road works and others.

Current order is indicated on the upper right of the screen.

Touch [Refresh].

When new traffic information is received, current information is changed or old information has been removed, the list is updated to reflect the new situation.

■ Touch 🌉.

The traffic event information displayed on the map is as follows.



Traffic flow icon and line

- Red: average speed in this area is slower than 15 mph (24 km/h)
- Yellow: average speed in this area is be tween 15 mph to 45 mph (24 km/h to 72 km/h)

 Green: average speed in this area is faster than 45 mph (72 km/h) (An icon without a line will be displayed)

Setting an alternative route to avoid traffic congestion

The navigation system checks at regular inter vals whether or not there is the traffic informa tion on your route. If the navigation system detects any traffic congestion on your current route, the system tries to find a better route in the background.

The following types of traffic incidents on the route will be checked: slow, back ups, stationary traffic, and closed/blocked roads except for closed freeway exits/entrances.

Checking for traffic congestion automatically

If there is information about traffic congestion on your current route and if an alternative route can be found, the navigation system will recommend a new alternative route automati cally. In such a case, the following screen will appear.



- ① Difference in distance and travel time between the existing route and new route.
- ② Distance from the current position of your vehicle to the point of entry into the new route.
- There is no action if the system cannot find any traffic congestion information on your route or the system cannot find an alterna tive.

1 Touch [New].

The recommended route is displayed on the screen.

■ Touch [Current].

The current route is displayed on the screen.

2 Touch [OK].

The displayed route is set.

When no selection is made, the screen re turns to the previous screen.

Checking traffic information manually

Touching the notification icon on the map screen allows you to check traffic information on your route while the icon is displayed. The notification icon is only displayed on the navi gation map screen if there is any traffic information on your route.

The notification icon is not available if your vehicle deviates from the route.

1 Set [Show Traffic Incident] to "View".

⇒ For details, refer to *Displaying the traffic no tification icon* on page 155.

2 Display the map screen.

The icon appears when the system acquires traffic information on the current route.

3 Touch the icon while the icon is displayed.

Notification icon



Traffic information on the current route is displayed on the map screen.

4 Touch [Diversion] to search for an alternative route.



After touching [**Diversion**], the route is recal culated taking all traffic congestion on your current route into account.

- ☐ [**Diversion**] will be available only when the system can find traffic congestion.
- Notification icon shows the nearest traffic information on the route. However, if you touch [**Diversion**], the route is recalculated by taking into account not only this infor mation, but also all traffic congestion infor mation on the route.

For the subsequent operations, refer to *Check ing for traffic congestion automatically*.

- → For details, refer to Checking for traffic con gestion automatically on the previous page.
- Touch [List].

The "Traffic On Route" screen appears.

■ Touch ≤

The message disappears, and the map screen re turns.

Selecting traffic information to display

There are different types of traffic information that can be received via the MSN Direct ser vice, and you can select which types will be in corporated and displayed on your navigation system.

1 Display the "Destination Menu" screen.

⇒ For details of the operations, refer to *Screen switching overview* on page 22.

2 Touch [MSN Direct].

The "MSN Direct" screen appears.

3 Touch [Traffic Settings].

The "Traffic Settings" screen appears.

4 Touch [Displayed Traffic Information].



The "Traffic Type Settings" screen appears.

5 Touch the traffic information item to display.

A check mark appears next to the selected traffic information.

■ Touch [All] or [None]. Selects or deselects all entries.

6 Touch [OK].



The selected traffic information icon is added to the screen.

7 Touch [OK]. •

Browsing local events

The nearby events to be held in the next few days are displayed on a list, and you can see the detail event information.

Although the MSN Direct service regularly up dates local event information, the information provided may not necessarily correspond to ac tual local event conditions. Please refer to *No tice about MSN Direct* on page 50.

1 Display the "Destination Menu" screen.

⊃ For details of the operations, refer to *Screen switching overview* on page 22.

2 Touch [MSN Direct].

The "MSN Direct" screen appears.

3 Touch [Local Events].

The "Local Event Date" screen appears.

4 Touch the date on which you want to check the events.



The "Local Event Groups List" screen ap pears.

5 Touch the category of events that you want to check.

The "Local Event Sub Groups List" screen ap pears.

6 Touch the subcategory of events that you want to check.

The "Local Events" screen appears. If there is no data, "Unknown" or "----" is displayed.

7 Touch the desired tab to change the sort order.

Available options:

Dist. (default):
 Sorts the items in the list in order by distance from the vehicle position.

 Name: Sorts the items in the list alphabetically.

8 Touch the desired event to display detailed information of the event.

The "**Detailed Information**" screen appears.

Touching allows you to check the loca tion on a map.

Touch [Refresh].

The information is updated.

□ [Refresh] appears when the new information is received.

9 Touch [OK].



- 1 Address
- 2 Start date, time and duration
- 3 Telephone number
- 4 Event name
- ☐ If there is no information available, "———" is displayed.

Location confirmation screen appears.

- **⊃** For details, refer to *Setting a route to your destination* on page 41.
- Touch [Call].

Enables you to call the position if a telephone number is available. (Pairing with cellular phone featuring Bluetooth wireless technology is re quired.)

Browsing news headlines

Recent news headlines are displayed in a list.

Although the MSN Direct service regularly up dates news headlines, the information pro vided may not necessarily correspond to current news headlines. Please refer to *Notice about MSN Direct* on page 50.

1 Display the "Destination Menu" screen.

⇒ For details of the operations, refer to Screen switching overview on page 22.

2 Touch [MSN Direct].

The "MSN Direct" screen appears.

3 Touch [News].

4 Touch the desired news headline.

Further details about the news are displayed.



Touch [Refresh].

The information is updated.

□ [Refresh] appears when the new information is received.

5 Touch **>>** or **<<** to scroll the list.



Browsing stock quotes

Recent stock quotes are displayed in a list.

Although the stock quote displayed onscreen is updated about 40 minutes (approx.), these prices are not realtime values.

It may take up to 20 minutes for all the data to become available under the following conditions:

- When you use MSN Direct for the first time.
- When you have not performed this function previously around the current area.
- After the navigation system has been turned off for a few days.

Please refer to *Notice about MSN Direct* on page 50.

Selecting stock symbols

Up to 30 stock symbols can be selected.

1 Display the "Destination Menu" screen.

→ For details of the operations, refer to Screen switching overview on page 22.

2 Touch [MSN Direct].

The "MSN Direct" screen appears.

3 Touch [Stocks].

The "Stock Info" screen appears.

☐ The seven stock indices is always selected and displayed on the bottom of the list.

4 Touch [Add].

The "Stock Info" screen appears.

5 Enter the stock symbol that you want to select, and then touch [OK].

The selected stock symbol is added to the "**Stock Info**" screen.

If the stock for the selected symbol is not found, a message is displayed. To search again, touch "Yes" and enter the symbol.

Viewing the detailed stock quotes

- 1 Display the "Destination Menu" screen.
 - **⇒** For details of the operations, refer to *Screen* switching overview on page 22.

2 Touch [MSN Direct].

The "MSN Direct" screen appears.

3 Touch [Stocks].

The "Stock Info" screen appears.



① Symbol

Displays stock symbols.

2 Latest Price

Displays the most recent stock prices.

☐ If there is no data, "----" is displayed.

3 Change since last closing price

Displays change from the day before.

☐ If there is no data, "----" is displayed.

(4) Timestamp

Displays the time of the latest stock prices. When the market is closed, "**Market**

Closed " is displayed.

☐ If there is no data, "----" is displayed.

Arrow in the left of each item indicates the stock price movement. If there is no stock price movements than previous close, "" is displayed.

4 Touch the desired stock quote.

Detailed stock quote information is displayed.



■ Touch [**Delete**].

The message confirming whether to delete the entry appears.

And then touch **[Yes]** to delete the stock symbol from the "**Stock Info**" screen.

Deleting registered stocks

1 Display the "Destination Menu" screen.

→ For details of the operations, refer to Screen switching overview on page 22.

2 Touch [MSN Direct].

The "MSN Direct" screen appears.

3 Touch [Stocks].

4 Touch the desired stock quote.

Detailed stock quote information is displayed.

5 Touch [Delete].

The message confirming whether to delete the entry appears.

Touch [Yes].

Deletes the stock symbol from the "Stock Info" screen.

If your devices feature Bluetooth® technology, this navigation system can be connected to your devices wirelessly. This section describes how to set up a Bluetooth connection.

For details about the connectivity with the de vices featuring Bluetooth wireless technology, refer to the information on our website.

Preparing communication devices

This navigation system has a built in function to use devices featuring Bluetooth wireless technology.

→ For details, refer to Notes for hands free phoning on page 75.

You can register and use devices that feature the following profiles with this navigation system.

- HFP (Hands Free Profile)
- A2DP (Advanced Audio Distribution Profile)
- If the registered device features both HFP and A2DP, the hands free connection is made and then the Bluetooth Audio con nection is made.

If the registered device features either pro file, the corresponding connection is made.

■ When the navigation system is turned off, the Bluetooth connection is also discon nected. When the system restarts, the system automatically attempts to reconnect the previously connected device. Even when the connection is severed for some reason, the system automatically reconnects the specified device (except when the connection is severed due to device oper ation).

Registering your Bluetooth devices

You need to register your devices featuring Bluetooth wireless technology when you con nect it for the first time. A total of 5 devices can be registered. Three registration methods are available:

- · Searching for nearby Bluetooth devices
- Searching for a specified Bluetooth device
- Pairing from your Bluetooth devices
- ☐ If you try to register more than 5 devices, the system will ask you to select one of the registered devices to delete.
 - **⇒** For details, refer to *Deleting a registered device* on page 66.

Searching for nearby Bluetooth devices

The system searches for available Bluetooth devices near the navigation system, displays them in a list, and registers them for connection.

1 Activate the Bluetooth wireless technology on your devices.

For some Bluetooth devices, no specific action is necessary to activate Bluetooth wireless technology. For details, refer to the instruction manual of your devices.

2 Display the "Settings Menu" screen.

→ For details of the operations, refer to Screen switching overview on page 22.

3 Touch [Bluetooth Settings].

The "Bluetooth Settings" screen appears.

4 Touch [Registration].

The "Nearby Device List" screen appears. The system searches for devices featuring Bluetooth technology that are waiting for the connection and displays them in the list if a device is found.

☐ Up to 30 devices will be listed in the order that the devices are found.

5 Wait until your Bluetooth device appears in the list.







If you cannot find the Bluetooth device that you want to connect, check that the device is waiting for the Bluetooth wireless tech nology connection.

6 Touch the Bluetooth device name you want to register.







■ Touch [Search Again].

The system searches for devices featuring Blue tooth technology that are waiting for the connec tion and displays them in the list if a device is found.

7 Enter the PIN code (the default PIN code is "1111") using the Bluetooth device. Enter the PIN code while the message "Please follow the instructions on your mobile phone." appears.

The device is registered in the navigation sys tem.

After the device is successfully registered, the Bluetooth connection is established from the navigation system.

Pairing from your Bluetooth devices

You can register the Bluetooth device by set ting the navigation system to standby mode and requesting connection from the Bluetooth device.

1 Activate the Bluetooth wireless technology on your devices.

For some Bluetooth devices, no specific action is necessary to activate Bluetooth wireless technology. For details, refer to the instruction manual of your devices.

2 Display the "Settings Menu" screen.

→ For details of the operations, refer to Screen switching overview on page 22.

3 Touch [Bluetooth Settings].

The "Bluetooth Settings" screen appears.

4 Touch [Registration].

The "Nearby Device List" screen appears.

5 Touch [Register from mobile phone].

The navigation system waits for a Bluetooth wireless technology connection.



6 Register the navigation system on your Bluetooth device.

If your device asks you to enter a password, enter the PIN code (password) of the naviga tion system.

When the device is successfully registered, the connection settings are made from the de vice.

If registration fails, repeat the procedure from the beginning.

Searching for a specified Bluetooth device

If you cannot connect your Bluetooth device using the nearby device search and [Register from mobile phone], try this method if your Bluetooth device is found in the list.

1 Activate the Bluetooth wireless technology on your devices.

For some Bluetooth devices, no specific action is necessary to activate Bluetooth wireless technology. For details, refer to the instruction manual of your devices.

2 Display the "Settings Menu" screen.

⇒ For details of the operations, refer to *Screen switching overview* on page 22.

3 Touch [Bluetooth Settings].

The "Bluetooth Settings" screen appears.

4 Touch [Registration].

The "Nearby Device List" screen appears.

5 Touch [Select specific devices].

The "Select specific devices" screen appears.

6 Touch the Bluetooth device name to be connected.



The system searches for devices featuring Bluetooth technology that are waiting for the connection and displays them in the list if a device is found.

If you cannot find the desired device name on the list, touch [Other phones] to search the devices available nearby.

7 Wait until your Bluetooth device appears in the list.







If you cannot find the Bluetooth device that you want to connect, check that the device is waiting for the Bluetooth wireless tech nology connection.

8 Touch the Bluetooth device name you want to register.







Touch [Search Again].

The system searches for devices featuring Blue tooth technology that are waiting for the connection and displays them in the list if a device is found.

9 Enter the PIN code (the default PIN code is "1111") using the Bluetooth device. Enter the PIN code while the message "Please follow the instructions on your mobile phone." appears.

The device is registered in the navigation sys tem.

After the device is successfully registered, the Bluetooth connection is established from the navigation system.

Deleting a registered device

When you have already registered 5 Bluetooth devices and you want to add another one, you must first delete one of the registered devices.

If a registered phone is deleted, all the phone book entries and call history lists that correspond to the phone will be also cleared.

- 1 Display the "Settings Menu" screen.
 - **⊃** For details of the operations, refer to *Screen switching overview* on page 22.
- 2 Touch [Bluetooth Settings].
 The "Bluetooth Settings" screen appears.

3 Touch [Registration].

A message prompting you to delete a regis tered device appears.

4 Touch [OK].



The "**Delete from Connection List**" screen appears.

5 Touch the Bluetooth device name that you want to delete.



The registration is canceled.

Connecting a registered Bluetooth device

The navigation system automatically connects the Bluetooth device selected as the target of connection. However, connect the Bluetooth device manually in the following cases:

 Two or more Bluetooth devices are regis tered, and you want to manually select the device to be used.

- You want to reconnect a disconnected Bluetooth device.
- Connection cannot be established automa tically for some reason.

If you start connection manually, carry out the following procedure. You can also connect the Bluetooth device by having the navigation system detect it automatically.

1 Activate the Bluetooth wireless technology on your devices.

For some Bluetooth devices, no specific action is necessary to activate Bluetooth wireless technology. For details, refer to the instruction manual of your devices.

2 Display the "Settings Menu" screen.

⇒ For details of the operations, refer to *Screen* switching overview on page 22.

3 Touch [Bluetooth Settings].

The "Bluetooth Settings" screen appears.

4 Touch [Connection].

The "Connection List" screen appears.

5 Touch the name of the device that you want to connect.



The "Select Profile" screen appears.

6 Touch the profile that you want to connect.



You can select the following profiles:

Handsfree and Audio:

Connects the device as the hands free phone and the Bluetooth audio player.

Audio:

Connects the device as Bluetooth audio player.

Handsfree:

Connects the device as the hands free phone.

Connection starts.

When a connection is successfully estab lished, a connection complete message ap pears and the map screen returns by touching **[OK]**.

- ☐ To cancel the connection to your device, touch [Cancel].
- If connection fails, check whether your de vice is waiting for a connection and then retry.

Setting for priority connecting

The selected device is set for priority connect ing.

And one of the following icons is indicated next to the device name.

•

Appears when the device is registered so that it will be preferentially paired with both the hand free and Bluetooth audio connection.

• 🐉

Appears when the device is registered so that it can be preferentially paired with the hand free connection.

•

Appears when the device is registered so that it will be preferentially paired with the Bluetooth audio connection.



For your safety, avoid talking on the phone as much as possible while driving.

If your cellular phone features Bluetooth tech nology, this navigation system can be con nected to your cellular phone wirelessly. Using this hands free function, you can operate the navigation system to make or receive phone calls. You can also transfer the phone book data stored in your cellular phone to the navigation system. This section describes how to set up a Bluetooth connection and how to operate a cellular phone featuring Bluetooth technology on the navigation system.


For details about the connectivity with the de vices featuring Bluetooth wireless technology, refer to the information on our website.

Displaying the Phone Menu

Use the "**Phone Menu**" if you connect the cel lular phone to the navigation system for utilization.

- → For details of the operation, refer to Regis tering and connecting a Bluetooth device on page 63.
- 1 Press the HOME button to display the "Top Menu" screen.
- 2 Touch [Phone].

The "Phone Menu" screen appears.



1 Name of connected cellular phone

- Network name of the cellular phone company
- ③ Strength of the Bluetooth connection be tween the navigation system and the device
- (4) Reception status of the cellular phone
- 5 Battery status of the cellular phone

Making a phone call

You can make a phone call in many different ways.

Direct dialing

- 1 Display the "Phone Menu" screen.
 - → For details, refer to Displaying the Phone Menu on this page.
- 2 Touch [Dial Pad].

The "Dial Input" screen appears.

3 Touch the number keys to enter the phone number.



The phone number that was input is displayed.

And then [OK] is activated.

■ Touch <.

The input number is deleted a digit at a time from the end of the number. Continuing to press this deletes all of the digits.

■ Touch ≤

The previous screen returns.

- 4 Touch [OK] to make a call.
 - ☐ To cancel the call after the system starts dialing, touch <
- 5 Touch **Touch** to end the call.

Making a call home easily

You can call home without taking the time to enter the phone number if the phone number has been registered.

1 Display the "Phone Menu" screen.

→ For details, refer to Displaying the Phone Menu on the previous page.

2 Touch [Call Home].

Dialing home starts.

- If you have not registered your home num ber, a message appears. Touch [Register] to start registration.
 - → For details, refer to Registering your home on page 152.

Calling a number in the "Contacts List"

After finding the entry you want to call in the "Contacts List" screen, you can select the number and make the call.

- Before using this function, you need to transfer the phone book entries stored in your cellular phone to the navigation sys tem.
- → For details, refer to *Transferring the phone book* on page 72.

1 Display the "Phone Menu" screen.

→ For details, refer to Displaying the Phone Menu on the previous page.

2 Touch [Contacts].

The "Contacts List" screen appears.

3 Touch [Search].

The "Contacts Name Search" screen appears. You can search by the names registered in the "Contacts List" screen.

4 Switch the page of the list to display the desired entry.



Touch alphabet tabs.

Makes the screen jump to the beginning of the page including the entry whose names start with any of selected letters or numbers.

Touching [#ABCDE] also displays the page in cluding the entry whose names start with primary symbols or numbers.

Touching [**Others**] displays the page including entries that are not assigned to any of the other tabs.

5 Touch the desired entry on the list to make a call.

- ☐ If the entry has multiple phone number data, a selection list appears.
- 6 Touch **Touch** to end the call.

Dialing from the history

The most recent calls made (dialed), received and missed are stored in the call history list. You can browse the call history list and call numbers from it.

- Each call history saves 30 calls per regis tered cellular phone. If the number of calls exceeds 30, the oldest entry will be deleted.
- 1 Display the "Phone Menu" screen.
 - For details, refer to Displaying the Phone Menu on the previous page.

2 Touch [Received Calls], [Dialed Calls] or [Missed Calls].

The selected call history list appears.

3 Touch an entry on the list.



Dialing starts.

- ☐ To cancel the call after the system starts dialing, touch ☐.
- Touch [Detail].

The "Detailed Information" screen appears.



You can check the details of the party before making a phone call.

4 Touch **to end the call.**

Dialing GOOG-411

Local and/or long distance charges for making a phone call may apply.

You can dial GOOG 411 to dial the free busi ness listing service of Google™ with one touch.

1 Touch [GOOG-411] on the "Phone Menu".

→ For details, refer to Displaying the Phone Menu on page 68.

Dialing GOOG 411 starts.

2 You can now use the GOOG-411 phone service.

For details about GOOG 411 service and avail ability, contact Google.

Dialing the entry stored in the "Favorites" list

You can make a call to the entry stored in the "Favorites" list.

- 1 Display the "Destination Menu" screen.
 - **⊃** For details of the operations, refer to *Screen* switching overview on page 22.
- 2 Touch [Favorites].

The "Favorites" screen appears.

The "Edit Favorite" screen appears.

4 Touch [Call] to make a call.

To cancel the call after the system starts dialing, touch ...

5 Touch to end the call.

Dialing a facility's phone number

You can make a call to facilities with phone number data.

You cannot make a call to locations or POIs that have no phone number data.

1 Display the "Destination Menu" screen.

- **⊃** For details of the operations, refer to *Screen switching overview* on page 22.
- 2 Touch [POI].

The "POI Search" screen appears.

3 Search for the POL

The "POI List" screen appears.

- **⊃** For details of the operation, refer to *Search* ing for *Points of Interest (POI)* on page 36.
- 4 Touch next to the POI that you want to call.

The "**Detailed POI Information**" screen ap pears.

5 Touch [Call] to make a call.

To cancel the call after the system starts dialing, touch ...

6 Touch **___** to end the call.

Dialing from the map

You can make a call by selecting the icon of a registered location or a POI icon from the map screen.

- You cannot make a call to locations or POIs that have no phone number data.
- 1 Scroll the map, and place the cursor on an icon on the map.
- 2 Touch 🛐.

The "**Detailed POI Information**" screen ap pears.

3 Touch [Call] to make a call.

To cancel the call after the system starts dialing, touch .

4 Touch 💌 to end the call. 🔳

Receiving a phone call

You can perform hands free answering by using the navigation system.

Answering an incoming call

The system informs you that it is receiving a call by displaying a message and producing a ring sound.



If "Auto Answer Preference" is set to "Off", answer the call manually. Answering is avail able if any screen is displayed, such as the map screen or the setting screen.

- ☐ You can set this navigation system to auto matically answer incoming calls.
 - → For details, refer to Answering a call automatically on page 74.

- ☐ The registered name appears if the phone number of the received call is already regis tered in "Contacts".
- Depending on the caller ID service, the phone number of the received call may not be displayed. "Unknown" appears instead.

The operation menu during a call appears.

■ Touch [**Vol** –] or [**Vol** +].

You can adjust the ring tone volume.

- Touch to reject an incoming call.
 - ☐ The rejected call is recorded in the missed call history list.
 - **⇒** For details, refer to *Dialing from the history* on page 69.

2 Touch **to end the call.**



The call ends.

- If the voice on the other end of the call is too quiet to hear, you can adjust the volume of the received voice.
 - ⇒ For details, refer to Setting the Volume for Guidance and Phone on page 163.
- You may hear a noise when you hang up the phone.
- Touch [**Vol** –] or [**Vol** +].

You can adjust volume when you are talking.

Touch [Close Menu].

The operation menu during call is minimized.



To display the menu again, touch ____.

Transferring the phone book

You can transfer the phone book entries from your cellular phone to the phone book of navi gation system.

- Depending on the cellular phone, Phone Book may be called Contacts, Business card or something else.
- With some cellular phones, it may not be possible to transfer the entire phone book at once. In this case, transfer addresses one at a time from your phone book using your cellular phone.
- If you connect the cellular phone featuring auto synchronization function, phone book transfer or synchronization will be automa tically performed.
- □ A maximum of 1000 entries can be trans ferred per cellular phone. If the entries ex ceed 1000, the extra entries will not be transferred. If more than one number is re gistered for one person, such as work place and home, each number may be counted separately.
- □ Each entry can hold up to 5 phone num bers.
- Depending on the cellular phone that is connected to this navigation system via Bluetooth technology, this navigation sys tem may not be able to display the phone book correctly. (Some characters may be garbled.)
- If the phone book in the cellular phone con tains image data, the phone book may not be correctly transferred.
- ☐ The transferred data cannot be edited on the navigation system.

1 Connect the cellular phone that has the phone book to transfer.

- → For details, refer to Connecting a registered Bluetooth device on page 66.
- 2 Touch [Contacts Transfer] on the "Phone Menu" screen.

3 Check that the following screen is displayed, and operate your cellular phone to transfer the phone book entries.



After transferring the data is finished, a mes sage asking whether you want to transfer more data appears.

Touch [Yes] to continue the transfer.

4 Touch [No].



The transferred data is imported to the naviga tion system.

When the data is successfully imported, an import complete message is displayed and the "Contacts List" screen appears.

☐ It may take time depending on how many entries will be transferred.

Deleting registered contacts

- 1 Display the "Phone Menu" screen.
 - → For details, refer to Displaying the Phone Menu on page 68.
- 2 Touch [Contacts].

The "Contacts List" screen appears.

3 Touch [Delete].

The "Delete from Contacts" screen appears.

4 Touch the entry you want to delete.

A check mark appears next to the entry.

■ Touch [All] or [None].

Selects or deselects all entries.

5 Touch [Delete].

The message confirming whether to delete the entry appears.

6 Touch [Yes].

The entry is deleted.

■ Touch [No].

Cancels the deletion.

Changing the phone settings Editing the device name

You can change the device name to be dis played on your cellular phone. (Default is "PIONEER NAVI".)

- 1 Display the "Settings Menu" screen.
 - **⊃** For details of the operations, refer to *Screen switching overview* on page 22.
- 2 Touch [Bluetooth Settings].

The "Bluetooth Settings" screen appears.

3 Touch [Device Name].

The keyboard to enter the name appears.



5 Touch [OK].

The name is changed.

Up to 16 characters can be entered for a de vice name.

Editing the password

You can change the password to be used for authentication on your cellular phone. (De fault is "1111".)

- Four to eight characters can be entered for a password.
- 1 Display the "Settings Menu" screen.
 - For details of the operations, refer to Screen switching overview on page 22.
- 2 Touch [Bluetooth Settings].

The "Bluetooth Settings" screen appears.

3 Touch [Password].

The "**Set Password**" screen appears.

4 Touch any key to enter the password you want to set and then touch [OK].

Stopping Bluetooth wave transmission

You can stop transmission of electric waves by turning off the Bluetooth function. If you do not use the Bluetooth wireless technology, we recommend selecting "Off".

1 Display the "Settings Menu" screen.

- → For details of the operations, refer to Screen switching overview on page 22.
- 2 Touch [Bluetooth Settings].
 The "Bluetooth Settings" screen appears.
- 3 Touch [Bluetooth On/Off].
 Touching [Bluetooth On/Off] switches be tween "On" and "Off".

Echo canceling and noise reduction

When you are operating hands free phoning in the vehicle, you may hear an undesirable echo. This function reduces the echo and noise while you are using hands free phoning, and maintains a certain sound quality.

- 1 Display the "Settings Menu" screen.
 - For details of the operations, refer to Screen switching overview on page 22.
- **2 Touch [Bluetooth Settings].** The "**Bluetooth Settings**" screen appears.
- 3 Touch [Echo Cancel].


Touching [Echo Cancel] switches between "On" and "Off".

Answering a call automatically

The navigation system automatically answers incoming calls to the cellular phone, so you can answer a call while driving without taking your hands off the steering wheel.

- 1 Display the "Settings Menu" screen.
 - **⊃** For details of the operations, refer to *Screen* switching overview on page 22.
- 2 Touch [Bluetooth Settings].
 The "Bluetooth Settings" screen appears.
- **3 Touch [Auto Answer Preference].** The "**Auto Answer Preference**" screen ap pears.

4 Touch the desired option.



On this screen, you can select the following items:

- Off:
 - No automatic response. Respond manually.
- Immediately: Answers immediately.
- After 3 seconds:
 Answers after three seconds.
- After 6 seconds:
 Answers after six seconds.
- After 10 seconds:
 Answers after ten seconds.

Setting the automatic rejection function

If this function is on, the navigation system automatically rejects all incoming calls.

- 1 Display the "Settings Menu" screen.
 - → For details of the operations, refer to Screen switching overview on page 22.
- 2 Touch [Bluetooth Settings].

The "Bluetooth Settings" screen appears.

3 Touch [Refuse All Calls].

Touching [**Refuse All Calls**] switches between "On" and "Off".

- ☐ If both "Refuse All Calls" and "Auto Answer Preference" are activated, "Refuse All Calls" takes priority and all incoming calls are automatically rejected.
- If "Refuse All Calls" is set to "On", rejected incoming calls will not be stored in the missed call list.

Clearing memory

You can clear the memory of each item that corresponds to the connected cellular phone: phone book, dialed/received/missed call his tory list and preset dials.

1 Display the "Settings Menu" screen.

⊃ For details of the operations, refer to *Screen switching overview* on page 22.

2 Touch [Bluetooth Settings].

The "Bluetooth Settings" screen appears.

3 Touch [Clear Memory].

The "Clear Memory" screen appears.



On this screen, you can select the following items:

• Contacts:

You can clear the registered phone book.

Received Calls List:

You can clear the received call history list.

Dialed Calls List:

You can clear the dialed call history list.

Missed Calls List:

You can clear the missed call history list.

■ Touch [Clear All].

It clears all the data that correspond to the connected cellular phone.

4 Touch [Yes].

Data on the selected item is cleared from this navigation system's memory.

☐ If you do not want to clear the memory that you have selected, touch [No].

Updating the Bluetooth wireless technology software

Update files will be available for download in the future. You will be able to download the lat est update from an appropriate website to your PC.

Before you download the files and install the update, read through the instructions on the website. Follow the instructions on the website for steps until [Firmware update] becomes active.

1 Insert an SD memory card into the SD card slot.

For details of the operation, refer to Insert ing and ejecting an SD memory card on page 15.

2 Display the "Settings Menu" screen.

→ For details of the operations, refer to Screen switching overview on page 22.

3 Touch [Bluetooth Settings].

The "Bluetooth Settings" screen appears.

4 Touch [Firmware update].

The current version is displayed.



5 Touch [Firmware update].

Update starts.

Notes for hands-free phoning

General notes

 Connection to all cellular phones featuring Bluetooth wireless technology is not guar anteed.

- The line of sight distance between this na vigation system and your cellular phone must be 10 meters or less when sending and receiving voice and data via Bluetooth technology. However, the actual transmis sion distance may be shorter than the estimated distance, depending on the usage environment.
- With some cellular phones, the ring sound may not be output from the speakers.
- If private mode is selected on the cellular phone, hands free phoning may be dis abled.

Registration and connection

- Cellular phone operations vary depending on the type of cellular phone. Refer to the instruction manual that came with your cellular phone for detailed instructions.
- With cellular phones, phone book transfer may not work even though your phone is paired with the navigation system. In that case, disconnect your phone, perform pair ing again from your phone to the naviga tion system, and then perform the phone book transfer.

Making and receiving calls

- You may hear a noise in the following situations:
 - When you answer the phone by using the button on the phone.
 - When the person on the other end of line hangs up the phone.
- If the person on the other end of the phone call cannot hear the conversation due to an echo, decrease the volume level for hands free phoning. This may reduce the echo.
- With some cellular phones, even if you press the accept button on the cellular phone when a call comes in, hands free phoning may not be performed.
- The registered name appears if the phone number of the received call is already regis tered in the phone book. When one phone number is registered under different

- names, the name that comes first in the phone book is displayed.
- If the phone number of the received call is not registered in the phone book, the phone number of the received call appears.

The received call history and the dialed number history

- Calls made or editing performed only on your cellular phone will not be reflected to the dialed number history or phone book in the navigation system.
- You cannot make a call to the entry of an unknown user (no phone number) in the re ceived call history.
- If calls are made by operating your cellular phone, no history data will be recorded in the navigation system.

Phone book transfers

- If there are more than 1000 phone book en tries on your cellular phone, all entries may not be downloaded completely.
- With some cellular phones, it may not be possible to transfer all items in the phone book at one time. In this case, transfer items one by one from your cellular phone.
- Depending on the cellular phone, this navi gation system may not display the phone book correctly. (Some characters may be garbled, or first and last names may be re versed.)
- If the phone book in the cellular phone con tains image data, the phone book may not be transferred correctly. (Image data can not be transferred from the cellular phone.)
- Depending on the cellular phone, phone book transfer may not be available.

Basic operations of the AV source

This chapter describes the basic operations of the AV source.

You can play or use the following sources with the navigation system.

- TUNER (FM, AM)
- CD
- ROM (in MP3, AAC, WMA)
- DVD Video
- DivX
- USB
- SD

The following sources can be played back or used by connecting an auxiliary device.

- HD Radio (HD Radio tuner)
- iPod
- Pandora
- Bluetooth Audio
- XM Tuner
- SIRIUS Tuner
- AV input 1 (AV1)
- AV input 2 (AV2)
- External unit 1 (EXT1)
- External unit 2 (EXT2)

Displaying the AV operation screen

- Press the MODE button when the map screen is displayed.
 - ☐ The AV operation screen can also be dis played by touching [AV Source] on the "Top Menu".

Selecting a source





1 Drag a source icon up or down.

The AV source icons scroll, and hidden icons appear.

2 Tap the icon of the source you want to select.

The operation screen of the selected source appears.

☐ The icon currently selected is high lighted. •

Operating list screens (e.g. iPod list screen)

This describes the operations when a list screen is displayed.

☐ For displaying the list screen, refer to the description of the corresponding source.

Switching between the AV operation screen and the list screen

The following example describes how to switch between the AV operation screen and the artist list screen of iPod.

1 Touch the appropriate key to display the list that you want.

☐ For displaying the list screen, refer to the description of the corresponding source.



Basic operations of the AV source

2 Touch the key on the right edge of the screen.



The AV operation screen returns.

Selecting an item

1 Scroll by dragging items up or down, and display the item you want to select.



- Flicking a list item enables you to quickly scroll through the list.
 To stop scrolling, gently touch the list.
- 2 Tap the item.
 - ☐ The item currently selected is highlighted.

Returning to the previous display


● Touch **5** to return to the previous screen. ■

You can listen to the radio by using the naviga tion system. This section describes operations for radio (FM).

Starting procedure

- 1 Display the AV operation screen.
 - **⊃** For details of the operations, refer to *Dis* playing the *AV* operation screen on page 77.
- 2 Tap [FM] on the left edge of the screen to display the "FM" screen.
- 3 Use the touch panel keys on the screen to control the radio.
 - ➤ For details, refer to *Using the touch panel keys* on the next page. ■

Reading the screen



1 Source icon

Shows which source has been selected.

② Band indicator

Shows which band the radio is tuned to: FM1 to FM3.

3 Program service name indicator

Shows the program service name (station name) of the current station.

- (4) Signal level indicator
- **5** Frequency indicator
- STEREO indicator Shows that the frequency selected is being broadcast in stereo.
- 7 Current time


8 Program service name or frequency indicator

Shows the frequency of the preset item. If the program service name can be obtained, the program service name is shown instead of the frequency.

Preset number indicator

Shows what preset item has been selected.

Using the touch panel keys



1) Performs manual tuning

To tune manually, touch [I◄◀] or [▶►I] briefly. The frequencies move up or down one step at a time

Performs seek tuning

To perform seek tuning, touch and hold [◄◄] or [►►I] for about one second and release. The tuner will scan frequencies until a broad cast strong enough for good reception is found.

- You can cancel seek tuning by touching either [I◄◄] or [►►I] briefly.
- ☐ If you touch and hold [I◄] or [►►], you can skip broadcasting frequencies. Seek tuning will start as soon as you re lease the keys.
- ☐ You can also perform these operations
 by using the TRK button.

2 Selects a preset channel

The keys can be used to switch preset chan nels.

Scroll by dragging the keys up or down to dis play the preset channel you want to select, and tap the channel.

The lower key and the upper key appear only when the preset channel is se lected.

③ Recalls equalizer curves

→ For details, refer to Using the equalizer on page 172.

4 Displays the "Function" menu

→ For details, refer to Using the "Function" menu on the next page.

Switches between the AV operation screen and the preset list display

You can switch the screen display according to your preference.

⊃ For details of the operation, refer to Switching between the AV operation screen and the list screen on page 77.

6 Selects an FM band

Tapping the key repeatedly switches between the following FM bands: **FM1**, **FM2**, or **FM3**.

☐ This function is convenient for preparing different preset lists for each band.

Storing and recalling broadcast frequencies

With a tap of any of the preset tuning keys ("P1" to "P6"), you can easily store up to six broadcast frequencies for later recall (also with the tap of a key).

- 1 Select a frequency that you want to store in memory.
- 2 Display the preset channel list.
 - ⇒ For details, refer to Switches between the AV operation screen and the preset list display on the previous page.
- 3 Keep touching a preset tuning key [P1] to [P6].

Preset list display



Preset tuning keys

For details of the list operations, refer to Operating list screens (e.g. iPod list screen) on page 77.

The selected radio station has been stored in memory.


The next time you tap the same preset tuning key "P1" to "P6", the radio station frequencies are recalled from memory.

Up to 18 FM stations, six for each of the three FM bands, as well as six AM stations, can be stored in memory.

Using the "Function" menu

Touch on the "FM" screen.

The "Function" menu appears.



- ① Stores the strongest broadcast frequencies
- 2 Tunes in strong signals
- ⇒ For details of each function, refer to sections below with the relative titles.

Storing the strongest broadcast frequencies

BSM (best stations memory) lets you automa tically store the six strongest broadcast fre quencies under the preset tuning keys "P1" to "P6" and, once stored there, you can tune in to these frequencies with the touch of a key.

- 1 Touch con the "FM" screen.
- 2 Touch [BSM].
- 3 Touch [Start] to begin a search.

BSM begins to flash. While "BSM" is flashing, the six strongest broadcast frequencies will be stored under the preset tuning keys "P1" to "P6" in order of their signal strength. When this is complete, "BSM" stops flashing.

- ☐ To cancel the storage process, touch [Stop].
- Storing broadcast frequencies with BSM may replace broadcast frequencies you have already saved.

Tuning in strong signals

Local seek tuning allows you to tune in only those radio stations with sufficiently strong signals for good reception.

- 1 Touch con the "FM" screen.
- 2 Touch [Local].
- 3 Touch [On] to turn local seek tuning on.

To turn local seek tuning off, touch [Off].

4 Touch [◀Prev] or [Next▶] to set the sensitivity.

There are four levels of sensitivity for FM.

Level: 1 2 3 4


☐ The level "4" setting allows reception of only the strongest stations, while lower settings let you receive weaker stations. •

You can listen to the radio using this naviga tion system. This section describes operations for radio (AM).

Starting procedure


- 1 Display the AV operation screen.
 - **⊃** For details of the operations, refer to *Dis* playing the *AV* operation screen on page 77.
- 2 Tap [AM] on the left edge of the screen to display the "AM" screen.
- 3 Use the touch panel keys on the screen to control the radio.
 - **⊃** For details, refer to *Using the touch panel keys* on the next page. ■

Reading the screen



- ① **Source icon**Shows which source has been selected.
- 2 Signal level indicator
- ③ Frequency indicator
- 4 Current time
- ⑤ Frequency indicator Shows the frequency of the preset item.
- ⑥ Preset number indicator Shows what preset item has been selected.

Using the touch panel keys



1 Performs manual tuning

To tune manually, touch [I◄◀] or [▶►I] briefly. The frequencies move up or down one step at a time

Performs seek tuning

To perform seek tuning, touch and hold [I◀◀] or [▶▶I] for about one second and release. The tuner will scan frequencies until a broad cast strong enough for good reception is found.

- ☐ You can cancel seek tuning by touching either [I◄◄] or [►►I] briefly.
- ☐ If you touch and hold [I◄] or [►►], you can skip broadcasting frequencies. Seek tuning will start as soon as you re lease the keys.
- ☐ You can also perform these operations by using the **TRK** button.

2 Selects a preset channel

The keys can be used to switch preset chan nels.

Scroll by dragging the keys up or down to dis play the preset channel you want to select, and tap the channel.

The lower key and the upper key appear only when the preset channel is se lected.

③ Recalls equalizer curves

→ For details, refer to Using the equalizer on page 172.

4 Displays the "Function" menu

⇒ For details, refer to Using the "Function" menu on the next page.

5 Switches between the AV operation screen and the preset list display

You can switch the screen display according to your preference.

For details of the operation, refer to Switching between the AV operation screen and the list screen on page 77.

Storing and recalling broadcast frequencies

With a tap of any of the preset tuning keys ("P1" to "P6"), you can easily store up to six broadcast frequencies for later recall (also with the tap of a key).

1 Select a frequency that you want to store in memory.

- 2 Display the preset channel list.
 - ⇒ For details, refer to Switches between the AV operation screen and the preset list display on the previous page.
- 3 Keep touching a preset tuning key [P1] to [P6].

Preset list display



Preset tuning keys

⇒ For details of the list operations, refer to Operating list screens (e.g. iPod list screen) on page 77.


The selected radio station has been stored in memory.

The next time you tap the same preset tuning key "P1" to "P6", the radio station frequencies are recalled from memory.

Using the "Function" menu

■ Touch and on the "AM" screen.

The "Function" menu appears.



- 1 Stores the strongest broadcast frequencies
- 2 Tunes in strong signals
- ⇒ For details of each function, refer to sec tions below with the relative titles.

Stores the strongest broadcast frequencies

BSM (best stations memory) lets you automa tically store the six strongest broadcast fre quencies under the preset tuning keys "P1" to "P6" and, once stored there, you can tune in to these frequencies with the touch of a key.

- 1 Touch a on the "AM" screen.
- 2 Touch [BSM].
- 3 Touch [Start] to begin a search.

BSM begins to flash. While "BSM" is flashing, the six strongest broadcast frequencies will be stored under the preset tuning keys "P1" to "P6" in order of their signal strength. When this is complete, "BSM" stops flashing.

- ☐ To cancel the storage process, touch [Stop].
- Storing broadcast frequencies with BSM may replace broadcast frequencies you have already saved.

Tunes in strong signals

Local seek tuning allows you to tune in only those radio stations with sufficiently strong signals for good reception.

- 1 Touch con the "AM" screen.
- 2 Touch [Local].
- **3 Touch [On] to turn local seek tuning on.** To turn local seek tuning off, touch [Off].
- 4 Touch [◀Prev] or [Next▶] to set the sensitivity.

There are two levels of sensitivity for AM.

Level: 1 2

☐ The level "2" setting allows reception of only the strongest stations, while lower settings let you receive weaker stations. ■

You can listen to the radio by using the naviga tion system. This section describes operations for HD Radio reception.


You have to connect an HD Radio tuner (e. g. GEX P20HD) (sold separately) to enable reception of HD Radio broadcasts on this navigation system.

For details concerning operation, refer to the HD Radio tuner's operation manual.

Starting procedure

- 1 Display the AV operation screen.
 - **⊃** For details of the operations, refer to *Dis* playing the *AV* operation screen on page 77.
- 2 Tap [Digital Radio] on the left edge of the screen to display the "Digital Radio" screen.
- 3 Use the touch panel keys on the screen to control the radio.
 - For details, refer to Using the touch panel keys on the next page. ■

Reading the screen



- 1 Source icon
 - Shows which source has been selected.
- 2 Band indicator

Shows which band the radio is tuned to: FM1, FM2, FM3 or AM.

- ③ Detailed information
 - → For details, refer to Switching the display on page 88.

- 4 Signal level indicator
- 5 Frequency indicator
- 6 Signal type indicator

Shows the type of signal currently being re ceived. If a digital broadcasting is received, "D" appears. Otherwise, "A" appears.

- ③ Blending mode indicator
 - **⊃** For details, refer to *Switching the reception mode* on page 89.
- (8) Current time
- Preset number indicator


Shows what preset item has been selected.

- 10 Seek type indicator
 - → For details, refer to Switching the seek mode on page 89.
- 11 Multicasting indicator

Shows the number of multicast channels in the current frequency.

HD Radio™ reception

Using the touch panel keys



1 Performs manual tuning

To tune manually, touch [I◄◄] or [▶►I] briefly. The frequencies move up or down one step at a time.

Performs seek tuning

To perform seek tuning, touch and hold [I◄] or [►►I] for about one second and release. The tuner will scan frequencies until a broad cast strong enough for good reception is found.

- ☐ You can cancel seek tuning by touching either [I◄◄] or [►►] briefly.
- □ If you touch and hold [I◄] or [►►], you can skip broadcasting frequencies. Seek tuning will start as soon as you re lease the keys.
- ☐ You can also perform these operations by using the **TRK** button.

2 Selects a preset channel

The keys can be used to switch preset chan nels.

Scroll by dragging the keys up or down to dis play the preset channel you want to select, and tap the channel.

3 Switches the display

→ For details, refer to Switching the display on the next page.

(4) Recalls equalizer curves

→ For details, refer to Using the equalizer on page 172.

5 Displays the "Function" menu

- → For details, refer to Using the "Function" menu on the next page.
- Switches between the AV operation screen and the preset list display

You can switch the screen display according to your preference.

⇒ For details of the operation, refer to Switching between the AV operation screen and the list screen on page 77.

(7) Selects a band

Tap the key repeatedly until the desired band is displayed: **FM1**, **FM2**, **FM3**, or **AM**.

☐ This function is convenient for preparing different preset lists for each band.

Storing and recalling broadcast frequencies

With a tap of any of the preset tuning keys ("**Preset 1**" to "**Preset 6**"), you can easily store up to six broadcast frequencies for later recall (also with the tap of a key).

- 1 Select a frequency that you want to store in memory.
- 2 Display the preset channel list.
 - ⇒ For details, refer to Switches between the AV operation screen and the preset list display on the previous page.
- 3 Keep touching a preset tuning key [Preset 1] to [Preset 6].

Preset list display



Preset tuning keys

⇒ For details, refer to Operating list screens (e. g. iPod list screen) on page 77.

The selected radio station has been stored in memory.

The next time you tap the same preset tuning key "Preset 1" to "Preset 6", the radio station frequencies are recalled from memory.

Up to 18 FM stations, six for each of the three FM bands, as well as six AM stations, can be stored in memory.

Switching the display

Desired information can be displayed.

• Touch [Disp].

Touch [**Disp**] repeatedly to switch between the following settings:

Channel name Artist name Song title Program type

- Only when the tuner has been tuned in to an HD Radio station, can the display be changed.
- When the tuner has been tuned in to an HD Radio station, default display is changed into station name instead of frequency.

Scrolling the detailed information


You can turn the detailed information scroll mode on and off.

● Touch and hold [Disp]. ■

Using the "Function" menu

● Touch continuous on the "Digital Radio" screen.

The "Function" menu appears.



- Stores the strongest broadcast frequencies
- ② Switches the seek mode
- 3 Tunes in strong signals
- 4 Switches the reception mode
- ⇒ For details of each function, refer to sec tions below with the relative titles.

Storing the strongest broadcast frequencies

BSM (best stations memory) lets you automa tically store the six strongest broadcast fre quencies under the preset tuning keys "Preset 1" to "Preset 6" and, once stored there, you can tune in to these frequencies with the touch of a key.

- 1 Touch con the "Digital Radio" screen.
- 2 Touch [BSM].

Touch [Start] to begin a search.

BSM begins to flash. While "BSM" is flashing, the six strongest broadcast frequencies will be stored under the preset tuning keys "Preset 1" to "Preset 6" in order of their signal strength. When this is complete, "BSM" stops flashing.

- To cancel the storage process, touch Stop].
- Storing broadcast frequencies with BSM may replace broadcast frequencies you have already saved.

Switching the seek mode

You can select the method of seek tuning.

- Touch con the "Digital Radio" screen.
- 2 Touch [Seek] to select the desired set-
- ting. All:
 - Seeks stations from both analog and digital broadcasting.
 - HD: Seeks from digital broadcasting only.
 - ☐ If you select "HD" on this setting while [Blending] is set to "Analog", the setting on [Blending] turns to "D/A Auto" automa tically.

Tuning in strong signals

Local seek tuning allows you to tune in only those radio stations with sufficiently strong signals for good reception.

- Touch con the "Digital Radio" screen.
- 2 Touch [Local].
- Touch [On] to turn local seek tuning on. To turn local seek tuning off, touch [Off].
- Touch [◀Prev] or [Next▶] to set the sensitivity.

There are four levels of sensitivity for FM and two levels for AM:

FM: **1** 2

AM: 1 2

☐ The FM "4" (AM "2") setting allows recep tion of only the strongest stations, while lower settings let you receive weaker sta tions.

Switching the reception mode

If a digital broadcast reception condition gets poor, the tuner automatically switches to the analog broadcast of the same frequency level in default. If you want to prevent a frequent automatic switching, switch this setting to [Analog].

- Touch on the "Digital Radio" screen.
- Touch [Blending] to switch the reception mode.
 - Analog: Receives analog broadcasting only.
 - D/A Auto:
 - Automatically switches to the analog broad cast of the same frequency level as the digi tal broadcast.
 - ☐ If you select "**Analog**" on this setting while [Seek] is set to "HD", the setting on [Seek] turns to "All" automatically.

Playing audio CDs

You can play a normal music CD using the built in drive of the navigation system. This section describes how.

Starting procedure

1 Display the AV operation screen.

⊃ For details of the operations, refer to *Dis* playing the *AV* operation screen on page 77.

2 Insert the disc you want to play into disc-loading slot.

Playback starts from the first track of the CD.

- → For details of the operation, refer to *Insert* ing and ejecting a disc on page 14.
- ☐ If the disc is already set, tap [**Disc**] on the left edge of the screen.
- → For details, refer to Selecting a source on page 77.

3 Use the touch panel keys on the screen to control the disc.

For details, refer to Using the touch panel keys on the next page. ■

Reading the screen



1 Playback condition indicator

Indicates the current playback condition.

Scanning tracks of a CD

Indicator:	Meaning
OFF :≡	Cancels the scan play.
on≔	Plays the beginning of each track in the current repeat play range for about 10 sec onds.

· Playing tracks in random order

Indicator:	Meaning
OFF i ≥₹	Does not play tracks in ran dom order.
ONXX	Plays all tracks in the current disc in random order.

· Setting a repeat play range

Indicator:	Meaning
0=	Repeats the current disc.
\$ \$	Repeats just the current track.

2 Current track information

Artist name

Shows the artist name of the track cur rently playing (when available).

Album title

Shows the title of the album for the cur rent track (when available).

• Track title

Shows the title of the track currently playing (when available).

Play time

Shows the elapsed playing time within the current track.

"-----" is displayed if there is no corre sponding information.

(3) Current time

(4) Track information

Track number indicator

Shows the track number and the total number of tracks in the current repeat range.

Track title indicator

(5) Source icon

Shows which source has been selected.

Playing audio CDs

Playing audio CDs

Using the touch panel keys



1 Scans tracks of a CD

Scan play is performed by touching only one key.

- ⇒ For details of the operation, refer to Scans tracks of a CD on the next page.
- Plays tracks in random order

All of the tracks in the disc can be played at random by touching only one key.

For details of the operation, refer to Plays tracks in random order on the next page.

3 Sets a repeat play range

The repeat play range can be changed by touching only one key.

→ For details, refer to Changes the repeat range on the next page.

(4) Selects a track to play

Scrolling the keys up or down displays tracks, and tapping a track starts playback.

Tapping the lower key during random play back skips to the next track. Tapping the upper key jumps to the start of the current track.

(5) Recalls equalizer curves

- → For details, refer to Using the equalizer on page 172.
- 6 Displays the "Function" menu

→ For details, refer to *Using the*"Function" menu on the next page.

7 Playback and Pause

Touching [►/II] switches between playback and pause.

8 Selects a track from the list

Touching the key displays the list which lets you see the list of track titles on a disc. You can play a track on the list by tapping it.

☐ "-----" is displayed if there is no corre sponding information.




- **⊃** For details, refer to *Operating list screens* (e.g. iPod list screen) on page 77.
- 9 Switches the media file type played
 - ⇒ For details, refer to Switches the media file type played on page 96.

Playing audio CDs

Using the "Function" menu

● Touch con the "CD" screen.

The "Function" menu appears.



1) Changes the repeat range

Each touch of [**Repeat**] changes the setting as follows:

- **Disc**: Repeats the current disc.
- **Track**: Repeats just the current track.
- If you perform track search or fast for ward or reverse, track repeat playback is automatically canceled.

2 Plays tracks in random order

Each touch of [Random] turns it on or off.

If you turn the random play on when the repeat play range is set to "Track", the repeat play range changes to "Disc" automatically.

3 Scans tracks of a CD

Each touch of [**Scan**] turns it on or off. Scan play lets you hear the first 10 seconds of each track on the CD. When you find the track you want, touch [**Scan**] to turn scan play off.

- ☐ After scanning is finished, normal play back of the tracks will begin again.
- If you turn the scan play on when the re peat play range is set to "Track", the re peat play range changes to "Disc" automatically.

4 Uses "Sound Retriever" function

"Sound Retriever" function automatically enhances compressed audio and restores rich sound.

Each touch of [**Sound Retriever**] changes the setting as follows:

- MODE 1: Activates "Sound Retriever" function.
- MODE 2: Activates "Sound Retriever" function.
- Off: Deactivates "Sound Retriever" function.
- MODE 2 has a stronger effect than MODE 1 and is more effective when playing back highly compressed audio data.

Playing music files on ROM

Playing music files on ROM

You can play a disc that contains compressed audio files using the built in drive of the navi gation system. This section describes these operations.

In the following description, the MP3, WMA, AAC files are collectively referred to as "Compressed audio file".

Starting procedure

- 1 Display the AV operation screen.
 - **⊃** For details of the operations, refer to *Dis* playing the *AV* operation screen on page 77.

2 Insert the disc you want to play into disc-loading slot.

Playback starts from the first file of the ROM.

- **⊃** For details of the operation, refer to *Insert* ing and ejecting a disc on page 14.
- ☐ If the disc is already set, tap [**Disc**] on the left edge of the screen.
- → For details, refer to Selecting a source on page 77.

3 Use the touch panel keys on the screen to control the disc.

For details concerning operations, refer to Using the touch panel keys on page 95. ■

Reading the screen



1 Playback condition indicator

Indicates the current playback condition.

Scanning folders and files

Indicator:	Meaning
OFF :≡	Cancels the scan play.
on:≣	Plays the first audio files of each folder for about 10 sec onds when the repeat range is set to "Disc". Plays the beginning of each audio file in the current folder for about 10 seconds when the repeat range is set to "Folder".

· Playing files in random order

Indicator:	Meaning
OFFXX	Does not play tracks in ran dom order.
ONXX	Plays all audio files in the cur rent repeat play range in ran dom order.

Setting a repeat play range

Indicator:	Meaning
0=	Repeats all compressed audio files.
⊅≎	Repeats just the current file.
	Repeats the current folder.

(2) Current file information

• **Folder** name

Shows the folder name currently playing.

Artist name

Shows the artist name currently playing (when available).

a: Album title

Shows the title of the album for the cur rent file (when available).

Track title

Shows the title of the track currently playing (when available).

☐ If the title of a track is not available, the file name appears.

Play time

Shows the elapsed playing time within the current file.

18


Playing music files on ROM

- ☐ "-----" is displayed if there is no corre sponding information.
- ③ Current time
- **4** File information
 - File number indicator
 - · File name indicator
 - File type indicator Shows the type of audio file.
- **5** Source icon

Shows which source has been selected.

Playing music files on ROM

Using the touch panel keys



1 Scans folders and files

Scan play is performed by touching only one key.

For details of the operation, refer to Scans folders and files on the next page.

Plays files in random order

The files in the current repeat play range can be played at random by touching only one key.

- If the disc contains a mixture of various media file types, all tracks or files within the current part ("CD" or "ROM") are played randomly.
- ⇒ For details, refer to Plays files in random order on the next page.

3 Sets a repeat play range

The repeat play range can be changed by touching only one key.

→ For details, refer to Changes the repeat range on the next page.

4 Selects a file to play

Scrolling the keys up or down displays files, and tapping a file starts playback. Tapping the lower key during random play back skips to the next file. Tapping the upper key jumps to the start of the current file.

5 Recalls equalizer curves

- **⊃** For details, refer to *Using the equalizer* on page 172.
- 6 Displays the "Function" menu
 - **⊃** For details, refer to *Using the* "Function" *menu* on the next page.

7 Playback and Pause

Touching $[\blacktriangleright/II]$ switches between playback and pause.

8 Selects a file from the list

Touching the key displays the list which lets you see the list of track titles or folder names on a disc.

☐ If the title of a track is not available, the file name appears.

Tapping a folder on the list shows its content. You can play a file on the list by tapping it.



⇒ For details, refer to Operating list screens (e.g. iPod list screen) on page 77.

Playing music files on ROM

Touching displays the content of the upper folder (parent folder). If the uppermost folder is listed, cannot be used.

9 Switches the media file type played

When playing a disc containing a mixture of various media file types, you can switch be tween media file types to play.


Tap the key repeatedly to switch between the following media file types:

CD (audio data (CD DA)) ROM (com pressed audio file) DivX (DivX video files) ■

Using the "Function" menu

● Touch con the "ROM" screen.

The "Function" menu appears.



1 Changes the repeat range

Each touch of [**Repeat**] changes the setting as follows:

- Disc: Repeats all compressed audio files
- Track: Repeats just the current file.
- Folder: Repeats the current folder.
- If you select another folder during repeat play, the repeat play range changes to "Disc".
- If you perform fast reverse or fast for ward during "Track", the repeat play range changes to "Folder".
- When "Folder" is selected, it is not pos sible to playback a subfolder of that folder.
- When playing discs with compressed audio files and audio data (CD DA), re peat play is performed within the cur

rently playing data session even if "**Disc**" is selected.

② Plays files in random order

Each touch of [**Random**] turns it on or off. When the random play is turned on, the files in the current repeat play range are randomly played.

If you turn the random play on when the repeat play range is set to "Track", the repeat play range changes to "Folder" automatically.

③ Scans folders and files

Scan play lets you hear the first 10 seconds of each file. Scan play is performed in the current repeat play range.

Each touch of [**Scan**] turns it on or off. When you find the track you want, touch [**Scan**] to turn the scan play off.

- After completion of file or folder scan ning, normal playback of the files will begin again.
- If you turn the scan play on when the re peat play range is set to "Track", the re peat play range changes to "Folder" automatically.
- If you turn the scan play on while the re peat play range is set to "Disc", scan play is performed for only the first tracks of each folder.

4 Uses "Sound Retriever" function

"Sound Retriever" function automatically enhances compressed audio and restores rich sound.

Each touch of [**Sound Retriever**] changes the setting as follows:

- MODE 1: Activates "Sound Retriever" function.
- MODE 2: Activates "Sound Retriever" function.
- Off: Deactivates "Sound Retriever" function.
- MODE 2 has a stronger effect than MODE 1 and is more effective when playing back highly compressed audio data.

You can play a DVD Video using the built in drive of the navigation system. This section de scribes operations for playing a DVD Video.

Starting procedure

- 1 Display the AV operation screen.
 - **⊃** For details of the operations, refer to *Dis* playing the AV operation screen on page 77.

2 Insert the disc you want to play into disc-loading slot.


The source changes and then playback will start.

- → For details of the operation, refer to *Insert* ing and ejecting a disc on page 14.
- ☐ If the disc is already set, tap [**Disc**] on the left edge of the screen.
- ⇒ For details, refer to Selecting a source on page 77.

3 Use the touch panel keys on the screen to control the disc.

For details, refer to Using the touch panel keys on the next page. ■

Reading the screen




- 1 Title number indicator
 - Shows the title number currently playing.
- ② Audio track indicator Shows the audio track number and audio lan guage currently selected.
- 3 Chapter number indicator Shows the chapter number currently playing.
- (4) Audio channel indicator

- Shows the current audio channel type, such as "**Mch**" (Multi channel).
- Subtitle number indicator Shows the subtitle number currently selected.
- Subtitle language indicator
 Shows the subtitle language currently se lected.
- Viewing angle indicator Shows what viewing angle has been selected.
- (8) Current time
- Digital sound format indicator
 Shows which digital sound format (surround sound format) has been selected.
- (i) Play time indicator Shows the elapsed playing time within the current title.
 - Source icon
 Shows which source has been selected. ■

Using the touch panel keys

Playback screen (page 1)



Playback screen (page 2)



With some discs, the icon one may be displayed, meaning that the operation is invalid.

1) Resumes playback (Bookmark)

→ For details, refer to Resuming playback (Bookmark) on the next page.

② Displays the DVD menu

You can display the menu by touching [Menu] or [Top Menu] while a disc is playing. Touch ing either of these keys again lets you start playback from the location selected from the menu. For details, refer to the instructions provided with the disc.

- 3 Stops playback
- Hides the touch panel keys and information of the current video

Playback screen (page 3)



Touching [**Hide**] shows only the current video. To display the touch panel keys and informa tion of the current video, touch the screen.

(5) Skips forward or backward

Touching [►►I] skips to the start of the next chapter. Touching [I◄◄] once skips to the start of the current chapter. Touching it twice quickly will skip to the previous chapter.

☐ You can also perform these operations by using the **TRK** button.

6 Playback and Pause

Touching [►/II] switches between playback and pause.

⑦ Displays the DVD menu keypad

→ For details, refer to Using DVD menu by touch panel keys on page 100.

Switches to the next page of touch panel keys

9 Switches the display

Touching [**Disp**] changes the indication on the information plate as follows:

Disc information display Repeat range and L/R select display

10 Recalls equalizer curves

→ For details, refer to Using the equalizer on page 172.

11 Displays the "Function" menu

→ For details, refer to *Using the* "Function" menu on page 101.

② Searches for a desired scene and starts playback from a specified time

⇒ For details, refer to Searching for a specific scene and starting playback from a specified time on the next page.

③ Performs an operation (such as resuming) that is stored on the disc

When using a DVD that has a point recorded that indicates where to return to, the DVD re turns to the specified point and begins play back from that point.

(4) Skips the title forward or backward

Touching [▶] skips to the start of the next title. Touching [◄] skips to the start of the previous title.

15 Fast reverse or forward

Touch $[\blacktriangleleft \blacktriangleleft]$ or $[\blacktriangleright \blacktriangleright]$ to perform fast reverse or forward.

If you touch and hold $[\blacktriangleleft \blacktriangleleft]$ or $[\blacktriangleright \blacktriangleright]$ for five seconds, fast reverse/fast forward continues even if you release either of these keys. To re sume playback at a desired point, touch $[\blacktriangleright / \blacksquare]$, $[\blacktriangleleft \blacktriangleleft]$ or $[\blacktriangleright \blacktriangleright]$ opposite to key pushed

for five seconds.

Frame-by-frame playback (or slow-motion)

Frame-by-frame playback (or slow-motion playback)

- → For details, refer to Frame by frame play back on page 101.
- → For details, refer to Slow motion playback on page 101.
- ⑦ Changes the viewing angle (Multi-angle) Each touch of [Angle] switches between view ing angles.

- □ During playback of a scene shot from multiple angles, the angle icon is displayed. Turn the angle icon display on or off using the "DVD/DivX® Setup" menu.
- **⊃** For details, refer to *Setting the angle icon display* on page 107.

(B) Changes the subtitle (Multi-subtitle) Each touch of [S.Title] switches between the subtitle languages recorded on the disc.

- (9) Changes the audio track (Multi-audio) Each touch of [Audio] switches between audio tracks recorded in the disc.
 - DTS audio format cannot be output, so select an audio track other than DTS audio format.
 - Display indications such as MPEG-A and Mch describe the audio track re corded on the DVD. This indication may not be the same as the actual sound currently output from the navigation sys tem.

Resuming playback (Bookmark)

The Bookmark function lets you resume play back from a selected scene the next time the disc is loaded

Touch [BookM.].



You can bookmark one point for each of up to five discs. If you try to memorize another point for the same disc, the oldest bookmark will be overwritten by the newer one.

☐ To clear the bookmark on a disc, touch and hold [BookM.].

Searching for a specific scene and starting playback from a specified time

You can search for the scene you want by spe cifving a title or a chapter, and the time.

- Chapter search and time search are not available when disc playback has been stopped.
- 1 Touch [Search] and then touch [Title] (title), [Chapter] (chapter), [Time] (time).
- 2 Touch the keys to input the target number or time and then touch [Enter].



For titles, chapters

- To select 3, touch [3] and [Enter] in order.
- To select 10, touch [1] and [0] and [Enter] in order.

For time (time search)

- To select 5 minutes 3 seconds, touch [5], [min], [3], [sec] and [Enter] in order.
- To select 71 minutes 00 seconds, touch [7],
 [1], [min] and [Enter] in order.
- To select 100 minutes 05 seconds, touch
 [1], [0], [0], [5], [sec] and [Enter] in order.
- To cancel an input number, touch [Clear]. To cancel the input numbers, touch and hold [Clear].

Direct number search

You can use this function when you need to enter a numerical command during DVD play back.

- 1 Touch [Search].
- 2 Touch [10Key].

- 3 Touch [0] to [9] to input the desired number.
- 4 While the input number is displayed, touch [Enter].

Operating the DVD menu

You can operate the DVD menu by touching the menu item on the screen directly.

- ☐ This function can be used when the key is displayed on the lower right corner of the LCD screen.
- □ This function may not work properly with some DVD disc content. In that case, use touch panel keys to operate the DVD menu.
- If you touch the screen while sis displayed, the touch panel keys will not be displayed.
- 1 Touch the screen to display the touch panel keys.
- 2 Touch [Top Menu] or [Menu] to display touch panel keys to operate the DVD menu.
- 3 Touch the desired menu item.
- Touch

The touch panel keys to select the menu item are displayed.

Using DVD menu by touch panel keys

If items on the DVD menu appear, the touch panel keys may overlay them. If so, select an item using those touch panel keys.

1 Touch [▲], [▼], [◄] or [▶] to select the desired menu item.



If the touch panel keys for DVD menu selec tion disappear, touching anywhere on the screen, then touching displays them again.

2 Touch [Enter].

Playback starts from the selected menu item. The way to display the menu differs depending on the disc.

■ Touch [Position].

Each touch of [**Position**] changes the display po sition of touch panel keys.

Touch [Hide].

The touch panel keys are hidden.

And is displayed, so you can select a menu item by touching the screen.

Frame-by-frame playback

This lets you move ahead one frame at a time during pause.

• Touch [II▶] during pause.

Each time you touch [II►], you move ahead one frame.

- □ To return to normal playback, touch [►/II].
- ☐ With some discs, images may be unclear during frame by frame playback.

Slow motion playback

This lets you slow down playback speed.

1 Touch and hold [II▶] until III▶ is displayed during playback.

The icon **■** is displayed, and forward slow motion playback begins.

- ☐ To return to normal playback, touch [►/Ⅱ].
- 2 Touch [◄II] or [II▶] to adjust playback speed during slow motion playback.


Each time you touch $[\blacktriangleleft II]$ or $[II\blacktriangleright]$ it changes the speed in four steps in the following order: $1/16 \leftrightarrow 1/8 \leftrightarrow 1/4 \leftrightarrow 1/2$

- ☐ There is no sound during slow motion play back.
- ☐ With some discs, images may be unclear during slow motion playback.
- Reversed slow motion playback is not possible.

Using the "Function" menu

● Touch con the DVD-V" screen.

The "Function" menu appears.



(1) Changes the repeat range

Each touch of [**Repeat**] changes the setting as follows:

- Disc: Plays throughout the current disc.
- Chapter: Repeats just the current chapter.
- **Title**: Repeats just the current title.
- If you perform chapter (title) search, fast forward, fast reverse or slow motion playback, the repeat play range changes to "Disc".
- This function is not available when disc playback has been stopped.

2 Selects audio output

When playing DVDs recorded with LPCM audio, you can switch the audio output. Touch [L/R Select] repeatedly until the de sired audio output appears on the display.

Each touch of [L/R Select] changes the set tings as follows:

- L+R: Left and right
- L: Left
- R: Right
- Mix: Mixing left and right
- ☐ This function is not available when disc playback has been stopped.
- **3 DVD** setup adjustments
 - ⇒ For details, refer to Displaying DVD/ DivX® Setup menu on page 107.

You can play a DivX disc using the built in drive of the navigation system. This section de scribes those operations.

Starting procedure

- 1 Display the AV operation screen.
 - **⊃** For details of the operations, refer to *Dis* playing the *AV* operation screen on page 77.

2 Insert the disc you want to play into disc-loading slot.


The source changes and then playback will start.

- ⇒ For details of the operation, refer to *Insert* ing and ejecting a disc on page 14.
- ☐ If the disc is already set, tap [**Disc**] on the left edge of the screen.
- ⇒ For details, refer to Selecting a source on page 77.

3 Use the touch panel keys on the screen to control the disc.

⇒ For details, refer to Using the touch panel keys on the next page.

Reading the screen



- 1) Folder number indicator
 - Shows the folder number currently playing.
- ② Audio track indicator Shows the audio track number currently se lected.
- 3 File number indicator Shows the file number currently playing.

(4) Audio channel indicator

Shows the current audio channel type, such as "**Mch**" (Multi channel).

 ${\tt 5}$ Subtitle number indicator

Shows the subtitle number currently selected.

6 Repeat range indicator

Shows which repeat range has been selected.

- ⇒ For details, refer to Changes the repeat range on page 106.
- (7) Current time
- 8 Digital sound format indicator

Shows the digital sound format (surround sound format) currently selected.

9 Play time indicator

Shows the elapsed playing time within the current file.

10 Source icon

Shows which source has been selected.

Using the touch panel keys

Playback screen (page 1)



Playback screen (page 2)



- With some discs, the icon on may be displayed, meaning that the operation is invalid.
- 1 Selects a file from the list

Touching the key displays the list which lets you see the list of file names or folder names on a disc.

□ A dash () is displayed if there is no cor responding information.

Tapping a folder on the list shows its content. You can play a file on the list by tapping it.



→ For details, refer to Operating list screens (e.g. iPod list screen) on page 77.

The contents of the folder in which the cur rently playing file is located are displayed.

Touching displays the content of the upper folder (parent folder). If the uppermost folder is listed. Cannot be used.

- 2 Stops playback
- 3 Hides the touch panel keys and information of the current video

Touching [**Hide**] shows only the current video. To display the touch panel keys and information of the current video, touch the screen.

4 Skips forward or backward

Touching [►►I] skips to the start of the next file. Touching [I◄◄] once skips to the start of the current file. Touching it twice quickly will skip to the previous file.

- ☐ You can also perform these operations by using the **TRK** button.
- ⑤ Playback and Pause

Touching $[\blacktriangleright/II]$ switches between playback and pause.

- Switches to the next page of touch panel keys
- (7) Switches the information

Touching [**Disp**] changes the content of the in formation panel as follows:

Disc information display Current folder name display Current file name display

- ® Recalls equalizer curves
 - ⇒ For details, refer to Using the equalizer on page 172.
- 9 Displays the "Function" menu
 - ➤ For details, refer to Using the "Function" menu on the next page.
- 10 Switches the media file type played

When playing a disc containing a mixture of various media file types, you can switch be tween media file types to play.

Tap the key repeatedly to switch between the following media file types:

- **CD** (audio data (CD DA)) **ROM** (com pressed audio file) **DivX** (DivX video files)
- Searches for a desired scene and starts playback from a specified time
 - → For details, refer to Starting playback from a specified time on the next page.
- ② Changes audio tracks (Multi-audio) Each touch of [Audio] switches between audio tracks.

(3) Changes the subtitle (Multi-subtitle) Each touch of [S.Title] switches between the

subtitle languages recorded on the disc.

(14) Fast reverse or forward

Touch $[\blacktriangleleft \blacktriangleleft]$ or $[\blacktriangleright \blacktriangleright]$ to perform fast reverse or forward.

If you touch and hold $[\blacktriangleleft \blacktriangleleft]$ or $[\blacktriangleright \blacktriangleright]$ for five seconds, fast reverse/fast forward continues even if you release either of these keys. To re sume playback at a desired point, touch $[\blacktriangleright \blacktriangleright \parallel \parallel]$, $[\blacktriangleleft \blacktriangleleft]$ or $[\blacktriangleright \blacktriangleright]$ opposite to key pushed for five seconds.

- Frame-by-frame playback (or slow-motion playback)
 - → For details, refer to Frame by frame play back on this page.
 - → For details, refer to Slow motion playback on this page.

Frame-by-frame playback

This lets you move ahead one frame at a time during pause.

Touch [II▶] during pause.

Each time you touch [**II►**], you move ahead one frame.

- □ To return to normal playback, touch [►/II].
- ☐ With some discs, images may be unclear during frame by frame playback.

Slow motion playback

This lets you slow down playback speed.

● Touch and hold [||▶] until ••• is displayed during playback.

The icon ••• is displayed, and forward slow motion playback begins.

- □ To return to normal playback, touch [►►] or [◄◄], etc.
- ☐ There is no sound during slow motion play back.
- ☐ With some discs, images may be unclear during slow motion playback.
- ☐ Reversed slow motion playback is not possible.

Starting playback from a specified time

You can search for a desired scene by specify ing the time.

- Time search are not possible when disc playback has been stopped.
- 1 Touch [Search].
- 2 Touch the keys to input the target number or time and then touch [Enter].




- To select 5 minutes 3 seconds, touch [5], [min], [3], [sec] and [Enter] in order.
- To select 71 minutes 00 seconds, touch [7], [1], [min] and [Enter] in order.
- To select 100 minutes 05 seconds, touch
 [1], [0], [0], [5], [sec] and [Enter] in order.
- □ To cancel an input number, touch [Clear]. To cancel the input numbers, touch and hold [Clear]. ■

Using the "Function" menu

● Touch
on the "DivX" screen.

The "Function" menu appears.



① Changes the repeat range Each touch of [Repeat] changes the setting as follows:

- **Disc**: Plays throughout the current disc.
- · File: Repeats just the current file.
- Folder: Repeats just the current folder.
- If you select another folder during repeat play, the repeat play range changes to "Disc"
- If you perform fast reverse or fast for ward during "File", the repeat play range changes to "Folder".
- When "Folder" is selected, it is not pos sible to playback a subfolder of that folder.
- When playing discs with compressed audio files and audio data (CD DA), re peat play is performed within DivX vi deos even if "Disc" is selected.
- ② DVD setup adjustments
 - ⇒ For details, refer to Displaying DVD/ DivX® Setup menu on the next page.

DVD-Video or DivX setup

This chapter describes how to configure the DVD Video/DivX player.

Displaying DVD/DivX® Setup menu

- 1 Play the disc that contains DVD-Video or DivX.
- 2 Display the AV operation screen.
 - **⇒** For details of the operations, refer to *Dis* playing the AV operation screen on page 77.
- 3 Touch 🔯.

The "Function" menu appears.

4 Touch [DVD/DivX® Setup]. The "**DVD/DivX® Setup**" screen appears.

5 Touch the desired function.



Setting the top-priority languages

You can assign the top priority language to the top priority subtitle, audio and menu in initial playback. If the selected language is recorded on the disc, subtitles, audio and menu are displayed or output in that language.

- 1 Display the "DVD/DivX® Setup" screen.
 - → For details, refer to Displaying DVD/DivX® Setup menu on this page.

2 Touch [Subtitle Language], [Audio Language] or [Menu Language].

Each language menu is displayed and the cur rently set language is selected.

3 Touch the desired language.

When you select "**Others**", a language code input display is shown. Input the four digit code of the desired language then touch [**Enter**].

- → For details, refer to Language code chart for DVDs on page 110.
- If the selected language is not recorded on the disc, the default language specified on the disc is output and displayed.
- You can also switch the subtitle and audio language by touching [S.Title] or [Audio] during playback.
- Even if you use "S.Title" or "Audio" to switch the subtitle or audio language, this does not affect the settings here.

Setting the angle icon display

You can set the angle icon ### to display in scenes where the angle can be switched.

- 1 Display the "DVD/DivX® Setup" screen.
 - → For details, refer to Displaying DVD/DivX® Setup menu on this page.

2 Touch [Multi Angle].

Touching [Multi Angle] switches between "On" and "Off".

Setting the aspect ratio

There are two kinds of displays. A wide screen display has a width to height ratio (TV aspect) of 16:9, while a regular display has a TV aspect of 4:3. If you use a regular rear display with a TV aspect of 4:3, you can set the aspect ratio suitable for your rear display. (We recommend use of this function only when you want to fit it to the rear display.)

DVD-Video or DivX setup

- When using a regular display, select either "Letter Box" or "Panscan". Selecting "16:9" may result in an unnatural picture.
- 1 Display the "DVD/DivX® Setup" screen.
 - For details, refer to Displaying DVD/DivX®
 Setup menu on the previous page.

2 Touch [TV Aspect].

Each touch of [**TV Aspect**] changes the setting as follows:

- **16:9**: Wide screen picture (16:9) is displayed as it is (initial setting).
- Letter Box: The picture is in the shape of a letter box with black bands at the top and bottom of the screen.
- **Panscan**: The picture is cut short at the right and left of the screen.
- When playing discs that do not have a pan scan system, the disc is played back with "Letter Box" even if you select "Panscan" setting. Confirm whether the disc package bears the 16:9 LB mark.
- ☐ Some discs do not enable changing of the
 TV aspect. For details, refer to the disc's in
 structions
 ☐

Setting the parental lock

Some DVD Video discs let you use parental lock to set restrictions so that children cannot watch violent or adult oriented scenes. You can set the parental lock level in steps as de sired.

When you set a parental lock level and then play a disc featuring parental lock, code number input indications may be dis played. In this case, playback will begin when the correct code number is input.

Setting the code number and level

When you first use this function, register your code number. If you do not register a code number, parental lock will not operate.

- 1 Display the "DVD/DivX® Setup" screen.
 - → For details, refer to *Displaying* DVD/DivX®Setup *menu* on the previous page.
- 2 Touch [Parental Level].
- 3 Touch [0] to [9] to input a four-digit code number.

4 While the input number is displayed, touch [Enter].

The code number is registered, and you can now set the level.

5 Touch any of [1] to [8] to select the desired level.

The parental lock level is set.

- **Level 8**: Playback of the entire disc is possi ble (initial setting).
- Level 7 to Level 2: Playback of discs for children and non adult oriented discs is possible.
- **Level 1**: Only playback of discs for children is possible.
- If you want to change the parental level al ready set, enter the registered code number and then select the parental level.
- We recommend that you keep a record of your code number in case you forget it.
- ☐ The parental lock level is recorded on the disc. You can confirm it by looking at the disc package, the included literature or the disc itself. You cannot use parental lock with discs that do not feature a recorded parental lock level.
- With some discs, parental lock operates to skip certain scenes only, after which normal playback resumes. For details, refer to the disc's instructions.
- ☐ If you forget the registered code number, touch ☐ 10 times on the number input screen. The registered code number is can celed, letting you register a new one.

DVD-Video or DivX setup

Setting the auto play

When a DVD disc with DVD menu is inserted, this unit will cancel the DVD menu automati cally and start playback from the first chapter of the first title.

- ☐ This function is available for DVD Video.
- Some DVDs may not operate properly. If this function is not fully operable, turn this function off and start playback.
- 1 Display the "DVD/DivX® Setup" screen.
 - ⇒ For details, refer to Displaying DVD/DivX® Setup menu on page 107.
- 2 Touch [Auto Play].

Touching [Auto Play] switches this setting be tween "On" and "Off".

■ When "Auto Play" is set to "On", the repeat range is automatically set to "Disc".

Setting the subtitle file for DivX

You can select whether to display DivX exter nal subtitles or not.

- If no DivX external subtitle files exist, the original DivX subtitles are displayed even when "Custom" is selected.
- 1 Display the "DVD/DivX® Setup" screen.
 - ➡ For details, refer to Displaying DVD/DivX® Setup menu on page 107.
- 2 Touch [Subtitle File].

Touching [Subtitle File] switches this setting between "Original" and "Custom".

- Up to 42 characters can be displayed on one line. If more than 42 characters are set, the line breaks and the characters are dis played on the next line.
- Up to 126 characters can be displayed on one screen. If more than 126 characters are set, the excess characters will not be dis played.

- ☐ The DivX subtitles will be displayed even when the subtitle file setting is on if no cor responding subtitle files exist.
- ☐ Up to three lines can be displayed at once. ■

DVD-Video or DivX setup

Language code chart for DVDs

Two-letter Two-letter Two-letter					
code,	Language	Iwo-letter code,	Language	iwo-letter code,	Language
input code	Language	input code	Language	input code	Language
aa, 0101	Afar	ia, 0901	Interlingua	rn, 1814	Rundi
ab, 0102	Abkhazian	ie, 0905	Interlingue	ro, 1815	Romanian
af, 0106	Afrikaans	ik, 0911	Inupiag	ru, 1821	Russian
am, 0113	Amharic	in, 0914	Indonesian	rw, 1823	Kinyarwanda
ar, 0118	Arabic	is, 0919	Icelandic	sa, 1901	Sanskrit
as, 0119	Assamese	it, 0920	Italian	sd, 1904	Sindhi
av. 0125	Aymara	ia, 1001	Japanese	sg. 1907	Sango
az, 0126	Azerbaijani	ji, 1009	Yiddish	sh, 1908	Serbo Croatian
ba, 0201	Bashkir	jw, 1023	Javanese	si, 1909	Sinhala
be, 0205	Belarusian	ka, 1101	Georgian	sk, 1911	Slovak
bg, 0207	Bulgarian	kk, 1111	Kazakh	sl, 1912	Slovenian
bh, 0208	Bihari	kl, 1112	Kalaallisut	sm, 1913	Samoan
bi, 0209	Bislama	km, 1113	Central Khmer	sn, 1914	Shona
bn, 0214	Bengali	kn, 1114	Kannada	so, 1915	Somali
bo, 0215	Tibetan	ko, 1115	Korean	sq, 1917	Albanian
br, 0218	Breton	ks, 1119	Kashmiri	sr, 1918	Serbian
ca, 0301	Catalan	ku, 1121	Kurdish	ss, 1919	Swati
co, 0315	Corsican	ky, 1125	Kirghiz; Kyrgyz	st, 1920	Sotho, Southern
cs, 0319	Czech	la, 1201	Latin	su, 1921	Sundanese
cy, 0325	Welsh	ln, 1214	Lingala	sv. 1922	Swedish
da, 0401	Danish	lo, 1215	Lao	sw, 1923	Swahili
de, 0405	German	lt, 1220	Lithuanian	ta, 2001	Tamil
dz, 0426	Dzongkha	lv, 1222	Latvian	te, 2005	Telugu
ee, 0505	Ewe	mg, 1307	Malagasy	tg, 2007	Tajik
el, 0512	Greek	mi, 1309	Maori	th, 2008	Thai
en, 0514	English	mk, 1311	Macedonian	ti, 2009	Tigrinya
eo, 0515	Esperanto	ml, 1312	Malayalam	tk, 2011	Turkmen
es, 0519	Spanish	mn, 1314	Mongolian	tl, 2012	Tagalog
et, 0520	Estonian	mo, 1315	Moldavian	tn, 2014	Tswana
eu, 0521	Basque	mr, 1318	Marathi	to, 2015	Tonga
fa, 0601	Persian	ms, 1319	Malay	tr, 2018	Turkish
fi, 0609	Finnish	mt, 1320	Maltese	ts, 2019	Tsonga
fj, 0610	Fijian	my, 1325	Burmese	tt, 2020	Tatar
fo, 0615	Faroese	na, 1401	Nauru	tw, 2023	Twi
fr, 0618	French	ne, 1405	Nepali	uk, 2111	Ukrainian
fy, 0625	Western Frisian	nl, 1412	Dutch; Flemish	ur, 2118	Urdu
ga, 0701	Irish	no, 1415	Norwegian	uz, 2126	Uzbek
gd, 0704	Gaelic	oc, 1503	Occitan	vi, 2209	Vietnamese
gl, 0712	Galician	om, 1513	Oromo	vo, 2215	Volapuk
gn, 0714	Guarani	or, 1518	Oriya	wo, 2315	Wolof
gu, 0721	Gujarati	pa, 1601	Panjabi; Punjabi	xh, 2408	Xhosa
ha, 0801	Hausa	pl, 1612	Polish	yo, 2515	Yoruba
hi, 0809	Hindi	ps, 1619	Pushto; Pashto	zh, 2608	Chinese
hr, 0818	Croatian	pt, 1620	Portuguese	zu, 2621	Zulu
hu, 0821	Hungarian	qu, 1721	Quechua		
hy, 0825	Armenian	rm, 1813	Romansh		

Playing music files (from USB or SD)


You can play the compressed audio files stored in the external storage device (USB, SD).

☐ In the following description, the SD mem ory card and USB memory device are collectively referred to as the "external storage device (USB, SD)". If it indicates the USB memory device only, it is referred to as the "USB storage device".

Starting procedure

- 1 Display the AV operation screen.
 - ⇒ For details of the operations, refer to Dis playing the AV operation screen on page 77.
- 2 Insert the SD memory card into the SD card slot or plug the USB storage device into the USB connector.
 - ⇒ For details, refer to Plugging in a USB sto rage device on page 18.
 - ⇒ For details, refer to Inserting and ejecting an SD memory card on page 15.
 - Playback is performed in order of folder numbers. Folders are skipped if they con tain no playable files. If there are no play able files in folder 01 (root folder), playback starts from folder 02.
- 3 Tap [USB] or [SD] on the left edge of the screen to display the "USB" or "SD" screen.
- 4 Use the touch panel keys on the screen to control the external storage device (USB, SD).
 - For details, refer to Using the touch panel keys (Music) on page 113. ■

Reading the screen



- ☐ This unit may not achieve optimum perfor mance with some external storage devices.
- You can playback the files on a USB sto rage device compliant with Mass Storage Class. For details about the USB Class, refer to the manual supplied with the USB storage device.
- Playback condition indicator

Indicates the current playback condition.

Scanning folders and files

Indicator:	Meaning
OFF :≡	Cancels the scan play.
on⊞	Plays the first audio files of each folder for about 10 sec onds when the repeat range is set to "Media". Plays the beginning of each audio file in the current folder for about 10 seconds when the repeat range is set to "Folder".

Playing files in random order

Indicator:	Meaning
OFF¥≎₹	Does not play files in random order.
ONXX	Plays all audio files in the cur rent repeat play range in ran dom order.

Setting a repeat play range

Playing music files (from USB or SD)

Indicator:	Meaning	
₽¢	Repeats all compressed audio files in the selected ex ternal storage device (USB, SD).	
De	Repeats just the current file.	
	Repeats the current folder.	

2 Current file information

• Tolder name

Shows the folder name currently play ing.

Artist name

Shows the artist name currently playing (when available).

Album title

Shows the title of the album for the cur rent file (when available).

Track title

Shows the title of the track currently playing (when available).

☐ If the title of a track is not available, the file name appears.

Play time

Shows the elapsed playing time within the current file.

☐ "----" is displayed if there is no corre sponding information.

3 Current time

(4) File information

- · File number indicator
- File name indicator
- File type indicator


Shows the type of audio file.

(5) Source icon

Shows which source has been selected.

Playing music files (from USB or SD)

Using the touch panel keys (Music)



1 Scans folders and files

Scan play is performed by touching only one key.

- For details of the operation, refer to Scans folders and files on the next page.
- 2 Plays files in random order

The files in the current repeat play range can be played at random by touching only one key.

- For details of the operation, refer to Plays files in random order on the next page.
- 3 Sets a repeat play range

The repeat play range can be changed by touching only one key.

- → For details, refer to Changes the repeat range on the next page.
- (4) Selects a file to play

Scrolling the keys up or down displays files, and tapping a file starts playback.

Tapping the lower key during random play back skips to the next file. Tapping the upper key jumps to the start of the current file.

- 5 Recalls equalizer curves
 - **⇒** For details, refer to *Using the equalizer* on page 172.
- 6 Displays the "Function" menu

→ For details, refer to Using the "Function" menu on the next page.

⑦ Playback and Pause

Touching [▶/II] switches between playback and pause.

8 Selects a file from the list

Touching the key displays the list which lets you see the list of track titles or folder names on an external storage device (USB, SD). Tapping a folder on the list shows its content. You can play a file on the list by tapping it.



⊃ For details, refer to *Operating list screens* (e.g. iPod list screen) on page 77.

Touching displays the content of the upper folder (parent folder). If the uppermost folder is listed, cannot be used.

9 Switches the operation screen


22

Playing music files (from USB or SD)

Tapping this key switches between the screen to operate music files and the screen to oper ate video files. This touch panel key is avail able only when there are both audio and video files in the external storage device (USB, SD).

Using the "Function" menu

• Touch on the "USB" or "SD" screen.
The "Function" menu appears.



① Changes the repeat range

Each touch of [Repeat] changes the setting as follows:

- Media: Repeats all compressed audio files in the selected external storage de vice (USB, SD).
- Track: Repeats just the current file.
- Folder: Repeats the current folder.
- If you skip the file forward or backward when the repeat play range in "Track", the repeat play range changes to "Folder".

2 Plays files in random order

Random play lets you playback files in ran dom order within the current repeat range. Each touch of [Random] turns it on or off.

If you turn the random play on when the repeat play range is set to "Track", the repeat play range changes to "Folder" automatically.

3 Scans folders and files

Scan play lets you hear the first 10 seconds of each file. Scan play is performed in the current repeat play range.

Each touch of [**Scan**] turns it on or off. When you find the track you want, touch [**Scan**] to turn the scan play off.

- After all files or folders scanning are fin ished, normal playback will begin again.
- If you turn the scan play on when the re peat play range is set to "Track", the re peat play range changes to "Folder" automatically.

Playing video files (from USB or SD)

You can play the video files stored in the external storage device (USB, SD).

□ In the following description, the SD mem ory card and USB memory device are col lectively referred to as the "external storage device (USB, SD)". If it indicates the USB memory device only, it is referred to as the "USB storage device".

Starting procedure

- 1 Display the AV operation screen.
 - → For details of the operations, refer to Dis playing the AV operation screen on page 77.
- 2 Insert the SD memory card into the SD card slot or plug the USB storage device into the USB connector.
 - **⊃** For details, refer to *Plugging in a USB sto rage device* on page 18.
 - ⇒ For details, refer to Inserting and ejecting an SD memory card on page 15.
 - Playback is performed in order of folder numbers. Folders are skipped if they con tain no playable files. If there are no play able files in folder 01 (root folder), playback starts from folder 02.
- 3 Tap [USB] or [SD] on the left edge of the screen to display the "USB" or "SD" screen.
- 4 Touch the screen to display the touch panel keys.
- 5 Use the touch panel keys on the screen to control the external storage device (USB, SD).
 - ⇒ For details, refer to Using the touch panel keys (Video) on the next page.


Reading the screen



- ☐ This unit may not achieve optimum perfor mance with some external storage devices.
- You can playback the files on a USB sto rage device compliant with Mass Storage Class. For details about the USB Class, refer to the manual supplied with the USB storage device.
- 1) Folder number indicator
- ② File number indicator
- ③ Current folder name indicator Shows the folder name currently playing.
- 4 **File name indicator**Shows the file name currently playing.
- (5) Current time
- 6 File type indicator Shows the type of audio file currently playing.
- Play time indicator Shows the elapsed playing time within the current file.
- Source icon Shows which source has been selected.

Playing video files (from USB or SD)

Using the touch panel keys (Video)



- 1) Stops playback
- ② Selects a file from the list

You can select and play the title you want from the list.



➤ For details, refer to *Operating list screens* (e.g. iPod list screen) on page 77.

The contents of the folder in which the cur rently playing file is located are displayed.

Touching ☑ displays the content of the upper folder (parent folder). If the uppermost folder is listed, ☑ cannot be used.

3 Skips forward or backward

Touching [►►I] skips to the start of the next file. Touching [I◄◄] once skips to the start of the current file. Touching it twice quickly will skip to the previous file.

Fast reverse or forward

Touch and hold [I◄◄] or [►►I] to fast reverse or fast forward.

- ☐ There is no sound on fast reverse or for ward.
- ☐ You can also perform these operations by using the **TRK** button.
- 4 Hides the touch panel keys and information of the current video

Touching [**Hide**] shows only the current video. To display the touch panel keys and information of the current video, touch the screen.

⑤ Playback and Pause

Touching [►/II] switches between playback and pause.

- Searches for a desired scene and starts playback from a specified time
 - → For details, refer to Searching for a speci fic scene and starting playback from a specified time on the next page.
- 7 Recalls equalizer curves
 - → For details, refer to Using the equalizer on page 172.
- 8 Displays the "Function" menu
 - ⇒ For details, refer to *Using the* "Function" menu on the next page.
- 9 Switches the operation screen

Playing video files (from USB or SD)

Tapping this key switches between the screen to operate music files and the screen to oper ate video files. This touch panel key is avail able only when there are both audio and video files in the external storage device (USB, SD).

Searching for a specific scene and starting playback from a specified time

You can search for a desired scene by specify ing the time.

- 1 Touch [Search].
- 2 Touch the keys to input the target number or time and then touch [Enter].



- To select 5 minutes 3 seconds, touch [5], [min], [3], [sec] and [Enter] in order.
- To select 71 minutes 00 seconds, touch [7],
 [1], [min] and [Enter] in order.
- To select 100 minutes 05 seconds, touch
 [1], [0], [0], [5], [sec] and [Enter] in order.
- □ To cancel an input number, touch [Clear]. To cancel the input numbers, touch and hold [Clear]. ■


Using the "Function" menu

- 1 Tap [USB] or [SD] on the left edge of the screen to display the "USB" or "SD" screen.
 - **⊃** For details of the operations, refer to *Dis* playing the AV operation screen on page 77.
- 2 Touch the screen to display the touch panel keys.

3 Touch ...

The "Function" menu appears.

If the touch panel keys are not shown, touch anywhere on the screen to display them.



1 Changes the repeat range

Each touch of [**Repeat**] changes the setting as follows:

- Media: Repeats all video files in the se lected external storage device (USB, SD).
- **File**: Repeats just the current file.
- Folder: Repeats the current folder.
- ☐ If you skip the file forward or backward when the repeat play range in "File", the repeat play range changes to "Folder".

2 Changes the screen size of video

If a video file is played, you can select the display mode between normal and full screen.

Each touch of [Video Output Setting] changes the setting as follows:

- Normal: Enlarges the display size while maintaining the aspect ratio.
- Full: Displays the image full screen although the aspect ratio may be af fected.

Using the USB interface cable for iPod en ables you to connect your iPod to the navigation system.

□ A USB interface cable for iPod (CD IU50V) (sold separately) is required for connection.

Starting procedure

- 1 Display the AV operation screen.
 - **⊃** For details of the operations, refer to *Dis* playing the AV operation screen on page 77.

2 Connect your iPod.

The source changes and then playback will start.

- ➡ For details, refer to Connecting your iPod on page 19.
- ☐ If the iPod is already connected, tap [iPod] on the left edge of the screen.
- ⇒ For details, refer to Selecting a source on page 77.
- No video is output if iPod is selected as AV source, check the setting in "AV1 Input" on the "AV System Settings" menu.
- For details, refer to Setting video input 1 (AV1) on page 168.

3 Use the touch panel keys on the screen to control your iPod.

⇒ For details of the operation, refer to Using the touch panel keys on page 120.

Reading the screen

Music



Video



1 Playback condition indicator

Indicates the current playback condition.

Setting the shuffle play for music

Indicator:	Meaning		
OFF⊅⊄	Cancels the shuffle play.		
₽×¢	Plays back songs in random order within the selected list.		
⊙ ∞4	Selects an album randomly, and then plays back all songs in that album in order.		

Setting a repeat play range

Indicator:	Meaning		
2	Repeats all songs in the se lected list.		
Repeats just the current song.			

2 Current song (episode) information

T: Artist name (podcast title)
 Shows the artist name currently playing.
 When a podcast is played, the podcast title is displayed.

• **o**: **Album title (release date)**Shows the title of the album for the song. When a podcast is played, the re lease date is displayed.

Song title (episode) Shows the title of the current song. When a podcast is played, the episode is displayed.

• E Chapter number

Shows the current chapter number and total number of chapters when the file with chapters played.

· Play time

Shows the elapsed playing time within the current song (episode).

"-----" is displayed if there is no corre sponding information.

3 Current video information

• Chapter number

Shows the current chapter number when the video with chapters played.

Artist name (podcast title)

Shows the artist name currently playing. When a podcast is played, the podcast title is displayed.

• In: File number indicator

Shows the number of the file currently playing.

· File name indicator

Shows the file name currently playing.

· Play time indicator

Shows the elapsed playing time within the current file.

(4) Current time

5 Song (episode) information

Song number indicator

Shows the number of the song and the total number of songs in the selected list.

· Song title (episode) indicator

Album artwork

Album art of the current song is dis played if it is available.

6 Genre indicator

Shows the genre of the current song.


(7) Source icon

Shows which source has been selected.


If characters recorded on the iPod are not compatible with this navigation system, they may turn into garbled characters.

Using the touch panel keys





Video



1) Sets the shuffle play for music

The shuffle play setting can be changed by touching only one key.

- ⇒ For details, refer to Sets the shuffle play for music on page 124.
- 2 Sets a repeat play range

The repeat play range can be changed by touching only one key.

- **⊃** For details, refer to **Sets repeat play** on page 124.
- ③ Plays a playlist using MusicSphere Touching the key displays the MusicSphere screen, and a playlist created with the PC ap plication (MusicSphere) can be played.
 - → For details, refer to *Playing* Music-Sphere on page 124.

4 Selects a song to play

Scrolling the keys up or down displays songs, and tapping a song starts playback.

Tapping the lower key during shuffle playback skips to the next song. Tapping the upper key once skip to the start of the current song. Tapping it again will skip to the previous song. When the song with chapters played, chapter can be skipped back and forward.

- **5** Displays the genre list
- 6 Displays the top category menu Touching the key displays the top category for song playback.

Displays the previous selected list

If you select the song from the list to play after touching , touching the key displays the pre vious list.

- 7 Recalls equalizer curves
 - → For details, refer to Using the equalizer on page 172.
- ® Displays the "Function" menu
 - → For details, refer to Using the "Function" menu on page 124.
- 9 Playback and Pause

Touching $[\triangleright/\blacksquare]$ switches between playback and pause.

- 10 Displays the song list
- 1 Displays the album list
- (2) Displays the artist list
- (13) Switches the operation screen

Tapping this key displays the touch panel key ([Video] or [Music]) to switch between the screen to operate video files and the screen to operate music files.

- ⇒ For details of the operation, refer to Starting the video playback on the next page.
- This touch panel key is available only when there are both audio and video file in your iPod.
- If iPod fifth generation is connected, the following settings are automatically changed when the operation screen is switched to the screen to operate video files.
 - "Repeat" is set to "All".
 - "Shuffle" is set to "Off".

☐ Touching [Video] or [Music] on the list screens enables you to perform the equivalent operation.



Displays the top category menu

Touching the key displays the top category menu for song or video playback.

Skips back or forward to another video
 Touching [►►] skips to the start of the next video. Touching [►►] once skips to the start of the current video. Touching again will skip to the previous video. When the video with chapters played, chapter can be skipped back and forward.

Fast reverse or forward

Touch and hold $[I \triangleleft \triangleleft]$ or $[\blacktriangleright \blacktriangleright I]$ to fast reverse or fast forward.

If you touch and hold [I◄◄] or [►►] for five seconds, fast reverse/fast forward continues even if you release either of these keys. To re sume playback at a desired point, touch

- $[\blacktriangleright/II]$, $[I\blacktriangleleft\blacktriangleleft]$ or $[\blacktriangleright\blacktriangleright I]$.
- ☐ You can also perform these operations by using the **TRK** button.
- (5) Hides the touch panel keys and information of the current video

Touching [**Hide**] shows only the current video. To display the touch panel keys and information of the current video, touch the screen.

(i) Displays the top category menu for video Touching the key displays the top category for video playback.

Displays the previous selected list

If you select the video from the list to play after touching , touching the key displays the previous list.

Starting the video playback

This navigation system can play video if an iPod with video capabilities is connected.

- 1 Touch [iPod] on the left edge of the screen to display the touch panel key to switch to a video source.
- 2 Tap [Music].



A list of videos by category appears.

3 Tap one of the categories in that contains the video you want to play.



- 4 Tap your desired item on the list to narrow down them until the video list appears.
 - → For details, refer to Narrowing down a song or video with the list on this page.
- 5 On the video list, tap the video you want to play.

Video playback will start.

- 6 Touch the screen to display the touch panel keys.
 - For details of the operation, refer to *Using* the touch panel keys on page 120. ■

Narrowing down a song or video with the list

Tapping an item on list allows you to search for a song or video and play it in your iPod.

- Display a list screen.
 - ⇒ For details, refer to **Displays the genre list** on the previous page.
 - For details, refer to **Displays the song list** on the previous page.
 - ⇒ For details, refer to *Displays the album list* on the previous page.
 - ⇒ For details, refer to **Displays the artist list** on the previous page.
- Touch **a** to display the top category menu screen, and then tap the category you want.



2 Scroll by dragging tabs up or down to display the character that you want to refine.



Alphabet tabs

- 3 Tap the tab to select the character and display the page which includes applicable options.
 - An article listed below and space at the be ginning of the artist name will be ignored and the next character will be taken into ac count for searching.

"A" or "a"

"AN", "An", or "an"
"THE", "The", or "the"

4 Scroll by dragging items up or down, and display the item you want to select.

Refine the item until the song title (episode) is displayed on the list.

- □ Tapping [AII] on the list includes all options in the current list. For example, if you tap [AII] after tapping [Artists], you can pro ceed to the next screen with all artists in the list selected.
- After you select Artists, Albums, or Genres, go on to tap one of the list to start playing the first song in the selected list and display the next hierarchy.

5 On the song (episode) or video list, tap the song (episode) or video you want to play.

□ After you select the song (episode) or video using this function, touching • displays the list previously selected. •

Operating the functions from your iPod

You can control the functions by using iPod it self while iPod is connected to the navigation system. Sound can be heard from the car's speakers, and operation can be conducted from your iPod.

Even if "Change Control Mode" is set to "iPod", following functions are available from this navigation system.

- · Playback and Pause
- · Fast reverse or forward
- · Skip forward or backward
- Adjusting the volume
- ⇒ For details, refer to Sets iPod control mode on page 125.

Playing MusicSphere

You can play playlists created with the PC ap plication (**MusicSphere**) using an exciting graphic interface.

☐ PC application (**MusicSphere**) will be avail able on our website.

Tapping a key moves the playlist to the center of the screen, and tapping the center key starts playback.

- To change the playlist to be displayed, rotate the sphere by dragging the keys up, down, left, or right.
- 2 Switches to the AV operation screen

Reading the screen



1 Playlist name indicator

Shows the name of the playlist currently se lected.

- 2 Current time
- 3 Category name

Shows the category name in the playlist.

4 Song title indicator

Shows six songs including the first song played after selecting the playlist.

Sategory name and total number of songs Shows the category name and the total num ber of playable songs in the playlist currently selected.

Using the touch panel keys




(1) Plays the playlist

Using the "Function" menu

- If "Change Control Mode" is set to "iPod", only the setting of "Change Control Mode" is available.
- Touch a on the "iPod" screen.

The "Function" menu appears.



1) Sets repeat play

There are two repeat play types for play back.

Each touch of [**Repeat**] changes the setting as follows:

- All: Repeats all songs in the selected list.
- One: Repeats just the current song.
- 2 Sets the shuffle play for music

This function shuffles songs or albums and plays them in random order.

Each touch of [**Shuffle**] changes the setting as follows:

- Off: Does not shuffle.
- **Songs**: Plays back songs in random order within the selected list.
- Albums: Selects an album randomly, and then plays back all songs in that album in order.

3 Sets the audiobook play speed

While listening to an audiobook on iPod, playback speed can be changed. Each touch of [Audio Book] changes the setting as follows:

- Normal: Playback in normal speed
- Faster: Playback faster than normal speed
- **Slower**: Playback slower than normal speed

4 Plays video in wide screen mode

If the video is compatible with wide screen format, set "Widescreen" to "On" in order to view the video image in the wide screen. Each touch of [Widescreen] changes the setting as follows:

- On: Outputs the wide screen video from iPod.
- Off: Outputs the normal sized video from iPod.
- Display size is changed after you change "Widescreen" setting and select the video to play.
- ☐ This setting is available only during the video operation.

⑤ Plays songs related to the currently playing song

You can play songs related to the currently playing song, using of the following lists.

- Link Artists: Songs related to the cur rently playing artist will be played in the album order.
- **Link Albums**: Songs related to the cur rently playing album will be played.
- Link Genre: Songs related to the cur rently playing genre will be played in the artist order

6 Sets iPod control mode

While the control mode is set to "**iPod**", you can operate iPod function from the con nected iPod.

Each touch of [Change Control Mode] changes the setting as follows:

- **Navi**: Allows you to control the iPod functions from the navigation system.
- iPod: Allows you to control the iPod functions from the connected iPod.

Using Pandora®

IMPORTANT:

Requirements to access the Pandora music ser vice using the Pioneer navigation system:

- Apple iPhone (first generation), iPhone 3G, or iPhone 3GS, with firmware version 3.0 or later.
- Latest version of the Pandora application for the iPhone, downloaded to your device. (Search Apple iTunes App Store for "Pan dora").
- Current Pandora account (Free account and paid accounts available from Pandora; create a free account online at http://www.pandora.com/register or through the Pandora application for the iPhone).
- · iPhone Data Plan.

Note: if the Data Plan for your iPhone does not provide for unlimited data usage, *additional charges from AT&T may apply* for accessing the Pandora service via AT&T's 3G and/or FDGF networks.

- Connection to the Internet via 3G, EDGE or WiFi network.
- Optional Pioneer adapter cable connecting your iPhone to the Pioneer navigation system.

Limitations:

- Access to the Pandora service will depend on the availability of a cellular and/or WiFi net work for purposes of allowing your iPhone to connect to the Internet.
- Pandora's service is currently only available in the U.S.
- Ability of the Pioneer navigation system to ac cess the Pandora service is subject to change without notice and could be affected by any of the following: compatibility issues with future firmware versions of iPhones; compatibility is sues with future firmware versions of the Pan dora application for the iPhone; changes to the Pandora music service by Pandora; dis continuation of the Pandora music service by Pandora.
- Certain functionality of the Pandora service is not available when accessing the service through the Pioneer navigation system, in cluding, but not limited to, creating new sta tions, deleting stations, emailing current

stations, buying songs from iTunes, viewing additional text information, logging in to Pan dora, and adjusting Cell Network Audio Qual ity.

Pandora Internet radio is a music service not af filiated with Pioneer. More information is avail able at http://www.pandora.com.

Pandora is a registered trademark of Pandora Media. Inc.

You can play the Pandora by connecting your iPod which was installed the Pandora application.

Starting procedure

- 1 Display the AV operation screen.
 - ⇒ For details of the operations, refer to Dis playing the AV operation screen on page 77.

2 Connect your iPod.

The source changes and then playback will start.

- → For details, refer to Connecting your iPod on page 19.
- ☐ If the iPod is already connected, tap [Pandora] on the left edge of the screen.
- **⊃** For details of the operations, refer to *Dis* playing the *AV* operation screen on page 77.
- When an iPod is connected to the naviga tion system while the Pandora application is running, the "Pandora" screen appears after the "iPod" screen. Music may also be played back in the "iPod" screen.
- 3 Start up the Pandora application installed on the iPod.
- 4 Tap [Pandora] on the left end of the screen to display "Pandora" screen.
- 5 Use the touch panel keys on the screen to control the Pandora.
 - For details, refer to Using the touch panel keys on page 128. ■

Using Pandora®

Reading the screen



1) Current song information

 Station name indicator Shows the Pandora station name the tuner is currently tuned in.

• Artist name Shows the artist name currently playing.

Album title Shows the title of the album for the cur rent song.

• **▶**: Song title Shows the title of the current song.

· Play time indicator

Shows the elapsed playing time within the current song.

- ☐ "-----" is displayed if there is no corre sponding information.
- 2 Current time
- 3 Album artwork

Album art of the current song is displayed if it is available.

(4) Source icon

Shows which source has been selected.

Using Pandora®

Using the touch panel keys



1) Selects a Pandora station from the list

Touching the key displays the list of your Pan dora stations to select one of them to play.



➡ For details, refer to Operating list screens (e.g. iPod list screen) on page 77.
Scroll by dragging items up or down, and dis play the item you want to select.

- Touching [QuickMix] plays only one song at a time from shuffled several sta tions.
- Each time you touch [List] changes the sort order.
 Current order is indicated on the upper right of the screen.
 - You can sort the items in the list all phabetically.

You can sort the items in the list in order of dates the items were cre ated.

2 Thumbs Up

Touching the key gives "Thumbs Up" to the song currently playing.

(3) Thumbs Down

Touching the key gives "Thumbs Down" to the song currently playing and skip to the next song.

(4) Bookmark

Touching the key displays the screen which lets you select the artist or song to add book marks.

(5) Recalls equalizer curves

→ For details, refer to Using the equalizer on page 172.

6 Playback and Pause

Touching [►/II] switches between playback and pause. ■

You can control the Bluetooth audio player featuring Bluetooth wireless technology.

- Before using the Bluetooth audio player, you need to register and connect the device to this navigation system.
 - **⊃** For details, refer to *Registering your Blue tooth devices* on page 63.
- Depending on the Bluetooth audio player connected to this navigation system, the available operations with this navigation system are limited to the following two le yels:

A2DP profile (Advanced Audio Distribution Profile): Only playing back songs on your audio player is possible.

A2DP profile and AVRCP profile (Audio/Video Remote Control Profile): Playing back, pausing, selecting songs, etc., are

☐ Since there are a number of Bluetooth audio players available on the market, op erations with your Bluetooth audio player using this navigation system vary greatly in range. Please refer to the instruction man ual that came with your Bluetooth audio player as well as this manual while operating your player on this navigation system.

possible.

- While you are listening to songs on your Bluetooth audio player, please refrain from operating your cellular phone as much as possible. If you try operating on your cellu lar phone, the signal from your cellular phone may cause a noise on the song play back.
- Even if you switch to another source while listening to a song on your Bluetooth audio player, the playback of song continues to elapse.
- Depending on the Bluetooth audio player you connected to this navigation system, operations on this navigation system to control the player may differ from those ex plained in this manual.
- When you are talking on a cellular phone connected to this unit via Bluetooth wire less technology, song playback from your

Bluetooth audio player connected to this unit is paused.

Starting procedure

- 1 Display the AV operation screen.
 - **⊃** For details of the operations, refer to *Dis* playing the AV operation screen on page 77.
- 2 Tap [Audio] on the left edge of the screen to display the "Audio" screen.
- 3 Use the touch panel keys on the screen to control the Bluetooth audio player.
 - **⇒** For details, refer to *Using the touch panel keys* on page 131. ■

Reading the screen



1 Playback condition indicator

Indicates the current playback condition if the connected Bluetooth audio player features AVRCP 1.3.

Playing files in random order

Indicator:	Meaning		
OFFXX	Does not play files in random order.		
ONXX	Plays all audio files in the cur rent repeat play range in ran dom order.		

Setting a repeat play range

Indicator: Meaning	
OFF ⇔	Does not repeat.
) =	Repeats just the current file.
ALL.	Repeats all audio files in the Bluetooth audio player.

2 Current file information

If the connected Bluetooth audio player fea tures AVRCP 1.3, the following file information will be displayed.

• Artist name

Shows the artist name currently playing (when available).

Album title

Shows the title of the album for the cur rent file (when available).

Track title

Shows the title of the track currently playing (when available).

· Play time indicator

Shows the elapsed playing time within the current file.

· File number indicator

Shows the file number currently playing (when available).

In the following cases, file information will only be displayed after a file starts or resumes playing:

You connect the Bluetooth audio player compatible with AVRCP1.3, and operate the player to start playing.

You select another file when play back is paused.

3 Current time

(4) Connection status indicator


Shows whether the device featuring Bluetooth technology is connected or not.

5 Device name indicator

6 Source icon

Shows which source has been selected.

Using the touch panel keys



1) Plays files in random order

All of the files within the repeat play range can be played at random by touching only one key.

- This function is available only when the connected Bluetooth audio player fea tures AVRCP 1.3.
- ⇒ For details, refer to Plays files in random order on the next page.
- 2 Sets a repeat play range

The repeat play range can be changed by touching only one key.

- This function is available only when the connected Bluetooth audio player fea tures AVRCP 1.3.
- → For details, refer to Changes the repeat range on this page.
- 3 Playback and Pause

Touching [▶] or [II] switches between play back and pause.


- 4 Connects the Bluetooth audio player Touching [Connect] displays the connection standby screen and the navigation system waits for the Bluetooth wireless connection re quest.
- 5 Recalls equalizer curves

- **⇒** For details, refer to *Using the equalizer* on page 172.
- 6 Displays the "Function" menu
 - **⇒** For details, refer to *Using the* "Function" *menu* on this page. ■

Using the "Function" menu

- This menu is available only when the con nected Bluetooth audio player features AVRCP 1.3.
- Touch on the "Audio" screen.

The "Function" menu appears.



1 Changes the repeat range

Each touch of [**Repeat**] changes the setting as follows:

- **All Repeat**: Repeats all audio files in the Bluetooth audio player.
- Track Repeat: Repeats just the current file.
- Off: Does not repeat.
- If you skip the file forward or backward when the repeat play range in "Track Repeat", the repeat play range changes to "All Repeat".

2 Plays files in random order

Random play lets you playback files in ran dom order within the current repeat range. Each touch of [Random] turns it on or off.

You can use the navigation system to control an XM satellite digital tuner, which is sold se parately.

For details concerning operation, refer to the XM tuner's operation manuals. This section provides information on XM operations with the navigation system which differs from that described in the XM tuner's operation man

The following XM satellite digital tuner units cannot be connected:

GEX P900XM, GEX P910XM

Starting procedure

- 1 Display the AV operation screen.
 - ⇒ For details of the operations, refer to Dis playing the AV operation screen on page 77.
- 2 Tap [XM] on the left edge of the screen to display the "XM" screen.
- 3 Use the touch panel keys on the screen to control the XM tuner.
 - For details, refer to Using the touch panel keys on page 135. ■

Reading the screen

All CH Mode



Category Mode



About the logo for channel name

Only the logo data that is contained in the na vigation system can be displayed for each channel. The logo of a newly established chan nel that is not contained cannot be displayed. When a logo is not available, the following substitute icon is displayed.

Substitute icon



- The icon of each broadcast station is con tained in the NAND flash memory based on the data provided by XM Satellite Radio as of September 2009.
- Any changes made by XM Satellite Radio in the lineup or icon of the broadcast sta tion in the future may not be supported by the navigation system, and may cause the unit to display incorrect icons.
- Source icon

Shows which source has been selected.

2 XM band indicator

Shows the XM band that has been selected.

(3) Current XM station information

Shows the detailed information of the broad cast channel currently being received.

XM channel number

Shows the XM channel number the tuner is currently tuned to.

• N: XM station name

Shows the XM broadcast station name the tuner is currently tuned in.

• Artist (performer) name

Shows the artist (performer) name cur rently playing (when available).


- Song title (program name)
 Shows the title of the current song (program).
- □ "-----" is displayed if there is no corre sponding information.
- (4) Current time
- (5) XM station information
 - · XM station name logo
 - XM channel number
 - Preset number
 Shows what preset item has been se lected.
- **6** XM channel category


Shows the category of broadcast channel.

TM channel select mode indicator Shows what channel select mode has been selected. You can select a channel from all channels in All CH Mode, and select a chan nel from selected category in

Category Mode.

Using the touch panel keys





1 Performs manual tuning

The channels move up or down one at a time.

- ☐ If you keep touching [I◄◄] or [▶►I] you can skip the broadcasting channels.
- ② Switches between the AV operation screen and the preset list display

You can switch the screen display according to your preference.

- ⇒ For details of the operation, refer to Switching between the AV operation screen and the list screen on page 77.
- 3 Memorizes the current song

⊃ For details, refer to *Memorizing the song* on the next page.

4 Recalls channels from the preset

Once you have stored broadcast channels, you can easily recall preset channels from memory with a tap of a key.

→ For details, refer to Storing and recalling broadcast stations on this page.

5 Selects an XM channel directly

→ For details, refer to Selecting an XM channel directly on this page.

6 Recalls equalizer curves

→ For details, refer to Using the equalizer on page 172.

(7) Displays the "Function" menu

➤ For details, refer to Using the "Function" menu on page 138.

8 Switches the XM channel select mode

You can switch the mode between the two methods for selecting and listing the channel.

All CH Mode:

You can select a channel from all channels when you operate this function.

Category Mode:

You can select a channel within a selected ca tegory that you operate this function.

9 Switches to the list display of song titles

→ For details, refer to Selecting a channel from the list on the next page.

Switches to the list display of artist names

→ For details, refer to Selecting a channel from the list on the next page.

① Switches to the list display of XM station names

⊃ For details, refer to *Selecting a channel from the list* on the next page.

(2) Selects an XM band

Tapping the key repeatedly switches between the following XM bands: **XM 1**, **XM 2**, or

XM 3.

☐ This function is convenient for preparing different preset lists for each band.

(3) Performs manual tuning

The channels move up or down one at a time within a selected category.

- ☐ If you keep touching [I◄◄] or [►►I] you can skip the broadcasting channels.
- Switches the channel category
 Touch [◄] or [►] to select the desired category.

Selecting an XM channel directly

You can select an XM channel directly by entering the desired channel number.

- 1 Touch [Direct].
- 2 Touch [0] to [9] to input the desired channel number.

To cancel the input numbers one by one, touch

Touching and holding

allows you to delete all input numbers.

3 While the input number is displayed, touch [Enter].

The XM channel that was entered is selected.

4 Touch 5.

You return to the previous display.

Displaying the Radio ID

If you select CH: 000, the Radio ID is dis played.

- 1 Touch [Direct].
- 2 Input [000] and then touch [Enter].
 - ☐ If you select another channel, display of the Radio ID is canceled.

3 Touch 🔂.

You return to the previous display.

4 Wait until the Radio ID is displayed.

Storing and recalling broadcast stations

With a tap of any of the preset tuning keys ("P1" to "P6"), you can easily store up to six broadcast channels for later recall (also with the tap of a key).

1 Select the channel that you want to store in memory.

2 Display the preset channel list.

⇒ For details, refer to Switches between the AV operation screen and the preset list display on page 135.

3 Keep touching a preset tuning key [P1] to [P6].

The selected station has been stored in mem orv.

The next time you tap the same preset tuning key "P1" to "P6", the station is recalled from memory.

☐ Up to 18 stations, six for each of three XM bands can be stored in memory.

Selecting a channel from the list

The list content can be switched so you can search for the song you want to listen to not only by the channel name but also by the artist name or song title.

The channel list shows all channels during All CH Mode, and the channels included in the selected category during Category Mode.

1 Display a list screen.

- For details, refer to Switches to the list display of song titles on the previous page.
- For details, refer to Switches to the list display of artist names on the previous page.
- For details, refer to Switches to the list display of XM station names on the pre vious page.

2 Touch [List].

XM channel list appears in the display. Each touch of [**List**] changes the screen as follows:

CH Name List (Channel name)
Song Title List (Song title)
Artist Name List (Artist name)

3 Tap the desired channel that you want to listen to.



- ⇒ For details, refer to Operating list screens (e. a. iPod list screen) on page 77.
- □ During Category Mode, touch [◄] or [►] to switch to another category.

Using "My Mix" function

"My Mix" function memorizes the song title and artist name of the song currently being re ceived. When the song that matches the memorized song title and artist name is being broadcast on a station other than the one you are listening to, you will be alerted, and you can switch the station to listen to that song.

A track itself is NOT downloaded. ONLY the song title and the artist name are memor ized.

Memorizing the song

The song title and artist name of the song you are listening to can be memorized to "My Mix".

• Touch and hold [Memo].

The song title and artist name of current song you are listening to are memorized, and a confirmation message appears.

- The song title and artist name of up to 12 songs can be memorized. Trying to save more than 12 songs will result in older ones being overwritten.
- You cannot memorize the song title or the artist name when " " is dis played on the title information.
- ☐ This function is invalid for the channel "000".

- ☐ The memorized title may not be displayed correctly depending on the conditions.
- ☐ You can customize the setting for the mem orized songs later.
 - For more details concerning the opera tion, refer to Setting the memorized songs on this page.

When the memorized song is broadcast

A beep sounds, and a message is displayed. Touch [Yes] to switch to that station and listen to that track.

- If the memorized song is not checked or when [Off] is selected on [Alert] on "Memo Edit" screen, no alert will be pro vided.
 - **⊃** Refer to *Setting the memorized songs* on this page.
- ☐ Notification may not be provided depend ing on the status of the navigation system.
- ☐ If there is even a slight difference between the memorized title and the title of the song being broadcast, no notification will be provided even though they are the same song.

Using the "Function" menu

● Touch to on the "XM" screen.

The "Function" menu appears.



1) Sets the memorized songs

Setting the memorized songs Selecting the songs to alert

The list of song titles memorized for the MyMix Function (MyMix list) is displayed. You can change the notification setting when the song is broadcast again. You can enable or disable notification for each song.

- 1 Touch [Memo Edit].
- 2 Touch the song title that you want to disable notification for.

The check mark is removed, and the notification setting of the song is deactivated.

Changing the alert setting

You can enable or disable alerts for all items at the same time. This function is useful when you want to turn alerts off temporarily without changing each memorized song.

- 1 Touch [Memo Edit].
- 2 Touch [Alert].

Each touch of [Alert] turns it on or off.

Deleting the memorized songs

You can delete each one of the memorized songs from the song title list.

- 1 Touch [Memo Edit].
- 2 Touch and hold the song you want to delete.
 - □ To delete all songs that are memorized, touch [Delete All].
- 3 Touch [Yes].

You can use the navigation system to control a Pioneer Sirius Satellite Radio tuner, which is sold separately.

For details concerning operation, refer to the SIRIUS tuner's operation manuals. This sec tion provides information on SIRIUS operations with navigation system which differs from that described in the SIRIUS tuner's operation manual.


■ When you use the SiriusConnect universal tuner (sold separately) with this navigation system, Pioneer SIRIUS BUS INTERFACE is required. For details concerning operation, refer to the owner's manual of Pioneer SIR IUS BUS INTERFACE and SiriusConnect universal tuner.

Starting procedure


- 1 Display the AV operation screen.
 - **⊃** For details of the operations, refer to *Dis* playing the *AV* operation screen on page 77.
- 2 Tap [SIRIUS] on the left edge of the screen to display the "SIRIUS" screen.
- 3 Use the touch panel keys on the screen to control the SIRIUS tuner.
 - For details, refer to Using the touch panel keys on the next page. ■

Reading the screen

All CH Mode



Category Mode



Source icon

Shows which source has been selected.

- ② SIRIUS band indicator Shows the SIRIUS band that has been se lected.
- ③ SIRIUS channel number indicator Shows the SIRIUS channel number that the tuner is tuned to.
- (4) Current time
- ⑤ Preset number indicator Shows what preset item has been selected.
- ⑤ SIRIUS channel select mode indicator Shows what channel select mode has been selected. You can select a channel from all channels in All CH Mode, and select a chan nel from the selected category in


Category Mode.

- For details concerning operations, refer to Switches the SIRIUS channel select mode on page 141.
- 7 Variable information area


Shows various information about the broad cast channel currently being received.

⇒ For more details about the displayed in formation, refer to Switches the SIR-IUS display on page 141.

Using the touch panel keys







- 1 Switches the SIRIUS Instant replay mode
 - → For details, refer to Using the "Instant Replay" function on page 142.
- 2 Performs manual tuning

The channels move up or down one at a time.

- ☐ If you keep touching [I◄◄] or [▶▶I] you can skip the broadcasting channels.
- 3 Selects a SIRIUS channel directly
 - **⊃** For details, refer to Selecting a SIRIUS channel directly on the next page.
- 4 Memorizes the current song

- → For details, refer to Memorizing the song on the next page.
- 5 Recalls channels from the preset

Tap to recall the preset channel.

- **⊃** For details, refer to *Storing and recalling broadcast stations* on this page.
- 6 Switches the SIRIUS display

Each touch of [**Disp**] changes the display in formation.

Channel number Channel name Chan nel category Artist name/feature Song/ program title Composer

- (7) Recalls equalizer curves
 - → For details, refer to Using the equalizer on page 172.
- ® Displays the "Function" menu
 - ⇒ For details, refer to Using the "Function" menu on page 143.
- Switches the SIRIUS channel select mode

You can switch the mode between the two methods for selecting and listing the channel.

All CH Mode:

You can select a channel from all channels when you operate this function.

Category Mode:

You can select a channel within a selected ca tegory that you operate this function.

Switches between the AV operation screen and the preset list display

You can switch the screen display according to your preference.

- For details of the operation, refer to Switching between the AV operation screen and the list screen on page 77.
- (1) Selects a SIRIUS band

Tapping the key repeatedly switches between the following SIRIUS bands: **SIRIUS1**,

SIRIUS2, or SIRIUS3.

- ☐ This function is convenient for preparing different preset lists for each band.
- 12 Switches the channel category

Touch $[\blacktriangleleft]$ or $[\blacktriangleright]$ to select the desired cate gory.

Selecting a SIRIUS channel directly

You can select a SIRIUS channel directly by entering the desired channel number.

- 1 Touch [Direct].
- 2 Touch [0] to [9] to input the desired channel number.

3 While the input number is displayed, touch [Enter].

The SIRIUS channel that was entered se lected.

4 Touch 5.

You return to the previous display.

Display the Radio ID

If you select CH: 000, the Radio ID is displayed.

- 1 Touch [Direct].
- 2 Input [000] and then touch [Enter].

If you select another channel, display of the Radio ID is canceled.

3 Touch 5.

You return to the previous display.

4 Wait until the Radio ID is displayed.

Storing and recalling broadcast stations

With a tap of any of the preset tuning keys ("Preset 1" to "Preset 6"), you can easily store up to six broadcast stations for later recall (also with the tap of a key).

1 Select the channel that you want to store in memory.

2 Display the preset channel list.

⇒ For details, refer to Switches between the AV operation screen and the preset list display on the previous page.

3 Keep touching a preset tuning key [Preset 1] to [Preset 6].

The selected station has been stored in mem orv.

The next time you tap the same preset tuning key "Preset 1" to "Preset 6" the station is re called from memory.

☐ Up to 18 stations, six for each of three SIR IUS bands can be stored in memory.

Using "My Mix" function

The MyMix function memorizes the song title and artist name of the song currently being re ceived. When a track that matches the memor ized song title and artist name is being broadcast on a station other than the one you are listening to, you will be alerted, and you can switch the station to listen to that song.

The track itself is NOT downloaded; only the song title and the artist name are mem orized.

Memorizing the song

The song title and artist name of the song you are listening to can be memorized.

• Touch and hold [Memo].

The song title and artist name of the song you are listening to can be memorized.

- Up to 10 song titles and artist names can be memorized.
- ☐ You cannot memorize a song that does not have song title and artist name information.
- ☐ You cannot memorize the song title or the artist name of channel "000".
- The memorized title may not be displayed correctly.

When the memorized song is broadcast

A beep sounds, and a message is displayed.

Touch [**Jump**] to switch to that station, and you can listen to that track. If you touch [**Stay**], the channel does not switch.

- ☐ If the alert for the song is "Off" or set "Alert" to "Off", no notification will be provided even when that song is broadcast.
 - ⇒ For details, refer to Setting the memorized songs on the next page.
- Notification may not be provided depend ing on the situation of the Navigation Sys tem.
 - **⊃** For details, refer to *Selecting the songs* to alert on the next page.

Using the "Instant Replay" function

The "Instant Replay" function allows you to replay the stored broadcast on Pioneer SIRIUS BUS INTERFACE (if Pioneer SIRIUS BUS IN TERFACE capable for this function). As soon as you tune to a channel, Pioneer SIRIUS BUS INTERFACE automatically begins storing the broadcast. It can store approximately up to 44 minutes previous (depending on the selected channel and the memory capacity of Pioneer SIRIUS BUS INTERFACE).

1 Touch [Instant Replay] on the SIRIUS screen to activate the "Instant Replay" mode.


2 Touch keys for "Instant Replay".

Touch panel keys	Action
[144]	Return to the start of the current song or program. Touching again will skip back to the previous song or program.
[◄◀] and hold	Fast reverses.
[▶►!]	Forwards play to the next song or program
[►►I] and hold	Fast forwards.
[> /II]	Touching [►/II] switches between playback and pause.

- During "Instant Replay" mode, each touch of [Disp] changes the display information as follows;
 - Time position Channel number Chan nel name Channel category Artist name/feature Song/program title Composer
- You cannot replay the broadcast prior to the beginning of stored data.

Using the "Function" menu

• Touch on the "SIRIUS" screen.
The "Function" menu appears.



- Sets the memorized songs
- ② Uses the Game Alert function
- **3** Displays Game Information
- → For details of each function, refer to sec tions below with the relative titles

Setting the memorized songs Selecting the songs to alert

You can change the setting of the alert when the track is broadcast again. You can enable or disable alert for each song.

1 Touch [Memo Edit].

2 Touch [◀ Prev] or [Next ▶] to select the desired song.



3 Touch [On/Off] to turn the setting on.

When the alert for the song is activated, $[\mathbf{On}]$ appears at the beginning of the selected title.

□ Touch [On/Off] again to turn the setting off.

Changing the alert setting

You can enable or disable alerts for all items at the same time. This function is useful when you want to turn alerts off temporarily without changing each memorized song.

- 1 Touch [Memo Edit].
- 2 Touch [Alert].

Each touch of [Alert] turns it on or off.

Deleting the memorized songs

You can delete each one of the memorized tracks from the song title list.

- 1 Touch [Memo Edit].
- 2 Touch [◀ Prev] or [Next ▶] to select the song title that you want to delete.
- 3 Touch [Delete] when the song you want to delete is displayed.

A message will appear asking you to confirm the deletion.

4 Touch [Yes].

Using the Game Alert function Selecting teams for Game Alert

This navigation system can alert you when games involving your favorite sports teams are about to start. To use this function you need to store the teams you want to follow in advance.

1 Touch [Game Alert].

2 Touch [◀ Prev] or [Next ▶] to select the league.



3 Touch [◀ Prev] or [Next ▶] to select the team.

4 Touch [On/Off].

The team displayed as [On] is the alert target.

When the selected team is excluded from the alert target, the team is displayed as [Off]. Up to 12 teams can be selected. When you have already made 12 team se lections, "FULL" is displayed and additional team selection is not possible. In this case, first delete the team selection and then try again.

Changing the alert setting

You can enable or disable the alert for selected items. This function is useful when you want to turn the alert off temporarily without chan ging the setting of each selected team.

1 Touch [Game Alert].

2 Touch [Alert].

Each touch of [Alert] turns it on or off.

When a game involving one of your teams is broadcast

A message is displayed. Touch [Jump] to switch the station, and you can view the game information. If you touch [Stay], the channel does not switch.

☐ Alerts may not be provided depending on the status of the navigation system.

Displaying Game Information

An alert will be displayed when a game with the team you selected is about to start (or is currently under way). You can also display game information and changes to the broad cast channel.

- ☐ The Game Information function is available when "Alert" is "On" in "Game Alert".
- 1 Touch [Game Info].
- 2 Touch [Prev] or [Next] to view the game score information which is registered.
 - ☐ The game score will be updated automatically.
 - ☐ Touch [**Tune To**] to switch to the channel that broadcasts the displayed game.
 - If you have not made any team selections, "Not Set" is displayed.
 - When no games involving your favorite teams are currently being played "NO GAME" is displayed.

Using AV input

You can display the video image output by the equipment connected to the navigation sys tem. For details of the connection method, refer to Installation Manual.



For safety reasons, video images cannot be viewed while your vehicle is in motion. To view video images, you must stop in a safe place and apply the parking brake.

Reading the screen



- Source icon
 Shows which source has been selected.
- ② Current time

Using AV1

You can display the video image output by the equipment connected to video input 1.

- 1 Touch [AV1 Input] on the "AV System Settings" menu.
 - ➤ For details, refer to Setting video input 1 (AV1) on page 168.
- 2 Display the AV operation screen.
 - **⊃** For details of the operations, refer to *Dis* playing the *AV* operation screen on page 77.
- 3 Tap [AV1] on the left edge of the screen.

The image is displayed on the screen.

4 Touch the screen to display the touch panel keys. ■

Using AV2

You can display the video image output by the equipment connected to video input 2.

- 1 Touch [AV2 Input] on the "AV System Settings" menu.
 - ⇒ For details, refer to Setting video input 2 (AV2) on page 168.
- 2 Display the AV operation screen.
 - **⊃** For details of the operations, refer to *Dis* playing the AV operation screen on page 77.
- 3 Tap [AV2] on the left edge of the screen.

The image is displayed on the screen.

4 Touch the screen to display the touch panel keys.

Using the touch panel keys



- 1 Recalls equalizer curves
 - → For details, refer to Using the equalizer on page 172.
- 2 Hides the touch panel keys

Touching [**Hide**] hides the touch panel keys. Touch anywhere on the LCD screen to display the touch panel keys again.

Using the external unit (EXT1, EXT2)

The term "external unit" refers to future Pioneer devices that are not currently planned for, or to devices that allow control of basic functions although they are not fully con trolled by the navigation system. Two external units can be controlled by this navigation system. When two external units are connected, the navigation system allocates them as external unit 1 or external unit 2.

For details of the connection method, refer to Installation Manual.

For details of the operation, refer to the exter nal unit's operation manual. This section pro vides information on external unit operations with the navigation system that differ from those described in the external unit's opera tion manual.

 Operation varies depending on the external unit connected. (In some cases, the exter nal unit may not respond.)

Reading the screen




- 1 Source icon
 - Shows which source has been selected.
- ② External unit indicator Displays the information that is sent by connected external units.
- 3 Current time
- 4 Auto/Manual mode indicator Shows the current mode.

Starting procedure

- 1 Display the AV operation screen.
 - **⊃** For details of the operations, refer to *Dis* playing the AV operation screen on page 77.
- 2 Tap [EXT1] or [EXT2] on the left edge of the screen to select the external unit.
- 3 Use the touch panel keys on the screen to control the external unit.
 - For details, refer to Using the touch panel keys on the next page. ■

Using the external unit (EXT1, EXT2)

Using the touch panel keys



① Sends a [1] key to [6] key command

The external unit can be operated by transmit ting the operating commands set to "1" key through "6" key.

- Operation varies depending on the ex ternal unit connected. (In some cases, some functions may not be used until you touch and hold the key.)
- ② **Sends a command** [▲], [▼], [◄], or [►] Touch to operate the external unit.
 - Operation varies depending on the ex ternal unit connected. (In some cases, some functions may not be used until you touch and hold the key.)

3 Switches between automatic and manual function

You can turn automatic and manual function on or off.

You can switch between "Auto" and "Manual" functions of the external unit connected.

Initially, this function is set to "Auto".

- Operating commands set for "Auto" and "Manual" operations vary depending on the external unit connected.
- Uses [F1] through [F4] to operate the external unit

The external unit can be operated by transmit ting the operating commands set to "F1" through "F4".

- ☐ The operating commands set to "F1" through "F4" vary depending on the external unit.
- ☐ Some functions may not be used until you touch and hold the key.

(5) Sends a band command

Touch to send a band command to the external unit.

Operation varies depending on the ex ternal unit connected. (In some cases, the external unit may not respond.)

6 Recalls equalizer curves

For details, refer to Using the equalizer on page 172. ■

Displaying the "Navi Settings" **screen**

- 1 Press the HOME button to display the "Top Menu" screen.
- 2 Touch [Settings].

The "Settings Menu" screen appears.

- ☐ This can also be operated using the "Short cut Menu" screen.
- 3 Touch [Navi Settings].



The "Navi Settings" menu appears.

4 Touch the item that you want to change the setting.



Touch ≤

The previous screen returns.

Checking the connections of leads

Check that leads are properly connected be tween the navigation system and the vehicle. Please also check whether they are connected in the correct positions.

- 1 Display the "Navi Settings" screen.
 - ➡ For details, refer to Displaying the "Navi Settings" screen on this page.

2 Touch [Connection Status].

The "GPS Status" screen appears.



Speed Pulse

The Speed Pulse value detected by the navi gation system is shown. "0" is shown while the vehicle is stationary.

② GPS Antenna

Indicates the connection status of the GPS antenna, the reception sensitivity, and from how many satellites the signal is received.

Color		Used in posi- tioning
Orange	Yes	Yes
Yellow	Yes	No

- When the GPS antenna is connected to this navigation system, "OK" is dis played.
 - When the GPS antenna is not con nected to this navigation system, "**NOK**" is displayed.
 - ☐ If reception is poor, please change the installation position of the GPS antenna.

③ Parking Brake

When the parking brake is applied, "On" is displayed. When the parking brake is re leased, "Off" is displayed.

(4) Illumination

When the headlights or small lamps of a ve hicle are on, "On" is displayed. When the small lamps of a vehicle are off, "Off" is displayed. (If the orange/white lead is not connected. "Off" appears.)

⑤ Back Signal

When the gear lever is shifted to "**R**", the signal switches to "**High**" or "**Low**". (One of these is displayed depending on the vehicle.)

Checking sensor learning status and driving status

The navigation system can automatically use its sensor memory based on the outer dimensions of the tires.

1 Display the "Navi Settings" screen.

⇒ For details, refer to *Displaying the "Navi Settings"* screen on the previous page.

2 Touch [3D Calibration Status].

The "3D Calibration Status" screen appears.



① Speed

Indicates the speed detected by the naviga tion system. (This indication may be differ ent from the actual speed of your vehicle, so please do not use this instead of the speedometer.)

② Acceleration or deceleration/Rotational speed

Indicates acceleration or deceleration velo city of your vehicle. Also, rotational speed when your vehicle turns to left or right is shown.

③ Distance

Indicates driving distance.

4 Speed Pulse

Indicates the total number of speed pulses.

⑤ Learning Status Indicates the current driving mode.

6 Inclination

Indicates the degree of slope of the street that you are currently on.

7 Degree of learning

Sensor learning situations for distance (**Distance**), right turn (**Right Turn**), left turn (**Left Turn**) and 3D detection (**3D**) are indicated by the length of bars.

- When tires have been changed or chains fitted, turning on the Speed Pulse allows the system to detect the fact that the tire diameter has changed, and automatically replaces the value for calculating distance.
- If a separately sold speed pulse genera tor (ND PG1) is connected, the distance calculation value cannot be replaced automatically.

Clearing status

You can delete the learned results stored in [Distance], [Speed Pulse] or [Learning Status].

Touch [Distance] or [Speed Pulse].

The following message appears.



2 Touch [Yes].

Clears the results stored in [**Distance**] or [**Speed Pulse**].

3 Touch [Learning Status].

The following message appears.



4 Touch [All].

Clears all learning statuses.

- □ Touch [All] for the following cases:
 - After changing the installation position of the navigation system
 - After changing the installation angle of the navigation system
 - After moving the navigation system to another vehicle
- Touch [**Distance**].

Clears the learned results stored in [Distance].

□ When the distance accuracy is low, touch [Distance]. ■

Using the "Gas Mileage" function

Inputting the fuel consumption information for calculating the fuel cost

You can estimate the fuel cost to your destina tion by entering the fuel consumption information in the navigation system.

➡ For details, refer to Setting a route to your destination on page 41.

1 Display the "Navi Settings" screen.

⇒ For details, refer to Displaying the "Navi Settings" screen on page 148.

2 Touch [Gas Mileage].

The "Gas Mileage Setting" screen appears.

3 Enter the fuel consumption information.



Enter the following items:

Surface Road Gas Mileage:

Enter the fuel cost when you drive on ordin ary roads.

☐ How the fuel cost is entered depends on the "Gas Unit" setting.

When "Gas Unit" is set to "Liter". Enter how much fuel you need to travel 60 miles (100 kilometers).

When "Gas Unit" is set to "Gallon". Enter how many kilometers (miles) you get to a gallon.

• Freeway Gas Mileage:

Enter the fuel cost when you drive on the freeway.

☐ How the fuel cost is entered depends on the "Gas Unit" setting.

When "Gas Unit" is set to "Liter". Enter how much fuel you need to travel 60 miles (100 kilometers).

When "Gas Unit" is set to "Gallon". Enter how many kilometers (miles) you get to a gallon.

• Gas Price Per Unit: Enter the fuel unit price.

Gas Unit:
 Set the fuel unit.

• Currency:

Set the unit of currency.

When all the items are entered, inputting the fuel consumption information is complete.

Calculating the fuel consumption

When you enter the fueling information to the navigation system, and export the data to SD memory cards, you can check the fuel con sumption information by using the utility pro gram AVIC FEEDS, which is available separately, on your PC.

Up to 24 sets of data can be stored. You can also export the data, as described below.

If the entries reach the maximum number, a new entry will overwrite the oldest one.

These calculations are based only on the information that you provide and not on any data from the vehicle. The fuel mileage displayed is only a reference value, and does not guarantee the fuel mileage displayed can be obtained.

1 Display the "Navi Settings" screen.

⇒ For details, refer to Displaying the "Navi Settings" screen on page 148.

2 Touch [Gas Mileage].

The "Gas Mileage Setting" screen appears.

3 Touch [Gas Price Calculation].



The "Gas Price Calculation" screen appears.

4 Enter the fuel consumption information.



Enter the following items:

Distance:

Enter the distance traveled since the pre vious fueling.

- ☐ The distance is entered automatically only when the distance traveled since the previous fueling is recorded.
- Gas Pumped:

Enter the amount of fuel pumped.

Gas Price Per Unit

Enter the fuel unit price.

When all the items are entered, the fuel con sumption is displayed next to "Gas Mileage".

5 Touch [OK].



The "Gas Mileage Setting" screen appears.

Exporting the data of fuel cost information

Exporting the fuel cost data to an SD memory card is possible.

- The data stored in this navigation system will be cleared as exporting it to the SD memory card.
- If there is previous data in the SD memory card, the data is overwritten with new data when current data is exported.

1 Insert an SD memory card into the SD card slot.

- For details of the operation, refer to Insert ing and ejecting an SD memory card on page 15.
- 2 Display the "Navi Settings" screen.
 - → For details, refer to Displaying the "Navi Settings" screen on page 148.
- 3 Touch [Gas Mileage].

The "Gas Mileage Setting" screen appears.

4 Touch [Export].



After a message confirming whether to export the data appeared, exporting the data to the SD memory card starts.

The "Gas Mileage Setting" screen appears when it is done.

Recording your travel history

Activating the track logger enables you to re cord your driving history (called "track log" below). You can review the travel history later.

If an SD memory card is inserted into the SD card slot, the track logs will be stored in the SD memory card.

1 Insert an SD memory card into the SD card slot.

For details of the operation, refer to Insert ing and ejecting an SD memory card on page 15.

2 Display the "Navi Settings" screen.

⇒ For details, refer to Displaying the "Navi Settings" screen on page 148.

3 Touch [Drive Log Settings].

The "Drive Log Settings" screen appears.

4 Touch [Drive Log Settings].

Each time you touch the key changes that set ting.

On:

You can export your track log to the SD memory card.

• Off (default):

You cannot export your track log to the SD memory card.

While the setting is "On", the navigation system continues to store the track logs in the inserted SD memory card.

5 Touch [Type].

Each time you touch the key changes that set ting.

Private (default):

Changes the track log attribute to "Private".

Business:

Changes the track log attribute to "Business".

• Other:

Changes the track log attribute to "Other".

Using the demonstration guidance

This is a demonstration function for retail stores. After a route is set, touching this key starts the simulation of route guidance.

1 Display the "Navi Settings" screen.

→ For details, refer to Displaying the "Navi Settings" screen on page 148.

2 Touch [Demo Mode].

Each time you touch the key changes that set ting.

On:

Repeats demo drive.

Off (default):
 Demo Mode is set off.

3 Display the map screen.

The demonstration guidance will begin.

Registering your home

Registering your home position saves time and effort. Also, routes to home positions can be calculated easily with a single touch of the key from the "**Destination Menu**". The regis tered home position can also be modified later.

1 Display the "Navi Settings" screen.

→ For details, refer to Displaying the "Navi Settings" screen on page 148.

2 Touch [Set Home].

The "**Set Home**" screen appears.

3 Touch [Home].



The "**Select Search method**" screen appears.

Touch [Phone#].

When you have already registered your home, you can edit your home number.

4 Search for a location.

➤ For details, refer to Chapter 6. After searching for a point, the map of the se lected position is displayed.

5 Touch [OK].

The location is registered, and then the "**Set Home**" screen appears.

6 Touch [OK].

The registration is completed.

Correcting the current location

Touch the screen to adjust the current position and direction of the vehicle displayed on the map.

- 1 Display the "Navi Settings" screen.
 - ⇒ For details, refer to Displaying the "Navi Settings" screen on page 148.
- 2 Touch [Modify Current Location].
- 3 Scroll to the position where you want to set, then touch [OK].
- 4 Touch the arrow key on the screen to set the direction, then touch [OK].

Changing the eco-function setting

You can change the eco function setting.

- 1 Display the "Navi Settings" screen.
 - ⇒ For details, refer to Displaying the "Navi Settings" screen on page 148.
- 2 Touch [Eco Settings].

The "**Eco Settings**" screen appears.

3 Touch each item.



Eco Score

- On (default): Displays "Eco Score".
- Off:

Hides "Eco Score".

➡ For details, refer to Displaying "Eco Graph" on page 31.

Eco Drive Level

On (default):

After you arrive the destination, a message appears and a beep sounds if the level of "Eco Drive Level" have increased or de creased.

Off:

No message appears and no sound beeps when the vehicle reaches the destination.

→ For details, refer to Displaying Eco Drive Level guidance on page 32.

Rapid Start Warning

On:

A message appears and a sound beeps when the vehicle experiences a sudden start.

• Off (default):

No message appears and no sound beeps when the vehicle experiences a sudden start.

→ For details, refer to Sudden start alert on page 32.

Clear Eco Record

Fuel consumption data are cleared.

4 Touch [OK].

The settings are completed.

Displaying the "Map Settings" **screen**

- 1 Press the HOME button to display the "Top Menu" screen.
- 2 Touch [Settings].



The "Settings Menu" screen appears.

3 Touch [Map Settings].



The "Map Settings" screen appears.

4 Touch the item that you want to change the setting.



■ Touch ≤

The previous screen returns.

Setting the auto-zoom display

This setting enables switching to an enlarged map around the point where your vehicle is approaching an intersection, entrance/exit of freeway or a junction.

- 1 Display the "Map Settings" screen.
 - → For details, refer to Displaying the "Map Settings" screen on this page.
- 2 Touch [Displayed Info].

The "Displayed Information" screen appears.

3 Touch [Close Up View].

Each time you touch the key changes that set ting.

- On (default):
 Switches to an enlarged man
 - Switches to an enlarged map.

Setting the detailed city map

You can select whether to display the city map when in certain metropolitan city areas.

- ☐ The detailed city map and this setting are available for AVIC Z120BT only.
- ☐ The city map is displayed when the map scale is 0.05 mile (50 meters) or less.

1 Display the "Map Settings" screen.

➡ For details, refer to Displaying the "Map Settings" screen on the previous page.

2 Touch [Displayed Info].

The "Displayed Information" screen appears.

3 Touch [City Map].

Each time you touch the key changes that set ting.

- On (default):
 - Automatically switches to the city map when in a city map area.
- Off:

Does not show the city map.

□ Even if you switch "City Map" to "On", city map cannot be displayed in areas where there is no city map data.

Setting the barrier graphic for city map

On the city map screen, you can display a "barrier graphic" pattern where no city map data is available. This prevents a normal map of a different scale from being displayed at the same time, greatly enhancing the clarity of the city map on screen.

☐ The detailed city map and this setting are available for AVIC Z120BT only.

1 Display the "Map Settings" screen.

⇒ For details, refer to Displaying the "Map Settings" screen on the previous page.

2 Touch [Displayed Info].

The "Displayed Information" screen appears.

3 Touch [City Map Barrier].

Each time you touch the key switches between "On" and "Off".

On (default):

Displays the barrier graphic for city map. When the vehicle position or cursor enters the barrier graphic area, the graphic disap pears and a normal map is displayed full screen.

Off:

Does not display the barrier graphic for city map. When the vehicle position or cursor enters the area where no city map data is available, a normal map is displayed full screen.

Displaying the traffic notification icon

Selects whether to display or hide the traffic notification icons on the map when incidents occur on your route.

- → For details, refer to Checking traffic informa tion manually on page 58.
- 1 Display the "Map Settings" screen.
 - ⇒ For details, refer to Displaying the "Map Settings" screen on the previous page.

Touch [Displayed Infol.

The "Displayed Information" screen appears.

3 Touch [Show Traffic Incident].

Each time you touch the key changes that set ting.

- View (default):
 - Displays the icons on the map.
- Hide:

Hides the icons on the map.

Displaying the Bluetooth connection icon

Selects whether to display or hide the icon for current status of the phone connection via Bluetooth wireless technology.

1 Display the "Map Settings" screen.

For details, refer to Displaying the "Map Settings" screen on page 154.

2 Touch [Displayed Info].

The "Displayed Information" screen appears.

3 Touch [Bluetooth Connected].

Each time you touch the key changes that set ting.

- View (default):
 - Displays the Bluetooth connection icon on the map.
- Hide:
 - Hides the Bluetooth connection icon on the map.
- ⇒ For details about the Bluetooth connection icon, refer to Bluetooth connection icon on page 26.

Setting the current street name display

Selects whether to display or hide the street name (or city name) that your vehicle is travel ing along.

1 Display the "Map Settings" screen.

→ For details, refer to Displaying the "Map Settings" screen on page 154.

2 Touch [Displayed Info].

The "Displayed Information" screen appears.

3 Touch [Current Street Name].

Each time you touch the key changes that set ting.

- View (default):
 - Displays the street name (or city name) on the map.
- Hide:

Hides the street name (or city name) on the map. ■

Setting the "Favorites**" icon display**

You can select whether to display the "Favorites" icon on the map.

- ☐ **Favorites** icons are displayed when the map scale is 10 mile (20 kilometers) or less.
- → For details, refer to Editing the entry in the "Favorites" list on page 46.

1 Display the "Map Settings" screen.

→ For details, refer to Displaying the "Map Settings" screen on page 154.

2 Touch [Displayed Info].

The "Displayed Information" screen appears.

3 Touch [Favorites Icon].

Each time you touch the key changes that set ting.

- On (default):
 - Displays the "Favorites" icon on the map.
- Off:

Hides the "Favorites" icon on the map.

Displaying the 3D landmarks

You can select whether to display the 3D land mark on the map.

- ☐ The 3D landmarks and this setting are available for AVIC Z120BT only.
- ☐ 3D landmark only appears when the view mode is "3D View" and the map scale is set to 0.25 mile (200 m) or lower.

1 Display the "Map Settings" screen.

- → For details, refer to Displaying the "Map Settings" screen on page 154.
- 2 Touch [Displayed Info].

The "Displayed Information" screen appears.

3 Touch [3D Land Mark].

Each time you touch the key changes that set ting.

- On (default):
 - Displays the 3D landmark on the map.
- Off

Hides the 3D landmark on the map.

Customizing preferences

Displaying maneuvers

Selects whether to display or hide maneuvers on the map.

Maneuvers



1 Display the "Map Settings" screen.

⊃ For details, refer to *Displaying the "Map Settings"* screen on page 154.

2 Touch [Displayed Info].

The "Displayed Information" screen appears.

3 Touch [Show Maneuver].

Each time you touch the key changes that set ting.

- View (default):
 - Displays maneuvers on the map.
- Hide:

Hides maneuvers on the map.

Displaying the MSN Direct icons

Selects whether to display or hide the received MSN Direct icons on the map.

⇒ For details of the icons, refer to How to read MSN Direct information on the map on page 54.

Touch [MSN Direct].

Each time you touch the key changes that set ting.

- On (default):
 - Displays the icons on the map.
- Off:

Hides the icons on the map.

Displaying the fuel consumption information

Selects whether to display Eco Meter, indicating the fuel consumption information, on the map.

- ☐ Eco Meter appears when "2D View" or "3D View" is selected.
- 1 Display the "Map Settings" screen.
 - → For details, refer to Displaying the "Map Settings" screen on page 154.
- 2 Touch [Displayed Info].

The "Displayed Information" screen appears.

3 Touch [Show Eco Meter].

Each time you touch the key changes that set ting.

- View (default):
 - Displays Eco Meter on the map.
- Hide:

Hides Eco Meter on the map.

Displaying POI on the map

Displays icons for the surrounding facilities (POI) on the map.

☐ POI icons are not displayed when the map scale is 0.75 mile (1 kilometers) or more.

Displaying preinstalled POIs on the map

- ☐ You can select up to 10 items from the sub categories or detailed categories.
- 1 Display the "Map Settings" screen.
 - → For details, refer to Displaying the "Map Settings" screen on page 154.
- 2 Touch [Overlay POI].

The "Overlay POI" screen appears.

3 Touch [Display] to change the setting to "On".



If you do not want to display the POI icon on the map, touch [Display] to turn it "Off". (Even if "Display" is turned "Off", the POI selection setting is retained.)

4 Touch [POI].

The "Overlay POI (Main Category)" screen appears.

5 Touch the main category you want.



A list of subcategories under the selected main category appears.

☐ Categories that are already selected will have a blue check mark.

6 Touch the subcategory to display.



A red check mark appears next to the selected category. To cancel the selection, touch the entry again.

If there are more detailed categories within the subcategory, [**Detail**] is active. If you select the subcategory that has more detailed cate

gories, all detailed categories within the sub category is selected and [**Detail**] becomes inactive.

■ Touch [Detail].

The detailed category list is displayed. Touch the item and touch **[OK]** to complete selecting the detailed categories you want to display.

When only a few types of the detailed cate gories are selected, blue check marks will appear.

7 Touch [OK].

The "Overlay POI (Main Category)" screen returns.

If you want to select or deselect other items, repeat these steps as many as necessary.

8 To finish the selection, touch [OK] in the "Overlay POI (Main Category)" screen.

Displaying the customized POIs

Creating a customized POI is possible by using the utility program AVIC FEEDS which is available separately, on your PC. (AVIC FEEDS will be available on our website.) Storing the customized POI properly and inserting the SD memory card enables the system to display the icons on the map screen.

☐ You can select up to 10 items from the sub categories or detailed categories.

1 Insert an SD memory card into the SD card slot.

For details of the operation, refer to Insert ing and ejecting an SD memory card on page 15.

2 Display the "Map Settings" screen.

→ For details, refer to Displaying the "Map Settings" screen on page 154.

3 Touch [Overlay POI].

The "Overlay POI" screen appears.

4 Touch [Display] to change the setting to "On".



If you do not want to display the POI icon on the map, touch [Display] to turn it "Off". (Even if "Display" is turned "Off", the POI selection setting is retained.)

5 Touch [Custom POI].

The list of POI categories appears.

6 Touch the items you want to display.



7 To finish the selection, touch [OK].

Changing "View Mode"

Various types of screen displays can be se lected for navigation guidance.

⊃ For details of the operation, refer to *Switch* ing the view mode on page 29. ■

Setting the map color change between day and night

To improve the visibility of the map during the evening, you can set the timing for changing the combination of the map color.

- 1 Display the "Map Settings" screen.
 - → For details, refer to Displaying the "Map Settings" screen on page 154.

Touch [Day/Night Display].

Each time you touch the key changes that set ting.

Automatic (default):

You can change the colors of a map be tween daytime and nighttime according to whether the vehicle lights are on or off.

Day

The map is always displayed with daytime colors.

□ To use this function with "Automatic", the orange/white lead of the navigation system must be connected correctly. [■]

Changing the road color

You can set the road color to bluish or reddish.

- 1 Display the "Map Settings" screen.
 - **⊃** For details, refer to *Displaying the "Map* **Settings**" *screen* on page 154.
- 2 Touch [Road Color].

Each time you touch the key changes that set ting.

- "Blue" (default):
 - Changes to blue based road colors.
- "Red": Changes to red based road colors.

Changing the setting of navigation interruption screen

Set whether to automatically switch to the na vigation screen from the audio screen when your vehicle approaches a guidance point such as an intersection while displaying a screen other than navigation.

1 Display the "Map Settings" screen.

→ For details, refer to Displaying the "Map Settings" screen on page 154.

2 Touch [AV Guide Mode].

Each time you touch the key changes that set ting.

- On (default): Switches from the AV operation screen to the map screen.
- Off:
 Does not switch the screen.
- ☐ This setting is effective only when "Close Up View" is set to "On". ■

Selecting the "Quick Access" menu

Select items to display on the map screen. In the list displayed on screen, the items with red checks are displayed on the map screen. Touch the item you want to display and then touch [**OK**] when a red check appears. You can select up to five items.

1 Display the "Map Settings" screen.

⇒ For details, refer to Displaying the "Map Settings" screen on page 154.

2 Touch [Quick Access Selection].

The "Quick Access Selection" screen appears.

3 Touch the item that you want to set in "Quick Access".

You can select the following items:

- ☐ Settings marked with an asterisk (*) show that these are default or factory settings.
- Registration*

Register information on the location indicated by the cursor to "**Favorites**".

⊃ For details, refer to *Registering a location* by scroll mode on page 46.

W: Vicinity Search*

Find POIs (Points Of Interest) in the vicinity of the cursor.

⊃ For details, refer to *Searching for a nearby POI* on page 37.

③: Overlay POI*

Displays icons for surrounding facilities (POI) on the map.

→ For details, refer to Displaying POI on the map on page 157.

Volume*

Displays the "Volume Settings" screen.

→ For details, refer to Setting the Volume for Guidance and Phone on page 163.

• 📠 : Contacts*

Displays the "Contacts List" screen.

⊃ For details, refer to *Calling a number in the "Contacts List"* on page 69.

Whole Route Overview

Displays the entire route (currently set) with the "**Route Overview**" screen.

⇒ For details, refer to Displaying the "Route Overview" screen on page 42.

• Stock Info

Displays stock prices.

→ For details, refer to Browsing stock quotes on page 61.

• 🏿 : Traffic On Route

Displays a list of traffic information on the route.

• For details, refer to Checking traffic information on the route on page 56.

Traffic Events

Displays a list of traffic events information.

⊃ For details, refer to *Checking all traffic in formation* on page 55.

Image: Day/Night Display

Switches Day/Night Display setting.

- For details, refer to Setting the map color change between day and night on the previous page.
- = Eavorites Icon

Switches **Favorites Icon** setting.

- ⇒ For details, refer to Setting the "Favorites" icon display on page 156.
- 4 To finish the setting, touch [OK].

Displaying the "System Settings" **screen**

- 1 Press the HOME button to display the "Top Menu" screen.
- 2 Touch [Settings].

The "Settings Menu" screen appears.

- ☐ This can also be operated using the "Short cut Menu" screen.
- 3 Touch [System Settings].



The "System Settings" screen appears.

4 Touch the item that you want to change the setting.



■ Touch ≤

The previous screen returns.

Customizing the regional settings

- 1 Display the "System Settings" screen.
 - → For details, refer to Displaying the "System Settings" screen on this page.

2 Touch [Regional Settings].

The "Regional Settings" screen appears.



Selecting the language

You can set the languages used on the pro gram and voice guidance. Each language can be set separately.

- 1 Display the "System Settings" screen.
 - ➤ For details, refer to Displaying the "System Settings" screen on this page.
- 2 Touch [Regional Settings].

The "Regional Settings" screen appears.

3 Touch [Program Language].

The "Select Program Language" screen ap pears.

4 Touch the desired language.

After the language is selected, the previous screen returns.

5 Touch [Voice Language].

The "Voice Language Selection" screen appears.

6 Touch the desired language.

After the language is selected, the previous screen returns.

7 Touch [OK] on the "Regional Settings" screen.

A message confirming whether to restart the navigation system appears.

8 Touch [OK].

The navigation system restarts.

Press the MODE button or the HOME button.
 Cancels the setting of the languages.

Setting the time difference

Adjusts the system's clock. Set the time difference (+, -) from the time originally set in your navigation system.

- 1 Display the "System Settings" screen.
 - → For details, refer to Displaying the "System Settings" screen on the previous page.
- 2 Touch [Regional Settings].

The "Regional Settings" screen appears.

3 Touch [Time].

The "Time Settings" screen appears.

4 To set the time difference, touch [+] or [-].



The time difference between the time origin ally set in the navigation system (Pacific Stan dard Time) and the current location of your vehicle is shown. If necessary, adjust the time difference. Touching [+] or [–] changes the time difference display in half hour increments

The time difference can be set from **-4** to **+9** hours.

5 Touch [Summer Time].

If necessary, set to summer time. Summer time setting is off by default. Touch [**Summer Time**] to change the setting if you are in the summer time period.

6 Touch [Time format].

Each time you touch the key changes that set ting.

- 12H (default): Changes the display to 12 hour format with am/pm.
- 24H: Changes the display to 24 hour format.

Changing the unit between km and miles

This setting controls the unit of distance and speed displayed on your navigation system.

- 1 Display the "System Settings" screen.
 - **⊃** For details, refer to *Displaying the "***System Settings**" *screen* on the previous page.
- 2 Touch [Regional Settings].

The "Regional Settings" screen appears.

3 Touch [km / mile].

A message confirming whether to change the setting appears.

4 Touch [Yes].

Each time you touch the key changes that set ting.

- mile (default):
 Shows distance in miles.
- Mile&Yard: Shows distance in miles and yards.
- km: Shows distance in kilometers.
- Touch [No].

Cancels the setting.

Changing the virtual speed of the vehicle

When calculating the expected time of arrival and the travel time to the destination, set the average speed for the freeway or ordinary roads using [+] and [-].

- 1 Display the "System Settings" screen.
 - **⊃** For details, refer to *Displaying the "***System Settings**" *screen* on the previous page.
- 2 Touch [Regional Settings].

The "Regional Settings" screen appears.

3 Touch [Average Speed].

The "Average Speed Settings" screen appears.

4 Touch [+] or [-] to set the speed.



☐ The estimated time of arrival is not necessa rily estimated based on this speed value.

5 Touch [OK].

The settings are completed.

Setting the Volume for Guidance and Phone

The sound volume for the navigation can be set. You can separately set the volume of the route guidance and the beep sound.

- 1 Display the "System Settings" screen.
 - ➤ For details, refer to Displaying the "System Settings" screen on page 161.
- 2 Touch [Volume].

The "Volume Settings" screen appears.

3 Touch [+] or [-] to set their volume.



On this screen, you can operate the following items.

Guidance

This setting controls the guidance volume of navigation.

- □ When set to o, guidance is output.
 When set to o, no guidance is output.
- Phone Ringtone

This setting controls the incoming ring tone volume.

Phone Voice

This setting controls the incoming voice vo

- "Phone Ringtone" and "Phone Voice" ad justments are related to the cellular phone featuring Bluetooth technology. No adjust ment is needed when the cellular phone featuring Bluetooth technology is not con nected.
- ☐ Volume of the AV source is adjusted by the VOL (+/-) button.
 - → For details, refer to Checking part names and functions on page 12.
- Touch the key next to "Beep".

Each time you touch the key changes that set ting.

- On (default):
 A beep sounds.
- Off:

The beep sound is muted.

■ Touch the key next to "VR Beep".

Each time you touch the key changes that set ting.

- On (default): Voice recognition beep is enabled.
- Off:
 Voice recognition beep is disabled.
- 4 To finish the setting, touch [OK].

Changing the preinstalled splash screen

You can change the splash screen to the other images preinstalled in the navigation system.

- 1 Display the "System Settings" screen.
 - ⇒ For details, refer to Displaying the "System Settings" screen on page 161.
- 2 Touch [Splash Screen].

The "Select Splash Screen" screen appears.

3 Touch the image to use as the splash screen from the list.

The image is displayed on the screen.

4 Touch [OK].

The image is set as the splash screen, and the "**System Settings**" screen returns.

Changing to the splash screen stored in the SD memory card

You can change the splash screen that ap pears when the navigation system starts. Copy your chosen image to the SD memory card, and select the image to import.

☐ Splash screen images should be used with in the following formats;

BMP or JPFG files

Allowable horizontal and vertical size are 2592 pixels x 1944 pixels or smaller Allowable data size is 6 MB or smaller

- ☐ Proper compatibility with allowable files is not guaranteed.
- ☐ Imported original images will be stored in the built in memory, but the ability to save these images cannot be guaranteed com pletely. If your original image data is de leted, insert the SD memory card again and re import the original image.
- ☐ The maximum number of images, including the images in the built in memory, that can be imported and displayed on the list is 200.
- 1 Create a folder named "Pictures" on the top-most directory of the SD memory card and store the picture files in this folder.
- 2 Store the picture files in the "Pictures" folder.
- 3 Insert an SD memory card into the SD card slot.
 - For details of the operation, refer to Insert ing and ejecting an SD memory card on page 15.
- 4 Display the "System Settings" screen.
 - → For details, refer to Displaying the "System Settings" screen on page 161.
- 5 Touch (Splash Screen).

The "Select Splash Screen" screen appears.

6 Touch [Select from SD].

The "Select Splash Screen" screen appears.

7 Touch the image to use as the splash screen from the list.

The image is displayed on the screen.

8 Touch [OK].

The image is set as the splash screen, and the "System Settings" screen returns.

Images imported from the SD memory card are added to the list on "Select Splash Screen".

Setting for rear view camera

The following two functions are available. The rear view camera feature requires a separately sold rear view camera (e.g. ND BC4). (For de tails, consult your dealer.)

Rear view camera

The navigation system features a function that automatically switches to the full screen image of the rear view camera installed on your vehicle. When the shift lever is in the RE VERSE (R) position, the screen automatically switches to full screen rear view camera image.

Camera for Rear view mode

"Rear View" can be displayed at all times (e.g. when monitoring an attached trailer, etc.) as a split screen where map information is partially displayed. Please be aware that with this set ting, camera image is not resized to fit, and that a portion of what is seen by the camera is not viewable.

⊃ For details, refer to *Setting for rear view camera* on this page.



Pioneer recommends the use of a camera which outputs mirror reversed images, otherwise the screen image may appear reversed.

- ☐ Immediately verify whether the display changes to a rear view camera image when the shift lever is moved to REVERSE (R) from another position.
- When the screen changes to full screen rear view camera image during normal driving, switch to the opposite setting in "Polarity".
- 1 Display the "System Settings" screen.
 - **⊃** For details, refer to *Displaying the "System Settings" screen* on page 161.
- 2 Touch [Back Camera].

The "Back Camera Settings" screen appears.

3 Touch [Camera] change the setting to "On".

☐ You can only switch to "**Rear View**" if this setting is "**On**".

4 Touch [Polarity] to select an appropriate setting for polarity.

Each time you touch [**Polarity**] switches be tween the following polarity:

- Battery: When the polarity of the con nected lead is positive while the shift lever is in the REVERSE (R) position
- GND: When the polarity of the connected lead is negative while the shift lever is in the REVERSE (R) position

Adjusting the response positions of the touch panel (touch panel calibration)

If you feel that the touch panel keys on the screen deviate from the actual positions that respond to your touch, adjust the response positions of the touch panel screen.

- Do not use a sharp pointed tool such as a ballpoint pen or a mechanical pen, which could damage the screen.
- 1 Display the "System Settings" screen.
 - **⊃** For details, refer to *Displaying the "***System Settings**" *screen* on page 161.

2 Touch [Screen Calibration].

A message confirming whether to start the ca libration appears.

3 Gently touch the center of + mark displayed on the screen.

The target indicates the order.

After you touch all marks, the adjusted position data is saved.

- ☐ Do not turn off the engine while saving the adjusted position data.
- Press the **MODE** button.

Returns to the previous adjustment position.

Press and hold the MODE button.
 Cancels the adjustment.

Setting the illumination color


The illumination color can be selected from 10 different colors. Furthermore, the illumination color can be switched between these 10 colors in order.

Selecting the color from the preset colors

- 1 Display the "System Settings" screen.
 - → For details, refer to Displaying the "System Settings" screen on page 161.
- 2 Touch [Illumi Color].

The "Illumination Color" screen appears.

3 Touch the color you want.



Available options:

- Colored keys: Selects the desired preset color
- Memory 1/Memory 2: Colors registered in the memory

- ⇒ For details, refer to Creating a user de fined color and storing it to memory on this page.
- **Scan**: Shifts between the eight default col ors in sequence gradually.
- Eco: The colors change in the order of white, red, amber, yellow, green, and blue as the number of points in the "Eco Score" increases
 - The illumination lights in white when "Eco Score" is set to "Off" or when no route is set.

Creating a user-defined color and storing it to memory

You can create a user defined color and set it as the illumination color.

- 1 Display the "System Settings" screen.
 - **⊃** For details, refer to *Displaying the "***System Settings**" *screen* on page 161.
- 2 Touch [Illumi Color].

The "Illumination Color" screen appears.

3 Touch [Custom].

The "Illumination Color" screen appears.

- If [Scan] is set, [Custom] cannot be se lected.
- 4 Touch [+] or [-] to adjust the values for Red, Green and Blue to create a favorite color.



Watch the illumination of hardware keys while adjusting the color.

Each time you touch [+] or [-] increases or de creases the value of the selected item. +31 to +00 is displayed as the value is increased or decreased.

- An entry cannot be stored with all of the values set to "+00".
- 5 Touch [Memory 1] or [Memory 2] to store the illumination color.
- 6 Touch [OK] to return to the previous screen.

Checking the version information

- 1 Display the "System Settings" screen.
 - → For details, refer to Displaying the "System Settings" screen on page 161.
- 2 Touch [Service Information].

The "Service Information Screen" screen ap pears.

3 Check the version information.

Selecting the video for "Rear display"

This function is available for AVIC Z120BT only.

You can choose either to show the same image as the front screen or to show the se lected source on the "Rear display".

- Tap on the left edge of the screen.
 - ☐ The appearance of this key changes according to the current setting.

Each touch of changes the settings as follows:

- Mirror AV: The video on the front screen of the navigation unit is output to the "Rear display"
- DISC: The video and sound of the DVDs are output to the "Rear display"
- iPod: The video and sound of the iPod or Pandora are output to the "Rear display"
- AV1: The video and sound of AV1 are out put to the "Rear display"
- AV2: The video and sound of AV2 are out put to the "Rear display"
- ☐ When "Mirror AV" is selected, the following restrictions are applied to "Rear display".

When selecting "**Rear View**" in the map display, nothing is displayed.

All sounds cannot be output for "Rear display".

When playing back video files on the ex ternal storage device (USB, SD), the video image is not output.

- When "DISC" is selected, the following re striction is applied to "Rear display".
 - When a CD or MP3/WMA/AAC disc is set in the built in DVD drive, only the sound is output.
- When "iPod" is selected, the following re striction is applied to "Rear display".

The video image and sound are output only when the appropriate setting on "AV1 Input" is "iPod".

■ When "AV" is selected, the following re strictions are applied to "Rear display".

The video image and sound are output only when **AV1/AV2** has both video and sound.

The video image and sound are output only when the appropriate setting on

"AV1 Input" or "AV2 Input" are "Video". •

Adjusting the picture A CAUTION

For safety reasons, you cannot use some of these navigation functions while your vehicle is in mo tion. To enable these functions, you must stop in a safe place and apply the parking brake. Refer to Important Information for the user (a separate manual).

You can adjust the picture for each source and rear view camera.

1 Press and hold the MODE button.
The "Picture Adjustment" screen appears.

2 Touch [+] or [–] to adjust the desired item.



- Brightness: Adjusts the black intensity.
- **Contrast**: Adjusts the contrast.
- Color: Adjusts the color saturation.
- **Color Temp.**: Adjusts the tone of color (red is emphasized or green is emphasized).
- **Dimmer**: Adjusts the brightness of display.
- Touching [Camera] switches to the picture adjustment screen for the rear view cam era.
- Touching [Source] while adjusting the rear view camera image returns you to the pre vious screen.
- ☐ The adjustments of **Brightness** and **Contrast** are stored separately when your vehicle's headlights are off (daytime) and when your vehicle's headlights are on (nighttime). These are switched automatically depending on whether the vehicle's headlights are on or off.
- ☐ The adjustments of **Dimmer** is stored sepa rately when your vehicle's headlights are off (daytime) and when your vehicle's head lights are on (nighttime). **Dimmer** is switched automatically only when the value of nighttime is lower than the value of day time.
- You cannot adjust **Color** for the source without a video and navigation map display.
- The setting contents can be memorized se parately for the following screen and the video image.

AM/FM/CD/ROM/iPod(Music)/Pandora/SD(audio)/USB(audio)/Bluetooth
Audio/XM/SIRIUS/Digital Radio screen
AV1 and iPod(Video)

DVD-V and **DivX**

SD(Video) and USB(Video)

AV2(Video) and **EXT1**(Video), **EXT2** (Video)

Rear view camera image Map screen

- ☐ The picture adjustment may not be avail able with some rear view cameras.
- Because of the LCD screen characteristics, you may not be able to adjust the screen at low temperatures.

3 Touch [+] or [–] to adjust the desired item.

Each touch of [+] or [-] increases or decreases the level of the desired item.

4 Touch **⑤** to return to the previous screen. ■

Displaying the "AV System Settings" **screen**

- 1 Press the HOME button to display the "Top Menu" screen.
- 2 Touch [Settings].



The "Settings Menu" screen appears.

3 Touch [AV Settings].



The "AV System Settings" menu appears.

4 Touch the item that you want to change the setting.



- You can only adjust "Wide Mode" when se lecting an AV source with video.
- Touch ≤

The previous screen returns.

Setting video input 1 (AV1)

You can switch this setting according to the connected component.

□ This setting applies to mini jack input.

1 Display the "AV System Settings" screen.

→ For details, refer to Displaying the "AV System Settings" screen on this page.

2 Touch [AV1 Input].

Each touch of [**AV1 Input**] changes the set ting as follows:

- iPod: iPod connected with the USB Inter face cable for iPod (CD IU50V)
- Video: External video component
- Off: No video component is connected.
- Use AV1 Input when connecting CD IU50V (sold separately) through the external video component.

Setting video input 2 (AV2)

You can switch this setting according to the connected component.

This setting applies to RCA inputs (AUDIO INPUT and VIDEO INPUT) on the back of the system.

1 Display the "AV System Settings" screen.

→ For details, refer to Displaying the "AV System Settings" screen on the previous page.

2 Touch [AV2 Input].

Each touch of [**AV2 Input**] changes the set ting as follows:

- Off: No video component is connected.
- EXT: Pioneer external unit connected with the RCA video cable
- Video: External video component

Changing the wide screen mode

1 Display the "AV System Settings" screen.

→ For details, refer to Displaying the "AV System Settings" screen on the previous page.

2 Touch [Wide Mode].

Each touch of [Wide Mode] changes the set ting as follows:

Full (full)

A 4:3 picture is enlarged in the horizontal direction only, enabling you to enjoy a 4:3 TV picture (normal picture) without any omissions.

· Cinema (cinema)

A picture is enlarged by the same propor tion as **Full** or **Zoom** in the horizontal direction and by an intermediate proportion between **Full** and **Zoom** in the vertical direction; ideal for a cinema sized picture (wide screen picture) where captions lie outside the frame.

Zoom (zoom)

A 4:3 picture is enlarged in the same pro portion both vertically and horizontally; ideal for a cinema sized picture (wide screen picture).

• Normal (normal)

A 4:3 picture is displayed normally, giving you no sense of disparity since its propor tions are the same as that of the normal picture.

☐ Different settings can be stored for each video source.

- ☐ The same setting is automatically applied for the following grouping.
 - DVD-V and DivX
 - AV1 and AV2
 - EXT1 and EXT2
- When video is viewed in a wide screen mode that does not match its original as pect ratio, it may look strange.
- Remember that use of this system for com mercial or public viewing purposes may constitute an infringement on the author's rights protected by the Copyright Law.
- ☐ The navigation map and the rear view cam era picture is always viewed at **Full**.

Setting the rear output

The navigation system's rear output can be used for a full range speaker or subwoofer connection. If you switch **Rear SP** to **Sub. W**, you can connect a rear speaker lead directly to a subwoofer without using an auxiliary amp. Initially, the navigation system is set for a rear full range speaker connection (**Full**).

- Both rear speaker leads output and RCA rear output are switched simultaneously in this setting. (When you use the product without RCA rear output, this setting only applies to the rear speaker leads.)
- ☐ "Rear SP" can be set only when the source is selected to "Off".

1 Display the "AV System Settings" screen.

→ For details, refer to Displaying the "AV System Settings" screen on the previous page.

2 Touch [Rear SP].

Each touch of [**Rear SP**] changes the settings as follows:

Full

When no subwoofer is connected to the rear output, select "**Full**".

Sub. W

When a subwoofer is connected to the rear output, select "Sub. W".

Switching the muting/ attenuation timing

You can mute the AV source volume or attenu ate the output signal. This setting is invalid for the mute signal that has been received from the MUTE lead connected to the navigation unit. (Even if this setting is "Off", the navigation system will mute or attenuate the audio source volume when the signal is output via MUTE lead.)

1 Display the "AV System Settings" screen.

→ For details, refer to Displaying the "AV System Settings" screen on page 168.

2 Touch [Mute].

Each touch of [Mute] changes the settings as follows:

- Guide/Tel/VR: The volume is muted or atte nuated according to the following condi tions.
 - When the navigation outputs the guidance voice.
 - When you use a cellular phone via Blue tooth technology (dialing, talking, in coming call).
 - When the voice recognition mode is ac tivated.
- **Tel/VR**: The volume is muted or attenuated according to the following conditions.
 - When you use a cellular phone via Blue tooth technology (dialing, talking, in coming call).
 - When the voice recognition mode is ac tivated.
- Off: The volume does not change.
- AV source volume returns to normal when the corresponding action is ended.

Switching the muting/ attenuation level

You can select the muting/attenuation level of "Mute". This setting is also effective for a mute signal that has been received from the MUTE lead connected to the navigation unit.

☐ This menu is not available when AV source is "Off".

1 Display the "AV System Settings" screen.

→ For details, refer to Displaying the "AV System Settings" screen on page 168.

2 Touch [Mute Level].

Each touch of [**Mute Level**] changes the set tings as follows:

- 20dB: The volume becomes 1/10.
- **10dB**: The volume becomes 1/3.
- All: The volume becomes 0.
- When you select "All", no audio adjust ments are possible during the sound is turned off.
- When you select "20dB" or "10dB", no audio adjustments are possible during the sound is attenuated.
- ☐ AV source volume returns to normal when the corresponding action is ended.
- Even when a mute signal has been received from MUTE lead connected to the naviga tion unit, navigation voice guidance cannot be attenuated or muted.

Acquiring/Cataloging iPod music information

If you always set the language other than "English" on "Voice Language", this setting is un necessary.

Unless "VR Catalog Mode" is turned off, this navigation system tries to acquire the information needed to operate iPod with voice commands. It may take a short period of time to transfer the information. Change the setting according to your usage.

The navigation system starts acquiring/catalo ging music information (1) when the iPod is connected or when the system boots up while the iPod is connected and (2) when iPod is the selected and displayed AV Source, unless "VR Catalog Mode" is turned off.

- ☐ This function is available when "Change Control Mode" is set to "Navi".
- ☐ If you do not use iPod, this setting is un necessary.
- ☐ During transfer, the following iPod operations are not available.
 - Setting the shuffle play for music Displaying the top category menu Switching the operation screen
- Once the cataloging is completed, you can deactivate "VR Catalog Menu" until you update the content/data on iPod. If you up date the iPod data, activate "VR Catalog Menu" again to transfer the music infor mation and synchronize the music informa tion for voice commands with the data on iPod
- After you select "Off" in "VR Catalog Mode", the system doesn't catalog the data on the iPod. In such case, the pre viously cataloged data are available as voice commands.
- Once you start the cataloging process, only a few basic voice commands can be used for iPod until the process has completely finished.
- If unreadable characters are included in the data on your iPod, names or types may not be available as voice commands.

Important Notice regarding Voice Control for iPods

Voice Control for iPods may be limited if cata loging of iPod content is not completed. Cata loging of iPod content only occurs when the system is in "AV Source" mode and the "iPod" is the selected and displayed "AV Source" screen. Cataloging of iPod content will not occur if the system is off, if any other "AV Source" is selected (aside from iPod), or if the system is in any other mode (aside from "AV Source" mode) such as "Destination Menu", "Settings Menu". "Phone Menu" or the map screen. If you wish to use Voice Control for all iPod content, it is recommended that you first connect your iPod, select "iPod" as the AV source, and keep the iPod screen displayed until cataloging is completed cataloging of

iPod content should only take a few minutes, and will depend on the size of the content stored on your iPod. A message will be dis played when cataloging is completed.

- 1 Display the "AV System Settings" screen.
 - → For details, refer to Displaying the "AV System Settings" screen on page 168.
- 2 Touch [VR Catalog Menu].
- 3 Touch [On] or [Off] to activate or deactivate "VR Catalog Mode".
- Touch [Pause].

The cataloging of iPod stops. If you want to restart the cataloging of iPod, touch [**Restart**].

Displaying your DivX VOD registration code

In order to play DivX VOD (video on demand) content on this navigation system, you first need to register the unit with your DivX VOD content provider. You do this by generating a DivX VOD registration code, which you submit to your provider.

- ☐ This feature is available when the selected source is **CD. ROM. DivX.** or **DVD-V**.
- 1 Display the "AV System Settings" screen.
 - ⇒ For details, refer to Displaying the "AV System Settings" screen on page 168.
- 2 Touch [DivX VOD].

Your 8 digit registration code is displayed.

Make a note of the code as you will need it when you register with a DivX VOD provider.

Displaying the "AV Sound Settings" **screen**

1 Press the HOME button to display the "Top Menu" screen.

2 Touch [Settings].



The "Settings Menu" screen appears.

3 Touch [AV Sound].



The "AV Sound Settings" screen appears.

You cannot make adjustments in the following situations:

AV source is "Off".

During muting/attenuation

☐ You cannot select "SLA" when the FM tuner is selected as the AV source.

4 Touch the item that you want to change the setting.



Touch ≤

The previous screen returns.

Using balance adjustment

You can select a fader/balance setting that provides an ideal listening environment in all occupied seats.

1 Display the "AV Sound Settings" screen.

⇒ For details, refer to Displaying the "AV Sound Settings" screen on the previous page.

2 Touch [FAD/BAL].

When "Sub. W" is selected in "Rear SP", "Balance" will be displayed instead of "FAD/BAL" and front/rear speaker balance cannot be adjusted.

⊃ For details, refer to *Setting the rear output* on page 169.

3 Touch [▲] or [▼] to adjust front/rear speaker balance.

Each time you touch [A] or [V], the front/rear speaker balance moves towards the front or the rear.

"Front:15" to "Rear:15" is displayed as the front/rear speaker balance moves from front to rear.

Setting "Front:" and "Rear:" to "0" is correct when using a two speaker system.

4 Touch [◄] or [▶] to adjust left/right speaker balance.

Each time you touch $[\blacktriangleleft]$ or $[\blacktriangleright]$, the left/right speaker balance moves towards the left or the right.



"Left:15" to "Right:15" is displayed as the left/right speaker balance moves from left to right.

Using the equalizer

The equalizer lets you adjust equalization to match vehicle interior acoustic characteristics as desired.

Recalling equalizer curves

There are seven stored equalizer curves that you can easily recall at any time. Here is a list of the equalizer curves:

Equalizer curve

SuperBass is a curve in which only low pitched sound is boosted.

Powerful is a curve in which low pitched and high pitched sounds are boosted.

Natural is a curve in which low pitched and high pitched sounds are slightly boosted.

Vocal is a curve in which the midrange, which is the human vocal range, is boosted.

Flat is a flat curve in which nothing is boosted.

Custom1 is an adjusted equalizer curve that you cre ate. A separate custom curve can be created for each source

Custom2 is an adjusted equalizer curve that you cre ate. If you select this curve, the effect is reflected all AV source.

1 Display the "AV Sound Settings" screen.

➤ For details, refer to Displaying the "AV Sound Settings" screen on page 171.

2 Touch [EQ].



3 Touch the equalizer you want.



Adjusting the preset equalizer curve effect

You can adjust the effect of the preset equalizer curves.

The following equalizer curves can be ad justed:

- SuperBass
- Powerful
- Natural
- Vocal

1 Display the "AV Sound Settings" screen.

- ⇒ For details, refer to Displaying the "AV Sound Settings" screen on page 171.
- 2 Touch [EO].
- 3 Touch the equalizer you want.
- 4 Touch [+] or [-] next to "Nuance".
 - ☐ The level can be adjusted in the range of 6 to +6.
 - ☐ If "Natural" is selected, the level can be ad justed in the range of 4 to +6.

Adjusting the equalizer curves

You can adjust the currently selected equalizer curve setting as desired. Adjustments can be made with a 7 band graphic equalizer.

The difference between "Custom1" and "Custom2"

- A separate Custom1 curve can be created for each source. If you make adjustments when a curve SuperBass, Powerful, Natural, Vocal, Flat, or Custom1 is se lected, the equalizer curve settings will be memorized in Custom1.
- A Custom2 curve can be created common to all sources. If you make adjustments when Custom2 curve is selected, the Custom2 curve will be updated.
- The adjusted Custom1 curve is memorized for each of the source selected, but one curve is shared for the following sources.

CD, ROM, DVD-V, and DivX AM and FM EXT1 and EXT2

AV1 and AV2 SD and USB

- The different source volume level can be set between iPod and USB.
- When "Flat" is selected, no supplement or correction is made to the sound. This is useful to check the effect of the equalizer curves by switching alternatively between "Flat" and a set equalizer curve.
- 1 Display the "AV Sound Settings" screen.
 - For details, refer to Displaying the "AV Sound Settings" screen on page 171.
- 2 Touch [EQ].
- 3 Touch one of the keys to select a curve that you want to use as the basis of customizing.
- 4 Touch [Customize].
- 5 Touch the frequency that you want to adjust the level.



6 Touch [▲] or [▼] to adjust the level of the equalizer band.

Each time you touch [▲] or [▼], the level of the equalizer band increases or decreases.

Adjusting loudness

Loudness compensates for deficiencies in the low and high sound ranges at low volume.

- 1 Display the "AV Sound Settings" screen.
 - ➡ For details, refer to Displaying the "AV Sound Settings" screen on page 171.

2 Touch [Loudness].

Each time you touch [**Loudness**], the level is selected in the following order:

Off Low Mid High

Using subwoofer output

The navigation system is equipped with a sub woofer output mechanism, which can be turned on or off.

- ☐ This function is not available when "Sub Woofer" is "Off".
- 1 Display the "AV Sound Settings" screen.
 - For details, refer to Displaying the "AV Sound Settings" screen on page 171.
- 2 Touch [Sub Woofer].
- 3 Touch [On] to turn subwoofer output on.

To turn subwoofer output off, touch [Off].



- 4 Touch [Reverse] or [Normal] to select the phase of subwoofer output.
- 5 Touch [+] or [–] next to "Level" to adjust the output level.

"+6" to **"-24"** is displayed as the level is in creased or decreased.

6 Touch [◄] or [▶] next to "Frequency(Hz)" to select cut-off frequency.

Each time you touch [◀] or [▶], cut off fre quencies are selected in the following order: **50Hz 63Hz 80Hz 100Hz 125Hz** Only frequencies lower than those in the se lected range are output from the subwoofer.

Using the high pass filter

When you do not want low sounds from the subwoofer output frequency range to play from the front or rear speakers, activate **HPF** (high pass filter). Only frequencies higher than those in the selected range are output from the front or rear speakers.

- 1 Display the "AV Sound Settings" screen.
 - For details, refer to Displaying the "AV Sound Settings" screen on page 171.
- 2 Touch [HPF].

Each time you touch [**HPF**] selects cut off fre quencies in the following order:

Off 50Hz 63Hz 80Hz 100Hz

Adjusting source levels

SLA (source level adjustment) lets you adjust the volume level of each source to prevent ra dical changes in volume when switching be tween sources.

- ☐ Settings are based on the FM tuner volume level, which remains unchanged.
- 1 Compare the FM tuner volume level with the level of the source you wish to adiust.
- 2 Display the "AV Sound Settings" screen.
 - For details, refer to Displaying the "AV Sound Settings" screen on page 171.
- 3 Touch [SLA].
- 4 Touch [+] or [–] to adjust the source volume.
- "+8dB" to "-8dB" is displayed as the source volume is increased or decreased.

The following AV sources are set to the same source level adjustment volume automatically.

- CD. ROM. DivX
- SD and USB
- AV1 and AV2
- EXT1 and EXT2

☐ The different source volume level can be set between **iPod** and **USB**.

Enhancing bass (Bass Booster)

You can enhance bass sounds that are often muted by driving noise.


- 1 Display the "AV Sound Settings" screen.
 - ➤ For details, refer to Displaying the "AV Sound Settings" screen on page 171.
- 2 Touch [Bass Booster].
- 3 Touch [+] or [–] to adjust the range from 0 to 6.

Setting the simulated sound stage

You can select the desired effect from various simulated sound stages, such as Music Studio or Dynamic Theater. You can also adjust a lis tener positioning effect.

Setting a stage that fits your image

- 1 Display the "AV Sound Settings" screen.
 - ➤ For details, refer to Displaying the "AV Sound Settings" screen on page 171.
- 2 Touch [Staging].
- 3 Touch desired stage setting.



- "Living Room" setting that emphasizes mid range sound hardly has any effect near the maximum volume level.
- When you set staging to an option other than "Off", the high pass filter (HPF) setting turns "Off".

 For details, refer to Using the high pass filter on the previous page.

Adjusting a position effect

You can select a listener position that you want to make as the center of sound effects.

- 1 Display the "AV Sound Settings" screen.
 - ➤ For details, refer to Displaying the "AV Sound Settings" screen on page 171.
- 2 Touch [Staging].
- 3 Touch [Position].
- 4 Touch desired position.



5 Touch [Setting Replicator].

A message confirming whether to update the settings appears.

6 Touch [Yes].

Update starts.

After the settings are updated, a message con firming whether to restart the navigation sys tem appears.

7 Touch [OK].

The navigation system restarts.

Replicating the settings

You can import settings you have made on the utility program AVIC FEEDS which is available separately to the navigation system.

- 1 Use AVIC FEEDS to replicate the settings and store them on an SD memory card.
- 2 Insert an SD memory card into the SD card slot.
 - For details of the operation, refer to Insert ing and ejecting an SD memory card on page 15.
- 3 Press the HOME button to display the "Top Menu" screen.
- 4 Touch [Settings].

The "Settings Menu" screen appears.

Turning off the screen

By turning off the backlight of the LCD screen, you can turn off the screen display without turning off the voice guidance.

- 1 Press the HOME button to display the "Top Menu" screen.
- 2 Touch [Settings]. The "Settings Menu" screen appears.
- Touch [Screen Off].

The screen is turned off.

■ Touch anywhere on the screen to turn it. back on.

Operating Your Navigation System with Voice

To Ensure Safe Driving

Λ

CAUTION

For your safety, avoid viewing the screen in the voice operation as much as possible while driving.

If you use voice operation, select [English] in [Voice Language] of "Regional Settings". If you select other languages, voice operation will not be available.



Basics of Voice Operation

Your Pioneer navigation system uses the latest in voice recognition technology. You can use voice commands to operate many of its functions. This chapter describes where you can use voice commands, and also what commands the system accepts.

☐ This function is not available while the cata loging of iPod is created.

Flow of voice operation

You can start voice operation any time even when the map screen is displayed or AV is op erating. (Some operations are not available.) The basic steps of voice operations are as follows.

Switch the screen to map screen or AV op eration screen.



Press the button to activate voice oper ations.



Speak a command into the microphone after the beep.

When the command is recognized, the na vigation system displays next options on the screen, and pronounces it in some cases.



· Repeat previous step as necessary.



- The requested operation will be carried out.
- The voice operation may not be operable for a minute after the navigation system has booted up.
- □ Voice operation will be activated 30 seconds after the map screen is displayed.
 If the w② button does not respond, display the disclaimer screen and then touch [OK].
 The map screen is displayed.

Starting voice operation

 Press the _Nை button when the map screen or the AV operation screen is displayed.

The voice operation screen appears.



Operating Your Navigation System with Voice

- Voice help menu:
 Displays a list of commands for voice oper
 ation.
- ② Voice operation condition indicator: When is indicated, the navigation system can recognize your voice commands.
- 3 ?: You can listen to the brief operating in struction.
- 4 X:

cancels voice operation.

You can cancel the voice operation feature at any time by saying "Cancel". After you cancel voice operations, the display returns to the screen displayed before the voice operation screen appeared.

How to use the voice operation Searching for a location by address

In this example, you want to search for a loca tion by address and set it as your destination.

- When the list of candidates with number appears, say the number that you want to select.
 - When you select the entry next to "1", say "Number One".
- If there are multiple items that correspond to the name you gave, the list screen ap pears. In this case, touch the item you want to select from the list.
- 1 Press the MODE button to display the map screen or the AV operation screen.
- 2 Press the ${}_{\eta}$ \mathfrak{D} button to activate voice operations.

A list of commands for voice operation ap pears. After a message, the beep indicates that the system is ready to accept your voice command. Say a command after this beep.

3 Say "I need directions".

A message prompting you to select a search by address or by POI appears.

4 Say "Find an address".

A message prompting the next operation is given.

- 5 Say the state name that you want to set to your destination.
- 6 Say the city name that you want to set to your destination.
- 7 Say the street name that you want to set to your destination.

8 Say the house number that you want to set to your destination.

Your navigation system sets the route to your destination, and the map of your surroundings appears.

 If you say "Just go there", the navigation sys tem sets the route to the representative location of the city or the street.

Search for POI in vicinity

In this example, you want to search for a POI and set it as your destination.

- When the list of candidates with number appears, say the number that you want to select.
 - When you select the entry next to "1", say "**Number One**".
- If there are multiple items that correspond to the name you gave, the list screen ap pears. In this case, touch the item you want to select from the list.
- 1 Press the MODE button to display the map screen or the AV operation screen.
- 2 Press the vi button to activate voice operations.

A list of commands for voice operation ap pears. After a message, the beep indicates that the system is ready to accept your voice command. Say a command after this beep.

3 Say "I need directions".

A message prompting you to select a search by address or by POI appears.

Operating Your Navigation System with Voice

4 Say "Point of interest".

The list of POI categories appears.

5 Say the category that you want to set to your destination.

The list of candidates with number appears.

6 Say the number that you want to select.

Your navigation system sets the route to your destination, and the map of your surroundings appears.

Calling the entry on "Contacts"

A method for dialing the entry named "Nancy" is described here along with an operational ex ample.

- 1 Press the ${}_{V}\mathfrak{D}$ button to activate voice operations.
- 2 Say "Call Nancy" to make a call.

A message confirming whether to dial appear s.

3 Say "Yes".

Dialing starts.

Operating iPod by voice

You can play music using voice operation from the iPod connected to the navigation system.

- To use the content/data on the iPod for voice operation, transfer the data to this system first.
 - → For details, refer to Acquiring/Cataloging iPod music information on page 170.

Examples of voice operation of the iPod are shown below. (A method for playing the album title named "Pioneer" is described here, along with an operational example.)

- 1 Press the ${}_{\text{N}}\mathfrak{D}$ button to activate voice operations.
- 2 Say "Change Source" to display the AV source selection screen.

- 3 Say "iPod" on the selection screen to switch the AV source to iPod.
 - Touching the item on the screen also en ables you to select the desired AV source.
- 4 Press the ${}_{V}$ \mathfrak{D} button to activate voice operations.
- 5 Say "Play the album Pioneer" to playback the album name "Pioneer".

If the command is recognized properly, play back starts from the first song of "Pioneer".

Available Basic Voice Commands

The navigation system can also recognize the words in the following list.

Terms written in italics are voice commands.

Basic commands

Voice commands and operations

 $Back \rightarrow The previous screen returns.$

Cancel → Cancels the voice operation.

Help → Outputs the brief operating instruction by voice.

Next page, Previous page → Switches the page.

Last page, First page → Switches to the last or first page.

Voice operation for the iPod

For <Artist name>, <Album name>, <Playlist name>, <Genre name> shown on the following chart, say the name their name in the iPod.

Playback of iPod movies is not available using voice commands.

Voice commands and operations

Shuffle play → Plays all songs randomly.

Resume → Resumes the song or the video currently playing.

Pause → Pauses the song or the video currently playing.

Next song \rightarrow Plays the next song.

Previous song → Plays the previous song or return to the beginning of the song currently playing.

Play songs → Starts playback from the top of "Songs".

 $Play\ artists
ightharpoonup Displays\ the\ artist\ list
ightharpoonup Say\ the\ artist\ name\ that\ you\ want\ to\ play.$ $Play\ the\ artist\ <Artist\ name>
ightharpoonup Starts\ playback\ from\ the\ top\ of\ the\ selected\ artist.$

Play albums → Displays the album list → Say the album name that you want to play. Play the album <Album name> → Starts playback from the top of the selected album.

Play playlists \rightarrow Displays the playlist \rightarrow Say the playlist that you want to play.

Play the playlist <Playlist name $> \rightarrow$ Starts playback from the top of the selected playlist.

Play genres → Displays the genre list → Say the genre that you want to play.

Play the genre <Genre name> → Starts playback from the top of the selected genre.

Browse artists → Displays the artist list together with sub screen to continue the voice operation. → Say the desired voice commands.

Browse the artist <Artist name $> \rightarrow$ Displays the album list of the selected artist together with sub screen to continue the voice operation. \rightarrow Say the desired voice commands.

 $Browse\ albums
ightharpoonup$ Displays the album list together with sub screen to continue the voice operation. ightharpoonup Say the de sired voice commands.

Browse the album <Album name $> \rightarrow$ Displays the song list of the selected album together with sub screen to continue the voice operation. \rightarrow Say the desired voice commands.



Voice commands and operations

Browse playlists \rightarrow Displays the playlist together with sub screen to continue the voice operation. \rightarrow Say the desired voice commands.

Browse the playlist <Playlist name $> \rightarrow$ Displays the song list of the selected playlist together with sub screen to continue the voice operation. \rightarrow Say the desired voice commands.

 $Browse\ genre o ext{Displays}$ the genre list together with sub screen to continue the voice operation. $o ext{Say}$ the desired voice commands.

Browse the genre <Genre name $> \rightarrow$ Displays the song list of the selected genre list together with sub screen to continue the voice operation. \rightarrow Say the desired voice commands.

Play more music artist → Plays the songs related to the currently playing artist.

Play more music album → Plays the songs related to the currently playing album.

Play more music genre → Plays the songs related to the currently playing genre.

Next page, Previous page → Displays the previous or next page of the selection list. (*1)

First page, Last page → Displays the first or last page of the selection list. (*1)

(*1) The voice commands is available only when the selection list is displayed.

Voice operation for AV source (other than iPod) AV source selection

Voice commands and operations

Change Source to DISC → Switches the AV source to Disc.

Change Source to FM \rightarrow Switches the AV source to FM.

Change Source to AM → Switches the AV source to AM.

Change Source to XM Satellite Radio \rightarrow Switches the AV source to XM.

Change Source to SIRIUS Satellite Radio → Switches the AV source to SIRIUS.

Change Source to "HD Radio" → Switches the AV source to **Digital Radio**.

Change Source to SD Media → Switches the AV source to SD.

Change Source to USB → Switches the AV source to USB.

Change Source to iPod → Switches the AV source to iPod.

Change Source to Bluetooth Audio → Switches the AV source to Audio.

Built-in DVD drive, external storage device (USB, SD)

Voice commands and operations

Shuffle play → Plays all songs randomly.

Pause → Pauses the track or file currently playing.

Resume → Resumes the track or file currently playing.

Next song → Plays the next track or file.

Previous song → Plays the previous track or file, or returns to the beginning of the track or file currently playing.

Voice commands related to hands-free phoning

- You can make a phone call by voice dialing if the cellular phone featuring Bluetooth wireless technology is being paired with the navigation system.
- For <entry's name> shown on the following chart, say the name of the entry stored in "Contacts".
- For <phone number> shown on the following chart, say the desired phone number.

Voice commands and operations

Call <entry's name> → Makes a call to the entry (*2).

Call < entry's name> general \rightarrow Displays the message confirming whether to dial \rightarrow Say Yes \rightarrow Dials the general phone number of the entry (*3).

 $Call < entry's \ name > mobile \rightarrow Displays the message confirming whether to dial \rightarrow Say Yes \rightarrow Dials the cellular phone number of the entry (*3).$

 $Call < entry's \ name > \text{home} \rightarrow \text{Displays}$ the message confirming whether to dial $\rightarrow \text{Say Yes} \rightarrow \text{Dials}$ the home phone number of the entry (*3).

Call < entry's name> work \rightarrow Displays the message confirming whether to dial \rightarrow Say Yes \rightarrow Dials the office phone number of the entry (*3).

Call <entry's name > other \rightarrow Displays the message confirming whether to dial \rightarrow Say Yes \rightarrow Dials the other phone number of the entry (*3).

Call <phone number> → Displays the message confirming whether to dial → Say Yes → Dials the phone number.

Make a call \rightarrow Say the phone number you want to call \rightarrow Displays the message confirming whether to dial \rightarrow Say Yes \rightarrow The system starts dialing to the number.

Make a call \rightarrow Say the name of entry stored on "**Contacts**" you want to call \rightarrow Displays the message confirming whether to dial \rightarrow Say Yes \rightarrow The system starts dialing to the number (*2).

List outgoing calls → Display the list of recent outgoing calls ("Dialed Calls") to select the number and call (*4).

List recent calls → Incoming calls → Display the list of recently received calls ("Received Calls") to select the number and call (*4).

List recent calls → Outgoing calls → Display the list of recent outgoing calls ("**Dialed Calls**") to select the number and call (*4).

List recent incoming calls → Display the list of recently received calls ("Received Calls") to select the number and call (*4).

Find the nearest \rightarrow Displays the category list \rightarrow Say the category that you want to set to your destination \rightarrow Displays the list of candidates with number \rightarrow Show me details for enumber that you want to select > \rightarrow Call \rightarrow Dialing starts.

(*2) If the entry has multiple phone number data, selection list may appear. In such case, say the type of phone number

(*3) If there is no corresponding type on the entry, the system may suggest you other phone numbers of the entry. In such case, say the type of phone number.

(*4) Touching the item on the screen also enables you to select the desired list.

Tips for Voice Operation

For your voice commands to be correctly re cognized and interpreted, ensure that conditions are suitable for recognition.

Close the vehicle windows

Please note that wind through the vehicle win dow or miscellaneous noise from outside the vehicle can interfere with voice operation.

Position the microphone carefully

For optimum pick up, the microphone should be fixed at a suitable distance directly in front of the driver.

Pause before giving a command

Speaking too soon may cause the recognition to fail.

Pronounce your commands carefully

Speak slowly, deliberately, and clearly.

Setting the anti-theft function


You can set a password for the navigation system. If the back up lead is cut after the password is set, the navigation system prompts for the password at the time of next boot up.

Setting the password

- 1 Press the HOME button to display the "Top Menu" screen.
- 2 Touch [Settings].

The "Settings Menu" screen appears.

- ☐ This can also be operated using the "Short cut Menu" screen.
- 3 Touch Area1, followed by Area2, and then touch and hold Area3.



4 Touch [Set Password].

The password setting screen appears.

- 5 Enter the password you want to set.
 - 5 to 16 characters can be entered for a password.
- 6 Touch [OK].
- 7 Reenter the password to confirm the setting.
- 8 Touch [OK].

Password protection is applied.

If you want to change the password cur rently set, enter the current password and then enter the new one.

Entering the password

On the password input screen, you must enter the current password. If you enter an incorrect password three times, the screen is locked and operations using touch panel keys are disabled.

- 1 Enter the password.
- 2 Touch [OK].

The message "The unit has been locked because an invalid password was entered three times. Turn ACC off and on, and enter your password." appears if you entered the correct password and the navigation sys tem is unlocking.

Deleting the password

The current password can be deleted.

- 1 Press the HOME button to display the "Top Menu" screen.
- 2 Touch [Settings] on the "Top Menu".
- 3 Touch Area1, followed by Area2, and then touch and hold Area3.
- 4 Touch [Clear password].

The password setting screen appears.

- 5 Enter the current password.
- 6 Touch [OK].
- 7 Touch [Yes].

The message for deletion appears and then the current password is deleted.

Forgotten password

Contact the nearest authorized Pioneer Service Station.

Returning the navigation system to the default or factory settings

You can return settings or recorded content to the default or factory settings. There are some methods to clear user data, and the situations and the cleared content are different for each method. For information regarding the content that is cleared by each method, see the list presented later.

Method 1: Remove the vehicle battery

This transforms the system into the same state as when the navigation system is unin stalled.

Method 2: Restore Factory Settings

This clears some items in the "Navi Settings" menu.

→ For details, refer to Restore Factory Settings on page 188.

Method 3: Touch [Clear user information] on the "Select Items to Reset" screen.

→ For details, refer to Displaying the "Select Items to Reset" screen on page 188.

Method 4: Touch [Reset] on the "Select Items to Reset" screen.

→ For details, refer to Displaying the "Select Items to Reset" screen on page 188.

Setting items to be deleted

The items to be deleted vary depending on the reset method. The items listed in the following table re turn to the default or factory settings.

- Almost all items not listed below will be retained. However, some of the items to be returned to their default values are not listed if the setting value can be easily recovered by user, such as the last map scale, the last status of AV operation screen, etc.
 - : The setting will be retained.
- ✓: The setting will be cleared and returned to the default or factory settings.

Navigation functi	ons	Method 1	Method 2	Method 3	Method 4
	View mode and scale setting on the map			√	1
Map function	Direction of the map			✓	1
	Last cursor position on the map screen		1	✓	1
	Current route	1		1	1
Route Setting	Guidance state of the current route			✓	1
-	Vehicle position information			✓	✓
	Options		1	✓	1
	Keyboard		1	✓	1
Others	Learnt data used in Learning Route	✓		/	1
Destination	Point registered in Favorites			✓	
Destination	History			✓	
Map Settings	View Mode			✓	1
	Other settings		✓	✓	✓
	3D Calibration Status				
	Drive Log Settings			✓	
Navi Settings	Demo Mode	✓	✓	✓	✓
Navi Settings	Set Home			✓	
	Modify Current Location			✓	✓
	Other settings		✓	✓	✓
	Program Language, Voice Language			1	1
System Settings	Time			✓	1
	Back Camera	1			
	Other settings		✓	✓	1
Bluetooth Set- tings	All settings (*1)		1	/	1

Navigation functi	ons	Method 1	Method 2	Method 3	Method 4
Phone Menu	All settings (*1)		✓	✓	✓
Other functions	Anti theft password				

^(*1) All stored data of 5 users is deleted.

AV functions		Method 1	Method 2	Method 3	Method 4
Volume		✓			
AV Settings	Wide Mode, Mute, VR Cata- log Menu		1	1	✓
_	Other settings	1			
AV Sound	All settings	✓			
CD, ROM, DVD-V, DivX, FM, AM, Audio	All settings (*2)	√			
SD, USB	All settings (*2)	✓		✓	
Picture Adjustment		1			
Other functions	Tilt	1			

^(*2) All settings including the setting on the "Function" menu are deleted.

Restore Factory Settings

- ☐ Be sure to read "Setting items to be deleted" before you perform this operation.
- 1 Display the "System Settings" screen.
 - ⇒ For details, refer to Displaying the "System Settings" screen on page 161.
- 2 Touch [Restore Factory Settings].

The message confirming whether to restore the settings appears.

3 Touch [Yes].

Displaying the "Select Items to Reset" **screen**

- ☐ Be sure to read "Setting items to be deleted" before you perform this operation.
- 1 Park your vehicle in a safe place and apply the parking brake.
- 2 Turn the ignition switch off and back on.

The navigation system restarts, and the splash screen appears.

- 3 Press and hold the MODE button and the TRK (◄) button while splash screen appears.
 - ☐ For users of AVIC Z120BT, press the **MODE** button and the **TRK** (◄◄) button.

The "Select Items to Reset" screen appears.

4 Touch [Clear user information] or [Reset].



The message confirming whether to erase the data appears.

5 Touch [Yes].

The recorded contents are cleared.

Troubleshooting

If you have problems operating your navigation system, refer to this section. The most common problems are listed below, along with likely causes and solutions. If a solution to your problem cannot be found here, contact your dealer or the nearest authorized Pioneer service facility.

Problems with the navigation screen

Symptom	Cause	Action (Reference)
The power doesn't turn on. The navigation system doesn't oper ate.	Leads and connectors are incor rectly connected.	Confirm once more that all connections are correct.
	The fuse is blown.	Rectify the reason for the fuse blowing, then replace the fuse. Be very sure to install a cor rect fuse with the same rating.
	Noise and other factors are causing the built in microprocessor to oper ate incorrectly.	Park your vehicle in a safe place, and turn off the engine. Turn the ignition key back to Acc off. Then start the engine again, and turn the power to the navigation system back on.
You cannot position your vehicle on the map without a significant positioning error.		The quality of signals from the GPS satellites is poor, causing reduced positioning accuracy. Check the GPS signal reception and the position of the GPS antenna if necessary.
	Obstacles are blocking signals from the satellites.	The quality of signals from the GPS satellites is poor, causing reduced positioning accuracy. Check the GPS signal reception and the position of the GPS antenna if necessary, or continue driving until reception improves. Keep the antenna clear.
	The position of satellites relative to your vehicle is inadequate.	The quality of signals from the GPS satellites is poor, causing reduced positioning accuracy. Continue driving until reception im proves.
	Signals from the GPS satellites have been modified to reduce accuracy. (GPS satellites are operated by the US Department of Defense, and the US government reserves the right to distort positioning data for military reasons. This may lead to greater positioning errors.)	The quality of signals from the GPS satellites is poor, causing reduced positioning accuracy. Wait until reception improves.
	If a vehicle phone or cellular phone is used near the GPS antenna, GPS reception may be lost temporarily.	The quality of signals from the GPS satellites is poor, causing reduced positioning accuracy. When using a cellular phone, keep the antenna of the cellular phone away from the GPS antenna.

Symptom	Cause	Action (Reference)
You cannot position your vehicle on the map without a significant positioning error.	Something covers the GPS antenna.	Do not cover the GPS antenna with spray paint or vehicle wax, because this may block the reception of GPS signals. Snow buildup can also degrade the signals.
	Signals from the vehicle's speed pulse are not being picked up properly.	Check that the cables are properly connected. If necessary, consult the dealer that installed the system.
	The navigation system may not be mounted securely in your vehicle.	Check that the navigation system is securely mounted and, if necessary, consult the dealer that installed the system.
	The navigation system is installed with an extreme angle exceeding the installation angle limitations.	Confirm the installation angle. (The naviga tion system must be installed within the al lowed installation angle. For details, refer to Installation Manual.)
	Indication of the position of your ve hicle is misaligned after a U turn or reversing.	Check whether or not the reverse gear signal input lead (violet) is connected properly. (The navigation system works properly without the lead connected, but positioning accuracy will be adversely affected.)
"Eco Graph" is not available.	The navigation system is unable to obtain past average fuel mileage data, so "Eco Graph" cannot be dis played.	Drive about 6 miles (10 km) on a road without obstructions. Then park your vehicle in a safe place, turn off the navigation system and turn the power to the navigation system back on.
The map color does not switch automatically between daytime and nighttime.	"Day/Night Display" is set to "Day".	Check " Day/Night Display " setting and make sure " Automatic " is selected. (Page 159)
	The orange/white lead is not con nected.	Check the connection.
The screen is too bright.	Picture quality adjustment of the display is not correct.	Adjust the picture quality. (Page 167)
The display is very dim.	The vehicle's light is turned ON, and "Automatic" is selected on "Day/Night Display".	Read about "Day/Night Display" setting and, if desired, select "Day". (Page 159)
	Picture quality adjustment of the display is not correct.	Adjust the picture quality. (Page 167)
No sounds of AV source are pro	The volume level is low.	Adjust the volume level.
duced. The volume level will not rise.	The attenuator or mute is on.	Turn the attenuator or mute off.
The volume level will flot fise.	A speaker lead is disconnected.	Check the connection.
The volume of navigation gui dance and beeps cannot be ad justed.	VOL (+/) button is used to adjust the volume.	Turn the volume up or down using [Volume] on the " System Settings " menu. (Page 163)
The person on the other end of the phone call cannot hear the conversation due to an echo.	The voice from the person on the other end of the phone call is output from the speakers and then picked up by the microphone again, creating an echo.	Use the following methods to reduce the echo: Lower the volume on the receiver Have both parties pause slightly before speaking

Symptom	Cause	Action (Reference)
There's no picture.	The parking brake cord is not con nected.	Connect the parking brake cord, and apply the parking brake.
	The parking brake is not applied.	Connect the parking brake cord, and apply the parking brake.
	The backlight of the LCD panel is turned off.	Turn on the backlight. (Page 177)
Rear display picture disappears.	The source disc being listened to in the navigation system has been ejected.	Before ejecting the disc, switch the source. This problem may occur when certain con nection methods are used.
	There is a problem with the "Rear display", for example a faulty wiring connection.	Check the "Rear display" and its connection.
	An AV source that cannot output to the rear display is selected.	Select an appropriate AV source.
Nothing is displayed and the touch panel keys cannot be	The setting for the rear view camera is incorrect.	Select the appropriate setting for the rear view camera.
used.	The shift lever was placed in [R] when the rear view camera was not connected.	Select the correct polarity setting for " Back Camera ". (Page 164)
There is no response when the touch panel keys are touched, or a different key responds.	The touch panel keys deviate from the actual positions that respond to your touch for some reason.	Perform touch panel calibration. (Page 165)
The external storage device (USB, SD) cannot be used.	The USB storage device has been removed immediately after plugging it.	Park your vehicle in a safe place, and turn off the engine. Turn the ignition key back to Acc off. Then start the engine again, and turn the power to the navigation system back on.

Problems in the AV screen

Symptom	Cause	Action (Reference)
CD or DVD playback is not pos sible.	The disc is inserted upside down.	Insert the disc with the label upward.
	The disc is dirty.	Clean the disc.
	The disc is cracked or otherwise da maged.	Insert a normal, round disc.
	The files on the disc are an irregular file format.	Check the file format.
	The disc format cannot be played back.	Replace the disc.
	The loaded disc is a type this system cannot play.	Check what type of disc it is. (Page 204)
The screen is covered by a cau tion message and the video can	The parking brake lead is not con nected or applied.	Connect the parking brake lead correctly, and apply the parking brake.
not be shown.	The parking brake interlock is activated.	Park your vehicle in a safe place and apply the parking brake.

Symptom	Cause	Action (Reference)
equipment.	"AV1 Input" or "AV2 Input" setting is incorrect.	Correct the settings. (Page 145)
No video output from connected iPod.	The connection of the USB interface cable for iPod is incorrect.	Connect both the USB plug and the RCA cable side. (If only one of these connection has been made, the iPod will not work properly.) (Page 19)
The audio or video skips.	The navigation system is not firmly secured.	Secure the navigation system firmly.
No sounds are produced.	Cables are not connected correctly.	Connect the cables correctly.
The volume level will not rise.	The system is performing still, slow motion, or frame by frame playback with DVD Video.	There is no sound during still, slow motion, or frame by frame playback with DVD Video.
	The system is paused or performing, fast reverse or forward during the disc playback.	For the media other than music CD (CD DA), there is no sound on fast reverse or forward.
The icon ⊘ is displayed, and op eration is not possible.	The operation is not compatible with the video configuration.	This operation is not possible. (For example, the DVD playing does not feature that angle, audio system, subtitle language, etc.)
The picture stops (pauses) and the navigation system cannot be operated.	The reading of data is impossible during disc playback.	After touching ■ once, start playback once more.
The picture is stretched, with in correct aspect ratio.	The aspect setting is incorrect for the display.	Select the appropriate setting for that image. (Page 169, Page 107)
A parental lock message is dis played and DVD playback is not possible.	Parental lock is on.	Turn parental lock off or change the level. (Page 108)
Parental lock for DVD playback cannot be canceled.	The code number is incorrect.	Input the correct code number. (Page 108)
Playback is not with the audio language and subtitle language settings selected in "DVD/DivX® Setup".	The DVD playing does not feature dialog or subtitles in the language selected in "DVD/DivX® Setup".	Switching to a selected language is not possible if the language selected in "DVD/DivX® Setup" is not recorded on the disc. (Page 107)
The picture is extremely unclear/ distorted and dark during play back.	The disc features a signal to prohibit copying. (Some discs may have this.)	Since the navigation system is compatible with the copy guard analog copy protect system, the picture may suffer from horizontal stripes or other imperfections when a disc with that kind of protection signal is viewed on some displays. This does not mean the na vigation system is malfunctioning.
iPod cannot be operated.	The iPod is frozen.	 Reconnect the iPod with the USB interface cable for iPod. Update the iPod software version.
	An error has occurred.	Reconnect the iPod with the USB interface cable for iPod. Park your vehicle in a safe place, and turn off the engine. Turn the ignition key back to Acc off. Then start the engine again, and turn the power to the navigation system back on. Update the iPod software version.

Problems with the phone screen

Symptom	Cause	Action (Reference)
Dialing is not possible because the touch panel keys for dialing	Your phone is out of range for ser vice.	Retry after re entering the range for service.
are inactive.	The connection between the cellular phone and the navigation system cannot be established now.	Perform the connection process.

If the screen becomes frozen...

Park your vehicle in a safe place, and turn off the engine. Turn the ignition key back to Acc off. Then start the engine again, and turn the power to the navigation system back on.

Messages and how to react to them

The following messages may be displayed by your navigation system. Refer to the table below to identify the problem, then take the suggested corrective action.

There are occasions when you may see error messages other than those shown here. In such a case, follow the instructions given on the display.

Messages for navigation functions

Message	Cause	Action (Reference)
System detected improper connection of Parking Brake lead. Please check your configuration for safety. Please see Operation Manual for more information regarding safe operation.	Parking brake lead is incorrectly connected.	Confirm once more that their connections are correct.
Route calculation was not possible.	Route calculation has failed be cause of a malfunction in map data, software, or hardware.	Change the destination. Consult the Pioneer Local dealer if this mes sage persists.
Route calculation not possible. Destination too far.	The destination is too far.	Set a destination closer to the starting point.
Route calculation not possible. Destination too close.	The destination is too close.	Set a destination farther from the starting point.
Route calculation not possi- ble. Navigation cannot be provided around destination or starting point.	The destination, waypoint(s), or starting point are in an area where no road exists (e.g. a mountain) and the route calculation is impossible.	Set a destination and waypoint(s) on roads. Reset the destination after you drive the vehicle to any road.
Route to destination cannot be calculated.	The destination or waypoint(s) are in an isolated island, etc. without a ferry and the route calculation is im possible. If there is no road con nected to your starting point or destination, this message will appear.	Change the destination.
Failed to create route profile	In rare cases, a route calculation error may occur.	Retry. Consult the Pioneer Local dealer if this mes sage persists.
No picture folder. Save jpeg file to /Pictures/ folder	Cannot load the image because "Pictures" folder is not found in the inserted external storage device.	Use appropriate data and store it correctly. (Page 164)
	"Pictures" folder exists on the SD memory card but there is no load able data in the folder.	Use appropriate data and store it correctly. (Page 164)
Data Read error.	Failed to read the data for some rea son.	Use appropriate data and store it correctly. (Page 164)
The file is corrupt	The data is damaged or an attempt was made to set an image file that was not made to specifications as the splash screen.	Use appropriate data and store it correctly. (Page 164)

Message	Cause	Action (Reference)
Connection failed.	The cellular phone's Bluetooth wire less technology is turned off.	Activate the target phone's Bluetooth wire less technology.
	The cellular phone is paired (con nected) with another device.	Cancel the pairing (connection) and retry.
	Rejection has been received from the cellular phone.	Operate the target phone and accept the connection request from the navigation system. (Furthermore, check the connection settings on your cellular phone.)
	The target cellular phone cannot be found.	Check whether your cellular phone is activated and, whether the distance to your cellular phone is not too far.
Could not find any available phone.	No available phone exists in the sur roundings when the system searches for connectable cellular phones featuring Bluetooth wireless technology.	Activate the target phone's Bluetooth wire less technology. Check whether your cellular phone is activated and, whether the distance to your cellular phone is not too far.
Registration failed.	The cellular phone's Bluetooth wire less technology is turned off during the registration step.	Keep turning the target phone's Bluetooth wireless technology on during the registra tion.
	Rejection by the cellular phone has received.	Operate the target phone and accept the re gistration request from the navigation system. (Furthermore, check the connection settings on your cellular phone.)
	Registration step has failed for some reason.	Retry the registration and if the registration still fails, try registering using your cellular phone.



Messages for audio functions

When problems occur with AV source playback, an error message appears on the display. Refer to the table below to identify the problem, then take the suggested corrective action. If the error persists, record the error message and contact your dealer or your nearest Pioneer service center. The messages in "()" will appear on the "Rear display".

Built-in DVD drive

Message	Cause	Action (Reference)
Reading error	Dirty	Clean the disc.
(ERROR-02-XX)	Scratched disc	Replace the disc.
	The disc is loaded upside down	Check that the disc is loaded correctly.
Playback error. Please remove the disc.	Electrical or mechanical	Replace the disc. Set the ACC to off and then set it to on again.
Region code cannot be matched (DIFFERENT REGION DISC)	The disc does not have the same re gion number as the navigation sys tem.	Replace the DVD Video with one bearing the correct region number.
Unreadable disc	This type of disc cannot be played by the navigation system.	Replace the disc with one the navigation sys tem can play. (Page 207, Page 223)
Playback error due to irregu- lar temperature. Please re- move the disc. (THERMAL PROTECTION IN MOTION)	The temperature of the navigation system is out of the normal operating range.	Wait until the unit's temperature returns to within normal operating limits.
Tracks that cannot be played back will be skipped (FILE SKIPPED)	Files that are protected by digital rights management (DRM).	The protected files are skipped.
Cannot play back all tracks (PROTECTED DISC)	All the files on the inserted disc are secured by DRM.	Replace the disc.
Flash writing error. Impossible to write on the flash. (CAN NOT SAVE DATA)	The playback history for VOD contents cannot be saved for some reason.	Retry. If the message appears frequently, consult your dealer.
Authorization Error (AUTHOR- IZATION ERROR)	The device does not match the de vice registered with the VOD provi der. VOD content cannot be played back.	Check whether this device has been regis tered with the VOD provider.
Cannot play back HD file (FILE NOT PLAYABLE-HIGH DEF)	High definition (HD) DivX video can not be played.	Create playable one and retry.

SD/USB/iPod


Message	Cause	Action (Reference)
Tracks that cannot be played back will be skipped	Files that are protected by digital rights management (DRM).	The protected files are skipped.
	This type of file cannot be played by this unit.	Replace it with the playable file. (Page 207, Page 223)

Message	Cause	Action (Reference)
Cannot play back all tracks	All the files on the inserted external storage device are secured by DRM.	Store playable files.
	All of the files cannot be played by this unit.	Replace it with the playable file. (Page 207, Page 223)
USB flash drive was discon- nected for device protection. Do not connect this USB flash drive to the unit. To restart USB, restart the unit.	The USB connector or USB cable is short circuited.	Confirm that the USB connector or USB cable is not caught in something or da maged.
	The connected USB storage device consumes more than 500 mA (maxi mum allowable current).	Disconnect the USB storage device and do not use it. Turn the ignition switch to off, then to ACC or on and then connect the compliant USB storage device.
	The USB interface cable for iPod is short circuited.	Confirm that USB interface cable for iPod or USB cable is not caught in something or da maged.
Authorization failure. iPod is not connected.	The iPod is not compatible with this navigation system.	Use an iPod of a compatible version.
	Communication failure	Disconnect the cable from iPod. Once iPod main menu is displayed, connect the cable again. If the message appears frequently, consult your dealer.

Positioning technology Positioning by GPS

The Global Positioning System (GPS) uses a network of satellites orbiting the Earth. Each of the satellites, which orbit at a height of 21 000 km, continually broadcasts radio sig nals giving time and position information. This ensures that signals from at least three can be picked up from any open area on the earth's surface.

The accuracy of the GPS information depends on how good the reception is. When the sig nals are strong and reception is good, GPS can determine latitude, longitude and altitude for accurate positioning in three dimensions. But if signal quality is poor, only two dimen sions, latitude and longitude, can be obtained and positioning errors are somewhat greater.



Positioning by dead reckoning

The built in sensor in the navigation system also calculates your position. The current loca tion is measured by detecting driving distance with the speed pulse, the turning direction with the gyro sensor and inclination of the road with the G sensor.

The built in sensor can even calculate changes of altitude, and correct the discrepan cies in the distance traveled caused by driving along winding roads or up slopes.

If you use this navigation system with connect ing the speed pulse, the system will become more accurate than no connection of speed pulse. So you connect the speed pulse without fail to get the accuracy of positioning.

- ☐ The position of the speed detection circuit vary depending on the vehicle model. For details, consult your authorized Pioneer dealer or an installation professional.
- □ Some types of vehicles may not output a speed signal while driving at just a few kilo meters per hour. In such a case, the current location of your vehicle may not be dis played correctly while in traffic congestion or in a parking lot.


How do GPS and dead reckoning work together?

For maximum accuracy, your navigation sys tem continually compares GPS data with your estimated position as calculated from the data of built in sensor. However, if only the data from the built in sensor is available for a long period, positioning errors are gradually com pounded until the estimated position becomes unreliable. For this reason, whenever GPS sig nals are available, they are matched with the data of the built in sensor and used to correct it for improved accuracy.


- □ If you use chains on your wheels for winter driving or put on the spare wheel, errors may suddenly increase because of differ ence in wheel diameter. Initialize the sensor status and it may recover the accuracy to normal condition.
 - **⊃** For details, refer to *Clearing status* on page 149.

Map matching

As mentioned, the positioning systems used by this navigation system are susceptible to certain errors. Their calculations may, on occa sion, place you in a location on the map where no road exists. In this situation, the processing system understands that vehicles travel only on roads, and can correct your position by ad justing it to a nearby road. This is called map matching.



With map matching



Without map matching

Handling large errors

Positioning errors are kept to a minimum by combining GPS, dead reckoning and map matching. However, in some situations, these functions may not work properly, and the error may become bigger.

When positioning by GPS is impossible

- GPS positioning is disabled if signals can not be received from more than two GPS satellites.
- In some driving conditions, signals from GPS satellites may not reach your vehicle.
 In this case, it is impossible for the system to use GPS positioning.



In tunnels or enclosed parking garages



Under elevated roads or similar structures



When driving among high buildings



When driving through a dense forest or tall trees

- If a car phone or cellular phone is used near the GPS antenna, GPS reception may be lost temporarily.
- Do not cover the GPS antenna with spray paint or car wax, because this may block the reception of GPS signals. Snow buildup can also degrade the signals, so keep the antenna clear.
- ☐ If a GPS signal has not been received for a long time, your vehicle's actual position and the current position mark on the map may diverge considerably or may not be up dated. In such case, once GPS reception is restored, accuracy will be recovered.


Conditions likely to cause noticeable positioning errors

For various reasons, such as the state of the road you are traveling on and the reception status of the GPS signal, the actual position of your vehicle may differ from the position dis played on the map screen.

• If you make a shallow turn.




• If there is a parallel road.



• If there is another road very nearby, such as in the case of an elevated freeway.



• If you take a recently opened road that is not on the map.



If you drive in zigzags.



If the road has a series of hairpin bends.




If there is a loop or similar road configuration.



• If you take a ferry.




• If you are driving on a long, straight road or a gently curving road.



 If you are on a steep mountain road with many height changes.



 If you enter or exit a multi storey parking lot or similar structure using a spiral ramp.



 If your vehicle is turned on a turntable or si milar structure.




 If your vehicle's wheels spin, such as on a gravel road or in snow.



• If you put on chains, or change your tires for ones with a different size.




 If trees or other obstacles block the GPS signals for a considerable period.



• If you drive very slowly, or in a start and stop manner, as in a traffic congestion.



• If you join the road after driving around a large parking lot.



When you drive around a traffic circle.



 When starting driving immediately after starting the engine.

Route setting information Route search specifications

Your navigation system sets a route to your destination by applying certain built in rules to the map data. This section provides some use ful information about how a route is set.



When a route is calculated, the route and voice guidance for the route are automatically set. Also, for day or time traffic regulations, only infor mation about traffic regulations applicable at the time when the route was calculated is consid ered. One way streets and street closures may not be taken into consideration. For example, if a street is open during the morning only, but you arrive later, it would be against the traffic regula tions so you cannot drive along the set route. When driving, please follow the actual traffic signs. Also, the system may not know some traffic regulations.

- The calculated route is one example of the route to your destination decided by the na vigation system while taking the type of streets or traffic regulations into account. It is not necessarily an optimum route. (In some cases, you may not be able to set the streets you want to take. If you need to take a certain street, set a waypoint on that street.)
- If the destination is too far, there may be in stances where the route cannot be set. (If you want to set a long distance route going across several areas, set waypoints along the way.)
- During voice guidance, turns and intersec tions from the freeway are announced.
 However, if you pass intersections, turns, and other guidance points in rapid succes sion, some may delay or not be announced.
- It is possible that guidance may direct you off a freeway and then back on again.
- In some cases, the route may require you to travel in the opposite direction to your

- current heading. In such cases, you are in structed to turn around, so please turn around safely by following the actual traffic rules.
- In some cases, a route may begin on the opposite side of a railway or river from your actual current location. If this happens, drive towards your destination for a while, and try route calculation again.
- When there is a traffic congestion ahead, a detour route may not be suggested if driv ing through the traffic congestion would still be better than taking the detour.
- There may be instances when the starting point, the waypoint and the destination point are not on the highlighted route.
- The number of traffic circle exits displayed on the screen may differ from the actual number of roads.

Route highlighting

- Once set, the route is highlighted in bright color on the map.
- The immediate vicinity of your starting point and destination may not be high lighted, and neither will areas with particu larly complex road layouts. Consequently, the route may appear to be cut off on the display, but voice guidance will continue.

Auto reroute function

- If you deviate from the set route, the system will re calculate the route from that point so that you remain on track to the destina tion.
- This function may not work under certain conditions.

Handling and care of discs

Some basic precautions are necessary when handling your discs.

Built-in drive and care

• Use only conventional, fully circular discs. Do not use shaped discs.





- Do not use cracked, chipped, warped, or otherwise damaged discs as they may da mage the built in drive.
- Do not touch the recorded surface of the discs
- Store discs in their cases when not in use.
- Avoid leaving discs in excessively hot envir onments including under direct sunlight.
- Do not attach labels, write on or apply che micals to the surface of the discs.
- To clean a disc, wipe it with a soft cloth, moving outward from the center.



- Condensation may temporarily impair the built in drive's performance. Leave it to ad just to the warmer temperature for about one hour. Also, wipe any damp discs with a soft cloth.
- Playback of discs may not be possible be cause of disc characteristics, disc format, recorded application, playback environ ment, storage conditions and so on.
- Road shocks may interrupt disc playback.
- Read the precautions for discs before using them.

Ambient conditions for playing a disc

 At extremely high temperatures, a tempera ture cutout protects this product by switch ing it off automatically. Despite our careful design of the product, small scratches that do not affect actual operation may appear on the disc surface as a result of mechanical wear, ambient conditions for use or handling of the disc. This is not a sign of the malfunction of this product. Consider it to be normal wear and tear.

Playable discs DVD-Video and CD

DVD and CD discs that display the logos shown below generally can be played on this built in DVD drive.

DVD-Video



CD





- is a trademark of DVD Format/Logo Licensing Corporation.
- ☐ It is not possible to play DVD Audio discs.
 This DVD drive may not be able to play all discs bearing the marks shown above.

AVCHD recorded discs

This unit is not compatible with discs recorded in AVCHD (Advanced Video Codec High Definition) format. Do not insert AVCHD discs. If inserted, the disc may not be ejected.

Playing DualDisc

- DualDiscs are two sided discs that have a recordable CD for audio on one side and a recordable DVD for video on the other.
- Playback of the DVD side is possible with this navigation system. However, since the CD side of DualDiscs is not physically com patible with the general CD standard, it may not be possible to play the CD side with this navigation system.
- Frequent loading and ejecting of a Dual Disc may result in scratches to the disc.
- Serious scratches can lead to playback pro blems on this navigation system. In some cases, a DualDisc may become stuck in the disc loading slot and will not eject. To prevent this, we recommend you refrain from using DualDisc with this navigation system.
- Please refer to the manufacturer for more detailed information about DualDiscs.

Dolby Digital

This product will down mix Dolby Digital sig nals internally and the sound will be output in stereo.

Manufactured under license from Dolby Laboratories. "Dolby" and the double D symbol are trademarks of Dolby Laboratories.



DTS sound

DTS audio format cannot be output, so select an audio track other than DTS audio format. "DTS" is registered trademarks of DTS, Inc.

Detailed information for playable media

Compatibility

Common notes about disc compatibility

- Certain functions of this product may not be available for some discs.
- Compatibility with all discs is not guaran teed.
- It is not possible to playback DVD ROM/ DVD RAM discs.
- Playback of discs may become impossible with direct exposure to sunlight, high tem peratures, or depending on the storage conditions in the vehicle.

DVD-Video discs

 DVD Video discs that have incompatible re gion numbers cannot be played on this DVD drive. The region number of the player can be found on this product's chassis.

DVD-R/DVD-RW/DVD-R DL (Dual Layer) discs

- Unfinalized discs which have been re corded with the Video format (video mode) cannot be played back.
 - Discs which have been recorded with the Video Recording format (VR mode) cannot be played back.
- DVD R DL (Dual Layer) discs which have been recorded with Layer Jump recording cannot be played back.
- For detailed information about recording mode, please contact the manufacturer of media, recorders, or writing software.

CD-R/CD-RW discs

• Unfinalized discs cannot be played back.

- It may not be possible to playback CD R/ CD RW discs recorded on a music CD re corder or a personal computer because of disc characteristics, scratches or dirt on the disc, or dirt, scratches or condensation on the lens of the built in drive.
- Playback of discs recorded on a personal computer may not be possible, depending on the recording device, writing software, their settings, and other environmental factors.
- Please record with the correct format. (For details, please contact manufacturer of media, recorders, or writing software.)
- Titles and other text information recorded on a CD R/CD RW disc may not be dis played by this product (in the case of audio data (CD DA)).
- Read the precautions with CD R/CD RW discs before using them.

Common notes about the external storage device (USB, SD)

- Do not leave the external storage device (USB, SD) in any location with high tem peratures.
- Depending on the kind of the external sto rage device (USB, SD) you use, this naviga tion system may not recognize the storage device or files may not be played back properly.
- The text information of some audio and video files may not be correctly displayed.
- File extensions must be used properly.
- There may be a slight delay when starting playback of files on an external storage de vice (USB, SD) with complex folder hierar chies.
- Operations may vary depending on the kind of an external storage device (USB, SD).
- It may not be possible to play some music files from SD or USB because of file char acteristics, file format, recorded applica tion, playback environment, storage conditions, and so on.

USB storage device compatibility

⇒ For details about USB storage device compatibility with this navigation system, refer to Specifications on page 223.

Protocol: bulk

- You cannot connect a USB storage device to this navigation system via a USB hub.
- Partitioned USB memory is not compatible with this navigation system.
- Firmly secure the USB storage device when driving. Do not let the USB storage device fall onto the floor, where it may become jammed under the brake or gas pedal.
- There may be a slight delay when starting playback of audio files encoded with image data.
- Some USB storage devices connected to this navigation system may generate noise on the radio.
- Do not connect anything other than the USB memory device.

The sequence of audio files on USB memory

For USB memory, the sequence is different from that of USB memory device.

SD memory card and SDHC memory card

⇒ For details about SD memory card compat ibility with this navigation system, refer to Specifications on page 223.

Handling guidelines and supplemental information

- This system is not compatible with Multi Media Card (MMC).
- Copyright protected files cannot be played back.

Notes specific to DivX files

- Only DivX files downloaded from DivX part ner sites are guaranteed for proper opera tion. Unauthorized DivX files may not operate properly.
- DRM rental files cannot be operated until playing back is started.

- The navigation system corresponds to a DivX file display of up to 1590 minutes 43 seconds. Search operations beyond this time limit are prohibited.
- DivX VOD file playback requires supplying the ID code of this navigation system to the DivX VOD provider. Regarding the ID code, refer to Displaying your DivX VOD registra tion code on page 171.
- Plays all versions of DivX video (including DivX 6) with standard playback of DivX media files.
- For more details about DivX, visit the follow ing site: http://www.divx.com/

DivX subtitle files

- Srt format subtitle files with the extension ".srt" can be used.
- Only one subtitle file can be used for each DivX file. Multiple subtitle files cannot be associated.
- Subtitle files that are named with the same character string as the DivX file before the extension are associated with the DivX file. The character strings before the extension must be exactly the same. However, if there is only one DivX file and one subtitle file in a single folder, the files are associated even if the file names are not the same.
- The subtitle file must be stored in the same folder as the DivX file.
- Up to 255 subtitle files may be used. Any more subtitle files will not be recognized.
- Up to 64 characters can be used for the name of the subtitle file, including the ex tension. If more than 64 characters are used for the file name, the subtitle file may not be recognized.
- The character code for the subtitle file should comply with ISO 8859 1. Using char acters other than ISO 8859 1 may cause the characters to be displayed incorrectly.
- The subtitles may not be displayed correctly if the displayed characters in the subtitle file include control code.

- For materials that use a high transfer rate, the subtitles and video may not be comple tely synchronized.
- If multiple subtitles are programed to dis play within a very short time frame, such as 0.1 seconds, the subtitles may not be dis played at the correct time.

Media compatibility chart

General

Media	CD-R/-RW	DVD-R/-RW/-R DL	USB storage de- vice	SD memory card
File system	ISO9660 level 1, ISO9660 level 2, Romeo and Joliet	ISO9660 level 1, ISO9660 level 2, Romeo, Joliet and UDF 1.02	FAT16/FAT32	
Maximum number of folders	700		300	
Maximum number of files	999	3 500	2 500	
Playable file types	MP3, WMA, AAC, DivX		MP3, WMA, AAC, WA MPEG 4	AV, AVI, WMV,

Note:

Maximum playback time of audio file stored in the external storage device (USB, SD): 7.5 h (450 minutes)

MP3 compatibility

Media	CD-R/-RW	DVD-R/-RW/-R DL	USB storage de- vice	SD memory card
File extension	.mp3			
Bit rate	8 kbps to 320 kbps (CBR), VBR			
Sampling frequency	16 kHz to 48 kHz (32 k for emphasis)	Hz, 44.1 kHz, 48 kHz	1 kHz, 48 kHz 8 kHz to 48 kHz	
ID3 tag	ID3 tag Ver. 1.0, 1.1, 2	.2, 2.3	ID3 tag Ver. 1.0, 1.1, 2.2, 2.3, 2.4	

Notes:

- Ver. 2.x of ID3 tag is given priority when both Ver. 1.x and Ver. 2.x exist.
- The navigation system is not compatible with the following: MP3i (MP3 interactive), mp3 PRO, m3u playlist

WMA compatibility

Media			USB storage de- vice	SD memory card
File extension	.wma			
Bit rate	5 kbps to 320 kbps (Cf	BR), VBR		
Sampling frequency	8 kHz to 48 kHz			

Note:

The navigation system is not compatible with the following: Windows Media ^{fM} Audio 9 Professional, Lossless, Voice

WAV compatibility

Media	CD-R/-RW	DVD-R/-RW/-R DL	USB storage de- vice	SD memory card		
File extension		WAV files on the CD R/ RW, DVD R/ RW/ R DL cannot be played.				
Format				Linear PCM (LPCM), IMA ADP		IMA ADPCM
Sampling frequency						· ·=
Quantization bits				pits		
Note: The sampling frequency shown in the display may be rounded.						

AAC compatibility

Media	CD-R/-RW	DVD-R/-RW/-R DL	USB storage de- vice	SD memory card		
File extension	.m4a					
Bit rate	8 kbps to 320 kbps (C	8 kbps to 320 kbps (CBR)				
Sampling frequency	8 kHz to 44.1 kHz	8 kHz to 44.1 kHz 8 kHz to 48 kHz				
Note: The navigation system pl	ays back AAC files encc	ded by iTunes.				

DivX compatibility

Media	CD-R/-RW	DVD-R/-RW/-R DL	USB storage de- vice	SD memory card
File extension	.avi/.divx			
Profile (DivX version)	Home Theater Ver. 3.1 Ver. 6.x	11/Ver. 4.x/Ver. 5.x/		
Compatible audio codec	MP3, Dolby Digital		DivX files on the external storage device (USB, SD) cannot be played.	
Bit rate (MP3)	8 kbps to 320 kbps (CBR), VBR			
Sampling frequency (MP3)	16 kHz to 48 kHz (32 k for emphasis)	Hz, 44.1 kHz, 48 kHz	, , , , , , , , , , , , , , , , , , , ,	1
Maximum image size	720 pixels × 576 pixe	ls		
Maximum file size	4 GB			

Notes:

- The navigation system is not compatible with the following:
 DivX Ultra format, DivX files without video data, DivX files encoded with LPCM (Linear PCM) audio codec
- Depending on the file information composition, such as the number of audio streams, there may be a slight delay in the start of playback on discs.
- If a file contains more than 4 GB, playback stops before the end.
- Some special operations may be prohibited because of the composition of DivX files.
- Files with high transfer rates may not be played back correctly. The standard transfer rate is 4 Mbps for CDs and 10.08 Mbps for DVDs.

Video files compatibility (USB, SD)

File extension		.avi	.mp4, .m4v .wmv		.wmv
Format		MPEG 4	MPEG 4	H.264	WMV
Compatible video co	dec	MPEG 4	MPEG 4	H.264	WMV
Compatible audio co	dec	Linear PCM (LPCM), IMA ADPCM MP3	AAC	AAC	WMA
Recommended video specifica tions	Image size: QVGA (320 pixels x 240 pixels)	Bit rate: 768 kbps Frame rate: 30 fps	Bit rate: 768 kbps Frame rate: 30 fps	Bit rate: 384 kbps Frame rate: 30 fps	Bit rate: 384 kbps Frame rate: 30 fps
Image size: WQVGA (400 pixels x 240 pixels)		Bit rate: 2 Mbps Frame rate: 30 fps	Bit rate: 2 Mbps Frame rate: 30 fps	Bit rate: 1 Mbps Frame rate: 30 fps	Bit rate: 768 kbps Frame rate: 30 fps
Maximum bit rate:	Image size: VGA (640 pixels x 480 pixels)	Bit rate: 1 Mbps Frame rate: 30 fps	Bit rate: 1 Mbps Frame rate: 30 fps	Bit rate: 576 kbps Frame rate: 30 fps	Bit rate: 576 kbps Frame rate: 30 fps
Maximum file size		2 GB			
Maximum playback time		150 minutes			

Common notes


- The navigation system may not operate cor rectly, depending on the application used to encode WMA files.
- Depending on the version of Windows Media™ Player used to encode WMA files, album names and other text information may not be correctly displayed.
- There may be a slight delay when starting playback of audio files encoded with image data.
- The navigation system is not compatible with packet write data transfer.
- This navigation system can recognize up to 32 characters, beginning with the first char acter, including extension for the file and folder name. Depending on the display area, the navigation system may try to dis play them with a reduced font size. How ever, the maximum number of the characters that you can display varies ac

- cording to the width of each character, and of the display area.
- Folder selection sequence or other operations may be altered, depending on the encoding or writing software.
- Regardless of the length of blank section between the songs of original recording, compressed audio discs play with a short pause between songs.

Example of a hierarchy

The following figure is an example of the tier structure in the disc. The numbers in the fig. ure indicate the order in which folder numbers are assigned and the order to be played back. 「一: Folder

万: File





- This product assigns folder numbers. The user cannot assign folder numbers.
- If there is a folder that does not contain any playable file, the folder itself will display in the folder list but you cannot check any files in the folder. (A blank list will appear.) Also. these folders will be skipped without display ing the folder number.

Bluetooth



Bluetooth is a short range wireless radio con nectivity technology that is developed as a cable replacement for cellular phones, hand held PCs and other devices. Bluetooth oper ates in 2.4 GHz frequency range and transmits voice and data at speeds up to 1 megabit per

second. Bluetooth was launched by a special interest group (SIG) comprising Ericsson Inc.. Intel Corp., Nokia Corp., Toshiba and IBM in 1998, and it is currently developed by nearly 2000 companies worldwide.

• The Bluetooth® word mark and logos are re gistered trademarks owned by Bluetooth SIG. Inc. and any use of such marks by Pioneer Corporation is under license. Other trademarks and trade names are those of their respective owners.

About the SAT RADIO **READY Logo**



The SAT RADIO READY logo indicates that the Satellite Radio Tuner for Pioneer (i. e., XM) tuner and Sirius satellite tuner which are sold separately) can be controlled by this naviga tion system. Please inquire with your dealer or nearest authorized Pioneer service station re garding the satellite radio tuner that can be connected to this navigation system.

The system will use direct satellite to receiver broadcasting technology to provide listeners in their cars and at home with crystal clear sound seamlessly from coast to coast. Satel lite radio will create and package over 100 channels of digital quality music, news, sports, talk and children's programming. "SAT Radio", the SAT Radio logo and all re lated marks are trademarks of Sirius Satellite Radio inc., and XM Satellite Radio Inc.

HD Radio Technology

HD Radio™ and the HD and HD Radio Ready logos are proprietary trademarks of iBiquity Di gital Corporation.

SD and SDHC logo



SD Logo is a trademark of SD 3C, LLC.



SDHC Logo is a trademark of SD 3C, LLC.



microSD Logo is a trademark of SD 3C, LLC.



microSDHC Logo is a trademark of SD 3C, LLC. ■

WMA/WMV



Windows Media™ and the Windows logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. ■

DivX



DivX is a compressed digital video format cre ated by the DivX video codec from DivX, Inc. This unit can play DivX video files recorded on CD R/RW/ROM and DVD R/RW/ROM discs. Keeping the same terminology as DVD video, individual DivX video files are called "Titles". When naming files/titles on a CD R/RW or a DVD R/RW disc prior to burning, keep in mind that by default they will be played in alphabetical order.

For U.S.A.

DivX® is a registered trademark of DivX, Inc., and is used under license.

For Canada

DivX[™] is a registered trademark of DivX, Inc., and is used under license.

ABOUT DIVX VIDEO: DivX® is a digital video format created by DivX, Inc. This is an of ficial DivX Certified device that plays DivX video. Visit www.divx.com for more informa tion and software tools to convert your files into DivX video.

ABOUT DIVX VIDEO-ON-DEMAND: This DivX® Certified device must be registered in order to play DivX Video on Demand (VOD) content. To generate the registration code, lo cate the DivX VOD section in *Displaying your DivX VOD registration code*. Go to vod.divx.com with this code to complete the registration process and learn more about DivX VOD.

For details, refer to Displaying your DivX VOD registration code on page 171. ■

AAC

AAC is short for Advanced Audio Coding and refers to an audio compression technology standard used with MPEG 2 and MPEG 4. Sev eral applications can be used to encode AAC files, but file formats and extensions differ de pending on the application which is used to encode. This unit plays back AAC files en coded by iTunes version 7.7.

Detailed information regarding connectable iPods

CAUTION

- Pioneer accepts no responsibility for data lost from an iPod, even if that data is lost while using the navigation system.
- Do not leave the iPod in direct sunlight for ex tended amounts of time. Extended exposure to direct sunlight can result in iPod malfunc tion due to the resulting high temperature.
- Do not leave the iPod in any location with high temperatures.
- Firmly secure the iPod when driving. Do not let the iPod fall onto the floor, where it may be come jammed under the brake or gas pedal.

For details, refer to the iPod's manuals.

iPod



"Made for iPod" means that an electronic ac cessory has been designed to connect specifically to iPod and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards.

iPod is a trademark of Apple Inc., registered in the U.S. and other countries.

iPhone



"Works with iPhone" means that an electronic accessory has been designed to connect spe cifically to iPhone and has been certified by the developer to meet Apple performance standards

Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards.

iPhone is a trademark of Apple Inc.

iTunes

iTunes is a trademark of Apple Inc., registered in the U.S. and other countries.

Using the LCD screen correctly Handling the LCD screen

- When the LCD screen is subjected to direct sunlight for a long period of time, it will be come very hot, resulting in possible da mage to the LCD screen. When not using this navigation system, avoid exposing it to direct sunlight as much as possible.
- The LCD screen should be used within the temperature ranges shown in Specifica tions.

- Do not use the LCD screen at temperatures higher or lower than the operating tem perature range, because the LCD screen may not operate normally and could be da maged.
- The LCD screen is exposed in order to in crease its visibility within the vehicle.
 Please do not press strongly on it as this may damage it.
- Do not push the LCD screen with excessive force as this may scratch it.
- Never touch the LCD screen with anything besides your finger when operating the Touch panel functions. The LCD screen can scratch easily.

Liquid crystal display (LCD) screen

- If the LCD screen is near the vent of an air conditioner, make sure that air from the air conditioner is not blowing on it. Heat from the heater may break the LCD screen, and cool air from the cooler may cause moist ure to form inside the navigation unit, re sulting in possible damage.
- Small black dots or white dots (bright dots) may appear on the LCD screen. These are due to the characteristics of the LCD screen and do not indicate a malfunction.
- The LCD screen will be difficult to see if it is exposed to direct sunlight.
- When using a cellular phone, keep the an tenna of the cellular phone away from the LCD screen to prevent disruption of the video in the form of disturbances such as spots or colored stripes.

Maintaining the LCD screen

- When removing dust from the LCD screen or cleaning it, first turn the system power off, then wipe with a soft dry cloth.
- When wiping the LCD screen, take care not to scratch the surface. Do not use harsh or abrasive chemical cleaners.

LED (light-emitting diode) backlight

A light emitting diode is used inside the display to illuminate the LCD screen.

- At low temperatures, using the LED back light may increase image lag and degrade the image quality because of the character istics of the LCD screen. Image quality will improve with an increase in temperature.
- The product lifetime of the LED backlight is more than 10 000 hours. However, it may decrease if used in high temperatures.
- If the LED backlight reaches the end of its product lifetime, the screen will become dimmer and the image will no longer be visible. In that case, please consult your dealer or the nearest authorized Pioneer Service Station

Display information

Destination Menu



		Page
Addres	Address	
Return	Home	36
POI		
	Gas Station	
	ATM	- 36
	Coffee	- 30
	Hotel	
	Spell Name	37
	Near Me	37
	Near Destination	38
	Around City	38
AVIC FE	EDS	39
Favorit	es	39, 46
History		39, 49
Cancel Route		45
MSN Direct		50
Coordinates		40
Route C	Overview	42

Phone Menu



	Page
Dial Pad	68
Call Home	69
Contacts	69
Contacts Transfer	72
Received Calls	69
Dialed Calls	69
Missed Calls	69
GOOG-411	70

Settings Menu



	Page
Navi Settings	148
System Settings	161
AV Settings	168
AV Sound	171
Map Settings	154
Bluetooth Settings	73
Setting Replicator	176

Navi Settings menu



	Page
Connection Status	148
3D Calibration Status	149
Gas Mileage	150
Drive Log Settings	152
Demo Mode	152
Set Home	152
Modify Current Location	153
Eco Settings	153

System Settings menu



		Page
Region	al Settings	
	Program Language, Voice Language	161
	Time	162
	km / mile	162
	Average Speed	162
Volume	e	163
Splash	Screen	163
Back Ca	amera	164
Screen	Calibration	165
Illumi (Color	165
Service	Information	166
Restore	e Factory Settings	188

Map Settings menu



		Page
Display	ed Info	
	Close Up View	154
	City Map	155
	City Map Barrier	155
	Show Traffic Incident	155
	Bluetooth Connected	156
	Current Street Name	156
	Favorites Icon	156
	3D Land Mark	156
	Show Maneuver	157
	MSN Direct	157
	Show Eco Meter	157
Quick Access Selection 16		160
Overlay POI		157
/iew Mode		29
Day/Night Display		159
AV Guide Mode		160
Road Color		159

AV System Settings menu



	Page
AV1 Input	168
AV2 Input	168
Wide Mode	169
Mute	170
Mute Level	170
Rear SP	169
DivX VOD	171
VR Catalog Menu	170

AV Sound Settings menu



	Page
FAD/BAL (Balance)	172
EQ	172
Loudness	174
Sub Woofer	174
HPF	175
SLA	175
Bass Booster	175
Staging	175

Bluetooth Settings menu



	Page
Connection	66
Registration	63
Device Name	73
Password	73
Bluetooth On/Off	73
Echo Cancel	74
Auto Answer Preference	74
Refuse All Calls	74
Clear Memory	75
Firmware update	75

Glossary

AAC

AAC is short for Advanced Audio Coding and refers to an audio compression technology standard used with MPEG 2 and MPEG 4.

Aspect ratio

This is the width to height ratio of a TV screen. A regular display has an aspect ratio of 4:3. Wide screen displays have an aspect ratio of 16:9, providing a bigger picture for exceptional presence and atmosphere.

Bit rate

This expresses data volume per second, or bps units (bits per second). The higher the rate, the more information is available to reproduce the sound. Using the same encoding method (such as MP3), the higher the rate, the better the sound.

Built-in sensor

The built in sensor that enables the system to estimate your vehicle's position.

CD-DA

This stands for a general music CD (commer cial release audio CD). In this manual, this word is sometime used for a distinction be tween data CDs (which include compressed audio files) and general music CDs.

Chapter

Titles of DVD Video are in turn divided into chapters which are numbered in the same way as the chapters of a book. With discs fea turing chapters, you can quickly find a desired scene with chapter search.

Current location

The present location of your vehicle; your cur rent location is shown on the map by a red tri angle mark.

Destination

A location you choose as the end point of your journey.

DivX

DivX is a popular media technology created by DivX, Inc. DivX media files contain highly com pressed video with high visual quality that maintains a relatively small file size. DivX files can also include advanced media features like menus, subtitles, and alternate audio tracks. Many DivX media files are available for down load online, and you can create your own using your personal content and easy to use tools from DivX.com.

DivX Certified

DivX Certified products are officially tested by the creators of DivX and guaranteed to play all versions of DivX video, including DivX 6.

Favorites

A frequently visited location (such as your workplace or a relative's home) that you can register to allow easy routing.

GPS

Global Positioning System. A network of satel lites that provides navigation signals for a variety of purposes.

Guidance mode

The mode in which guidance is given as you drive to your destination; the system automatically switches to this mode as soon as a route has been set.

Guidance point

These are important landmarks along your route, generally intersections. The next gui dance point along your route is indicated on the map by the yellow flag icon.

Home location

Your registered home location.

ID3 tag

This is a method of embedding track related information in an MP3 file. This embedded in formation can include the track title, the artist's name, the album title, the music genre, the year of production, comments and other data. The contents can be freely edited using software with ID3 tag editing functions. Although the tags are restricted by the num ber of characters, the information can be viewed when the track is played back.

ISO 9660 format

This is the international standard for the for mat logic of DVD/CD ROM folders and files. For the ISO9660 format, there are regulations for the following two levels:

• Level 1:

The file name is in 8.3 format (the name consists of up to eight characters, half byte English capital letters, half byte numerals and the " " sign, with a file extension of three characters).

Level 2:

The file name can have up to 31 characters (including the separation mark "." and a file extension). Fach folder contains less than eight hierarchies.

Extended formats

Joliet:

File names can have up to 64 characters.

File names can have up to 128 characters.

JPEG

This stands for Joint Photographic Experts Group, and is an international still image com pression standard.

MP3

MP3 is short for MPEG Audio Laver 3. It is an audio compression standard established by a working group (MPEG) of the ISO (Interna tional Organization for Standardization). MP3 is able to compress audio data to about 1/10th the size of a conventional disc.

MPFG

This stands for Moving Pictures Experts Group, and is an international video image compression standard

Multi-angle

With regular TV programs, although multiple cameras are used to simultaneously shoot scenes, only images from one camera at a time are transmitted to your TV. Some DVDs feature scenes shot from multiple angles, let ting you choose your viewing angle as desired.

Multi-audio (Multilingual dialog)

Some videos feature dialog recorded in multi ple languages or audio recorded in multiple tracks. For example, dialog in up to eight lan guages can be recorded on a single DVD Vi deo, letting you choose the language as desired.

Multi-session

Multi session is a recording method that al lows additional data to be recorded later. When recording data on a CD ROM, CD R or CD RW, etc., all data from beginning to end is treated as a single unit or session. Multi ses sion is a method of recording more than two sessions in one disc.

Multi-subtitle

For example, subtitles in up to 32 languages can be recorded on a single DVD Video, letting you choose as desired.

Packet write

This is a general term for a method of writing individual files to a CD R, etc. whenever re guired, just as is done with files on floppy or hard disks.

Parental lock

Some DVD Video discs with violent or adult or iented scenes feature parental lock which pre vents children from viewing such scenes. With this kind of disc, if you set the unit's parental lock level, playback of scenes inappropriate for children will be disabled, or these scenes will be skipped.

Phone book

An address book on user's phone is collectively referred to as "Phone book". Depending on the cellular phone, the phone book may be called a name such as "Contacts", "Business card" or something else.

Point Of Interest (POI)

Any of a range of locations stored in the data, such as railway stations, shops, restaurants, and amusement parks.

Region number

DVD players and DVD discs feature region numbers indicating the area in which they were purchased. Playback of a DVD is not pos sible unless it features the same region num ber as the DVD player.

Route setting

The process of determining the ideal route to a specific location; route setting is done auto matically by the system when you specify a destination.

Set route

The route marked out by the system to your destination. It is highlighted in bright color on the map.

Title

DVD Video discs have a high data capacity, en abling recording of multiple videos on a sin gle disc. If, for example, one disc contains three separate videos, they are divided into title 1, title 2 and title 3. This lets you enjoy the convenience of title search and other functions.

Track log

Your navigation system logs routes that you al ready passed through if the track logger is ac tivated. This recorded route is called a "track log". It is handy when you want to check a route traveled or if returning along a complex route.

VBR

VBR is short for variable bit rate. Generally speaking, CBR (constant bit rate) is more widely used. But by flexibly adjusting the bit rate according to the needs of audio compression, it is possible to achieve compression priority sound quality.

Voice guidance

The giving of directions by navigation voice while in guidance.

Waypoint

A location that you choose to visit before your destination; a journey can be built up from multiple waypoints and the destination.

WMA

WMA is short for Windows Media™ Audio and refers to an audio compression technology that is developed by Microsoft Corporation. WMA data can be encoded by using Windows Media Player version 7 or later. ■

Specification	c	AVIC X920BT	6.1 inch wide/16:9
Specification	3	Effective display area:	
General		AVIC Z120BT	159 mm × 84 mm
Rated power source	14 4 V DC	AVIC X920BT	
rated power dodree	(allowable voltage range:	Pixels	
	10.8 V to 15.1 V DC)	Display method	TFT Active matrix driving
Grounding system		Backlight	
Maximum current cor		Color system	
		Tolerable temperature rand	•
Dimensions (W \times H \times D):	10.071	Power on	+14°F to +140°F
AVIC Z120BT		Power off	
	178 mm × 100 mm ×	Angle adjustment	
C1103313	165 mm	AVIC Z120BT	0° to 22°
	(7 in. × 3 7/8 in. × 6 1/2 in.)	AVIC X920BT	
Noso	170 mm × 96 mm × 17 mm	7 (110 7(0202)	
Nose	(6 3/4 in. × 3 3/4 in. ×	Audio	
	5/8 in.)	Maximum power output	50 W × 4
AVIC X920BT	3/6111.)	maximum power output	$50 \text{ W} \times 2 \text{ ch}/4 \Omega + 70 \text{ W} \times$
	178 mm × 100 mm ×		1 ch/2 Ω (for subwoofer)
CridSSiS	17611111 × 100111111 ×	Continuous power output	$22 \text{ W} \times 4 \text{ (50 Hz to 15 kHz,}$
	(7 in. × 3 7/8 in. × 6 1/2 in.)	continuodo power output	5 %THD, 4Ω LOAD, Both
Ness	170 mm × 96 mm × 11 mm		Channels Driven)
Nose	170 mm × 90 mm × 11 mm (6 3/4 in. × 3 3/4 in. ×	Load impedance	4Ω (4Ω to 8Ω [2Ω for 1 ch]
	()	Load Impedance	allowable)
\Maiabt.	3/8 in.)	Preout output level (max):	anowabicy
Weight:	0.40 ((5.0 ()	AVIC Z120BT	4.0.1/
AVIC X000BT		AVIC X920BT	
AVIC X920BT NAND flash memory	•	Preout impedance:	2.2 V
NAND liash memory	4 GD	AVIC Z120BT	100 ohm
Navigation		AVIC X920BT	
GPS receiver:		Equalizer (7 Band Graphic	
	L1 C/Assada CDC		50 Hz/125 Hz/315 Hz/800 Hz/
System		rrequeriey	2 kHz/5 kHz/12.5 kHz
	SPS (Standard Positioning	Gain	
Describes	Service)	Loudness contour:	± 12 dD
Reception system	32 channel multi channel		+3.5 dB (100 Hz), +3 dB
December for succession	reception system	EOW	(10 kHz)
Reception frequency.		Mid	+10 dB (100 Hz), +6.5 dB
Sensitivity	1317	WIIG	(10 kHz)
Position update freque	,	High	+11 dB (100 Hz), +11 dB
GPS antenna:	Approx. once per second	1 11g11	(10 kHz)
	Micro otric flat automas/		(volume: 30 dB)
Antenna	Micro strip flat antenna/	HPF:	(volume: oo ab)
	right handed helical polari		50 Hz/63 Hz/80 Hz/100 Hz/
A set a se a se la la		rrequericy	125 Hz
Antenna cable		Slope	
Dimensions (W × H >	*	Subwoofer:	12 dB/oct
	33 mm × 15 mm × 36 mm		50 Hz/63 Hz/80 Hz/100 Hz/
	(1 1/4 in. × 5/8 in. ×	rrequericy	125 Hz
VA (= 1 = 1= 4	1 3/8 in.)	Slope	
Weight	13.1 g (U. 16 IBS)	Gain	
Dicplay		Phase	
Display		Bass boost:	Normal/Neverse
Screen size/aspect ratio:	7 inch wido/16:0	Gain	0.dB to +12.dB
AVIL. / IZUDI			

AVIC Z120BT7 inch wide/16:9

DVD Drive

	DVD Video, CD, MP3, WMA, AAC, DivX system
Usable discs	,
Region number	.1
Signal format:	
	. 44.1 kHz/48 kHz/96 kHz
Number of quantization	n bits
	. 16 bit/20 bit/24 bit; linear
Frequency response	.5 Hz to 44 000 Hz (with DVD,
	at sampling frequency
	96 kHz)
Signal to noise ratio	
	work)
	(CD: 96 dB (1 kHz) (IEC A
D	network))
Dynamic range	.95 dB (1 kHz) (CD: 94 dB (1 kHz))
Distortion	
Output level:	101000 70 (1 111 12)
Video	1 0 Vp p/75 Q (+0 2 V)
Audio	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Number of channels	
MP3 decoding format	
WMA decoding format	,
	MPEG 4 AAC (only encoded
	by iTunes):
	.m4a
DivX decoding format	
	Ver.4.X, Ver.5.X, Ver.6.X:
	.avi, .divx
	/

USB

USB standard spec	USB 2.0 High Speed
Max current supply	500 mA
File system	FAT16, FAT32
USB class	Mass storage class
Decoding format	MP3/WMA/AAC/WAVE/
	H.264/MPEG4/WMV

SD (AVIC-Z120BT)

SD memory card, SDHC memory card

Compatible physical format		
	Version 2.00	
Max memory capacity		
	16 GB	
File system	FAT16, FAT32	
Decoding format	MP3/WMA/AAC/WAVE/	
	H.264/MPEG4/WMV	

SD (AVIC-X920BT)

,	
microSD card, microSDHC	card
Compatible physical for	ormat
	Version 2.00
Max memory capacity	
	16 GB
File system	FAT16, FAT32
Decoding format	MP3/WMA/AAC/WAVE/
-	H.264/MPEG4/WMV

Bluetooth

Version	Bluetooth 2.0+EDR
Output power	+4 dBm Max.
	(Power class 2)

FM tuner

Frequency range	87.9 MHz to 107.9 MHz
Usable sensitivity	$9 \mathrm{dBf} (0.8 \mu \mathrm{V} / 75 \Omega)$, mono,
	S/N: 30 dB)
Signal to noise ratio	72 dB (IEC A network)
Distortion	0.3 % (at 65 dBf, 1 kHz,
	stereo)
	0.1 % (at 65 dBf, 1 kHz,
	mono)
Frequency response	30 Hz to 15 000 Hz (±3 dB)
Stereo separation	45 dB (at 65 dBf, 1 kHz)

AM tuner

Aivi tuilei	
Frequency range	. 530 kHz to 1710 kHz
	(10 kHz)
Usable sensitivity	. 25 µV (S/N: 20 dB)
Signal to noise ratio	62 dB (IEC A network)

CEA2006 Specifications



Power output	14 W RMS × 4 Channels
	$(4 \Omega \text{ and } \leq 1 \% \text{ THD+N})$
S/N ratio	91 dBA (reference: 1 W into
	4Ω)



Specifications and design are subject to possible modifications without notice due to im provements.

Register your product at

http://www.pioneerelectronics.com

in Canada http://www.pioneerelectronics.ca

See "Visit our website" page

PIONEER CORPORATION

1-1, Shin-ogura, Saiwai-ku, Kawasaki-shi, Kanagawa 212-0031, JAPAN

PIONEER ELECTRONICS (USA) INC.

P.O. Box 1540, Long Beach, California 90801-1540, U.S.A.

TEL: (800) 421-1404

PIONEER EUROPE NV

Haven 1087, Keetberglaan 1, B-9120 Melsele, Belgium/Belgique TEL: (0) 3/570.05.11

PIONEER ELECTRONICS ASIACENTRE PTE. LTD.

253 Alexandra Road, #04-01, Singapore 159936

TEL: 65-6472-7555

PIONEER ELECTRONICS AUSTRALIA PTY. LTD.

178-184 Boundary Road, Braeside, Victoria 3195, Australia

TEL: (03) 9586-6300

PIONEER ELECTRONICS OF CANADA, INC.

300 Allstate Parkway, Markham, Ontario L3R 0P2, Canada

TEL: 1-877-283-5901

TEL: 905-479-4411

PIONEER ELECTRONICS DE MEXICO, S.A. de C.V.

Blvd.Manuel Avila Camacho 138 10 piso

Col.Lomas de Chapultepec, Mexico, D.F. 11000

TEL: 55-9178-4270

先鋒股份有限公司

總公司:台北市中山北路二段44號13樓

電話: (02) 2521-3588

先鋒電子(香港)有限公司

香港九龍尖沙明海港城世界商業中心9樓901-6室

電話: (0852) 2848-6488

Published by Pioneer Corporation.
Copyright © 2010 by Pioneer Corporation.
All rights reserved.