

Supplementary New Product Information (SNPI)**TN-200****A Turntable for Serious Music Fans**

A great-sounding belt-drive turntable for music fans who want to enjoy the full range of vinyl classics and reissues.

■ Main Features

- Manual Belt-drive Turntable supporting 33/45rpm
- Heavy MDF cabinet
- USB output for transferring music from vinyl records to your Mac or PC.
- Built-in Phono Equalizer (LINE/PHONO switchable)
- Static balanced straight type tone arm
- Replacable headshell
- Solid aluminum switches



| | |
|-------------------------------|---------------------------------------|
| Brand | TEAC |
| Series | ANALOG TURNTABLE |
| Model No. | TN-200-B |
| Color | Black |
| UPC Code | 043774031849 |
| EAN Code | 4907034219797 |
| Main Unit Dim/NW W x H x D | 420(W) x 117(H) x 356(D)/4.9kg(mm/kg) |
| Package Dim/NW | 548(W) x 221(H) x 431(D)/7.5 (mm/kg) |
| Master Carton | 1 |

Supplementary New Product Information (SNPI) **TEAC**

■ Overview

The TN-200 includes a build-in preamp providing line out a USB out for connection to almost any sound system. The USB output can be used with recording software to archive your vinyl collection add it to your mobile playlist.


● Authentic belt-drive turntable

The high inertia Aluminum die-cast platter is driven by a high torque DC motor for stable rotation. A durable Neoprene® rubber mat further reduces vibration. The high accuracy of the spindle is maintained by a polished Stainless steel Spindle and the highly durable bronze spindle holder.



Enjoy vinyl playback with any both phono and line output that allows phono equalizer

● Dense, composite wood construction with modern black finish
Unlike other brands with plastic chassis, the heavy MDF cabinet minimizes vibrations and resonance for cleaner playback of your vinyl collection. An understated flat black finish fits any décor.



● MM type cartridge phono equalizer amplifier

The TN-200 supports you to play vinyl with or without

● Built-in USB digital Output

The TI-made A/D converter allows you to transfer music via USB to your PC and digitize your vinyl collection. You can protect your vinyl records from damage caused by playback, whilst enjoying the quality of vinyl via your digital audio player.



● Static balanced straight type tone arm

A straight tone arm has been used for high tracking accuracy. The anti-skating mechanism ensures accurate tracking of phonograph records.

● 2-speed Turntable including 33-1/3 and 45 RPM for LP/EP record playback

The TN-200 can play both LP and EP records. The Manual arm lifter ensures seamless analog playback

Supplementary New Product Information (SNPI) **TEAC**

Features at a glance

- Authentic belt-drive turntable
- Built-in phono equalizer amplifier for MM type cartridge (Line/Phono output switchable)
- USB digital output for transferring music from vinyl to Mac or PC
- High performance MM cartridge included
- Manual arm lifter for analog playback
- Static balance straight type tone arm
- Anti-skating system prevents tracking errors
- Aluminum die-cast platter
- Dense composite wood structure for better vibration and resonance control
- 2 speed Turntable including 33-1/3 and 45 RPM for LP/EP record playback
- Stylish flat black chassis

Specs

[Turntable]

| | |
|--------------------------|--|
| Drive system | Belt drive |
| Motor | DC motor |
| Rotation | 33 1/3rpm, 45rpm |
| Rotation speed variation | ±2% |
| Wow and flutter | 0.2% |
| SN ratio | 67dB or higher (A-weighted, 20 kHz) |
| Turntable | Aluminum die-cast 30cm (12") diameter |

[Tone arm]

| | |
|--|-----------|
| Arm type: | |
| Static-balanced straight-pipe tone arm | |
| Effective arm length | 223mm |
| Stylus pressure variation range | 0-5g |
| Acceptable cartridge weight | 3.5g-6.5g |

[Cartridge]

| | |
|---------------------------|---|
| Type | MM |
| Output voltage | 2.4mV±3dB |
| Stylus pressure | 3.0±0.5g |
| Cartridge weight | 4.3±0.4g |
| Included headshell weight | 10g (Including screws, nuts and wires) |

[Output voltage]

| | |
|---------------|------------------|
| PHONO EQ THRU | 2.4mV±3dB |
| PHONO EQ ON | 149mV (-16.5dBV) |
| Output jacks | RCA |

[USB port]

| | |
|---|----------------------|
| USB port that can receive power from computer USB buses (Full .Speed) | USB connector type B |
| USB bus power support | 5V, 500mA |

[General]

| | |
|--|---|
| AC adapter power | |
| Input | AC 100V-AC 240V, 50-60Hz |
| Output | 12V, 500mA |
| Power consumption | |
| Standby | 0.5W or less |
| On (START) | 1.5W or less |
| Weight | 4.9 Kg (10 7/8 lbs) |
| Operating temperature | 5 °C to 35°C |
| Dimensions (W x H x D) (including protrusions) | 420 x 117 x 356 mm (16 5/8" x 4 5/8" x 14 1/8") |

[Included accessories]

| |
|--|
| Rubber mat x 1 |
| 45RPM adapter x1 |
| Counter weight x1 |
| Head-shell x1 (MM type cartridge preinstalled) |
| Turntable x1 |
| Turntable cover x1 |
| Rubber feet for turntable cover x2 |
| Hinges x 2 |
| Audio cable x1 |
| AC adaptor (GPE053A-120050-Z) x 1 |
| Owner's manual x 1 |